
# WINTER PRODUCT GUIDE



Exclusive discounts & savings inside.



RELIABLY EVERYWHRE. COMMITED TO SERVING YOU.

### 7 AM TO 8 PM EST CUSTOMER SERVICE

Monday through Friday. Live in-person 7 AM EST - 8 PM EST. Ship same day up to 8 PM EST.

sales@rmimfg.com 1-800-264-7793

### SAME DAY SHIPPING UP TO 8 PM EST

Strategic warehouse locations around the country. Tennessee, Texas, and California. Over 30,000 products!

reliable delivery.

# **SHOP 24/7 ONLINE - RMIORDER.COM**

Your one-stop shop for all things Ratermann, save your favorites, and review orders.





# THANK YOU FOR YOUR SUPPORT

At Ratermann we are always striving to be a trusted partner in your business. We hand selected these products to showcase our extensive offering.

Brent Lockhart - President



# RELIABLE DELIVERY WITH EVERY ORDER

We take pride in each and every order we ship. Expect faster ship times with your products arriving safely.

Angel Lopez - National Warehouse Manager



1.800.264.7793 SALES@RMIMFG.COM RMIORDER.COM



# Table 1-800-264-7793

Monday through Friday. Live in-person 7 AM EST - 8 PM EST. Ship same day up to 8 PM EST.

# SAME DAY SHIPPING UP TO 8PM EST


Strategic warehouse locations around the country. Tennessee, Texas, and California. Over 30,000 products!

# SHOP 24/7 ONLINE RMIORDER.COM

Over 30,000 products for the compressed gas & cryogenic industries.

# 7 AM to 8 PM EASTERN STANDARD TIME

# We have you covered.





























**Adam Marcum** National Service Mar



R

Craig Pagano



- Industrial Jake Willia - Marketing I

2-Dec 2023





# The brands you love in stock & ready to ship.







Family Owned & Operated Since Day One. Now That's Reliable.

№ 1.800.264.7793 ## www.rmiorder.com × sales@rmimfg.com reliable people. reliable solutions. reliable delivery.

**RATERMANN** 

# 7 AM TO 8 PM







Tina Rose - Customer Service Manager


# **NEW EXTENDED HOURS**

# 7 AM EST TO 8 PM EST CUSTOMER SERVICE

Monday through Friday, our live, inperson assistance is available from 7 AM to 8 PM EST. Our team of industry specialists is ready to address any questions related to your specific application, providing expert guidance and support. Furthermore, we offer same-day shipping until 8 PM EST on these weekdays, ensuring prompt delivery of your orders.

1-800-264-7793

# 7 AM to 8 PM EASTERN STANDARD TIME



# YOUR SEARCH JUST GOT A WHOLE LOT EASIER.

RMIOrder.com is incredibly user-friendly, making it a breeze to find what you need with its product search features, and you can save your favorites for quick grabs next time! Plus, checking out your past orders is a snap, adding a touch of convenience and making the whole experience just more, well, friendly.

Shop 24/7 at: RMIORDER.COM



# NEW PRODUCT DRY ICE BINS

Exciting news at Ratermann! We've recently expanded our inventory to include dry ice bins, showcasing our commitment to continuously diversifying our product offerings to meet the evolving needs of our customers. Now stocking dry ice bins is just another way we're staying on top of the game, ensuring that we're always equipped to provide comprehensive solutions for our valued clients. Your convenience and satisfaction drive our commitment to expanding and enhancing our inventory.

www.rmiorder.com



# THE CATALOG YOU LOVE NOW DIGITAL


We know you can't always have your Ratermann catalog by your side. Try our digital version from anywhere. Completly mobile friendly, make the Ratermann digital catalog a tool you always have with you.

All products are linked to rmiorder.com for quick ordering and checkout.



# HIGH PRESSURE INDUSTRIAL LABELS

Take Your Brand to the Next Level with Custom Imprint Shoulder Roll Labels



# HIGH PRESSURE SHOULDER LABELS

High pressure shoulder labels are available in 5 7/8" x 2". Add your custom full color logo, with company information, and website. Available in single and double diamond, see next item.

# CUSTOMIZE YOUR HIGH PRESSURE DOUBLE DIAMOND SHOULDER LABELS

High pressure double diamond labels are approximately 8" x 3". Add color to your label along with your custom full color logo, with company information, and website.

# HIGH PRESSURE CONDENSED SHOULDER LABELS

High pressure condensed shoulder labels are approximately 5" x 2" and in a condensed format. Add your custom full color logo, with company information, and website.

## HIGH PRESSURE OXYGEN SHOULDER LABELS

High pressure oxygen shoulder labels available in 5 7/8" x 2". Add your custom full color logo, with company information, and website.

# HIGH PRESSURE FLAMMABLE SHOULDER LABELS

High pressure flammable shoulder labels are available in 5 7/8" x 2". Add your custom full color logo, with company information, and website.

Contact us **1-800-264-7793** or email **sales@rmimfg.com** with any questions and to discuss your GHS labeling requirements.

# GHS Compliant Dewar Body Labels & 360° Tape

**Meets Industrial Requirements** 

# GHS Compliant DOT-4L Dewar Laminated Body Labels

\*\* Dewar Body Labels with Custom Imprinted Laminate Label.

Part # Package of 10

DBG-A-CIL-PK10

DBG-N-CIL-PK10

DBG-O-CIL-PK10

DBG-NO-CIL-PK10

DBG-OUSP-CIL-PK10

DBG-NNF-CIL-PK10

DBG-CO2-CIL-PK10

Ship to you with your company information – Company, Street Address, City, State, Zip Code and Phone Number.\*\*



Pt # DBG-O-CII

**Description** 

Carbon Dioxide

Nitrous Oxide

Oxygen USP

Nitrogen NF

Argon

Nitrogen

Oxygen

Custom Imprinted Label Here with Black Text Imprint Only – No Logo

Part # Package of 25

DBG-A-CIL-PK25

DBG-N-CIL-PK25

DBG-O-CIL-PK25

DBG-NO-CIL-PK25

DBG-OUSP-CIL-PK25

DBG-NNF-CIL-PK25

DBG-CO2-CIL-PK25

GHS Compliant DOT-4L Body Labels - Industrial & Medical 14" x 11" Dewar Body Labels



Pt # DBG-OUSP-CIL

Part # Package of 100

DBG-A-CIL-PK100

DBG-N-CIL-PK100

DBG-O-CIL-PK100

DBG-NO-CIL-PK100

DBG-OUSP-CIL-PK100

DBG-NNF-CIL-PK100

DBG-CO2-CIL-PK100

# NO Plate Charge for 5+ Pack on Laminated Dewar Body Labels Present Coupon # FL23-12 when ordering.\*

1/2 OFF Plate Charge for 1+ Pack

BLACK TEXT IMPRINT ONLY NO LOGO Present Coupon # FL23-12 when ordering.\*

One coupon to a location.

Start 12/19/23 Expires 2/27/2024

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.





Pt # DBG-A-CIL

NITROUS OXIDE
REFRIGERATED LIQUID
UN 2221

NAME AND ADDRESS OF THE PROPERTY OF

Pt # DBG-NO-CIL



Pt # DBG-NNF-CIL



# Your INDUSTRIAL CRYOGENIC DOT-4L

360° Tape per Recommendation of CGA C-7 2014, Appendix F

City City	KOII		
Part #	Description	Length	
DG-TC	3" Carbon Dioxide Dewar 360° Gas Tape	250' Roll	
DG-TO	3" Oxygen Dewar 360° Gas Tape	250' Roll	
DG-TN	3" Nitrogen Dewar 360° Gas Tape	250' Roll	
DG-TA	3" Argon Dewar 360° Gas Tape	250' Roll	
DG-TH	3" Helium Dewar 360° Gas Tape	250' Roll	



Upgrade to Build Your Brand
360° Tape Designed
to Identify the Gas Type
and Promote
Your Brand.

Quickly See Tank that Belongs to Your Company!

ARGON ARGON ARGON
Your Industrial Cryogenic DOT-4L

Your Industrial Cryogenic DOT-4L 360° Tape per Recommendation of CGA C-7 2014, Appendix F

# MEDICAL DOT-4L LABELS for GHS and CGA SB-26 Requirements



3 1/2" Medical Oxygen Dewar 360° Gas Tape Pt # DG-MEDO



### Requirement of SB-26 Medical 3 1/2" Dewar 360° Gas Tape

Part #	Description	Roll Length
DG-MEDO	3 1/2" Oxygen Dewar 360° Gas Tape	250' Roll
DG-MEDN	3 1/2" Nitrogen Dewar 360° Gas Tape	250' Roll
DG-MEDNO	3 1/2" Nitrous Oxide Dewar 360° Gas Tape	250' Roll

Sample of Your Logo Here

CUSTOM PRINT* – Industrial 3" Dewar 360° Gas Tape				
Description	Roll Length			
Argon	250' Roll			
Carbon Dioxide	250' Roll			
Helium	250' Roll			
Nitrogen	250' Roll			
Oxygen	250' Roll			
	Description Argon Carbon Dioxide Helium Nitrogen			

Requirement of SB-26 Medical 3 1/2" Dewar 360° Gas Tape			
Part #	Description	Roll Length	
DGC-MEDCO2-XXXX	Carbon Dioxide	250' Roll	
DGC-MEDN-XXXX	Nitrogen	250' Roll	
DGC-MEDO-XXXX	Oxygen	250' Roll	

\* One time plate charge - Roll minimum applies.

# 1/2 OFF PLATE CHARGE ON 360° TAPE

BLACK TEXT IMPRINT ONLY -NO LOGO


One coupon to a location. Start 12/19/23 Expires 2/27/2024

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

# **ADD-ON LABELS**


**High Pressure & Liquid Cylinder Labels** 

Add-on labels come in numerous sizes and custom shapes. Add-on labels with your logo, company information, and website. Get custom wording or choose from our extensive add-on label catalog.



SAFETY LEAKING


2" x 1" Label Pt # SAO-2X1-CUFT-PK250 1.5" x 1.25" Labels Pt # SAO-12515-SAFLK-PK250



3 1/2" x 1.5" Requalification Date Label Pt # NBLF-LN-V100530-XXX-PK500

# TEMPERATURE SENSITIVE! Keep above


6" x 4" Temperature Sensitive Label Pt # GMBLJC-TEMPSENSKA-OR-XXX-PK250



For additional Add-On Labels with Your Custom Print call 1.800.264.7793

# MEDICAL Serialized Labels

If the FDA audits you, you need to be able to communicate how many labels you have used, how many you have in process that day and how many you have in storage. As a part of the inventory process it is a requirement to keep a log of labels used.



By having the labels sequentially numbered on the back of the labels is a great aide in helping companies guarantee how many labels were printed per roll and how many are left on that specific roll. When you receive the rolls from the label supplier you can verify the individual count of each roll and tally total numbers being added to your inventory quite easily by reading the numbers on the backs of the labels. It also can be a good check and balance for that day's activities to say we started with label number X and the roll now shows we have Y labels left and I can see the log sheet says I used X-Y labels today so I accounted for everything. There is no requirement to have this sequential numbering on the backs of the labels it is purely up to each company to define the practices they want to adopt for accounting for these labels, the sequential numbering is simply a tool they can use if they so desire.

# MEDICAL Vinyl Body Labels / 360° I.D. Tape



# Vinyl Medical Cylinder Body Labels

Take Your Brand to the Next Level with Your Logo.



# Medical 360° I.D. Tape

Custom Imprint with your Company name and logo is available on the 3 1/2" Medical Oxygen Liquid Cylinder 360° Gas Tape.

Call our Ratermann Label Representative at 1-800-264-7793 for information.

# Coupon -



# **BUY 10 GENERANT** PRESSURE RELIEFS

**GET A** 

Pack of 10 Pressure Relief I.D. Disks

# GENERANT

1/4" NPT Safety **Pressure** Relief Valve

Part #	PSI
LPR-22	22 PSI
LPR-230	230 PSI
LPR-35	35 PSI
LPR-350	350 PSI
LPR-50	50 PSI
LPR-100	100 PSI
LPR-500	500 PSI

Limited to on hand quantities

Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer.

Promotion Discount based on standard industrial

▲ WARNING: Products in this catalog can expose you to chemicals including Lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov



Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

▲ WARNING: Products in this catalog can expose you to chemicals including Lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov

# **CGA Dust Covers and Thread Protectors**



Coupon -

# **Reusable Dust Cap with Strap**



CGA 320 Dust Cap - Yellow Pt # PM-C12-YPK1000 Pt # PM-C12-YPK100



Dust Cap - Dark Green Pt # PM-C12-GRPK1000 Pt # PM-C12-GRPK100



CGA 320 Dust Cap - Red Pt # PM-C12-RPK1000 Pt # PM-C12-RPK100



CGA 320 Dust Cap - Blue

Pt # PM-C12-BPK1000 Pt # PM-C12-BPK100

Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

# - Coupon -

# **Tamper Evident** CGA Dust Cap

Tamper evident seal fits most male and female CGA cylinder valves. Patented Product.



Green Tamper Evident CGA Dust Cap

HP-WOP540 Tamper Evident CGA540 Dust Plug, Green

Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

# **Heavy Duty Magnetic Temperature Gauge**

for Steel **Cylinders** 

Also available -Accessories for Aluminum Cylinders

> **Certified Heavy Duty Magnetic** Temperature Gauges Pt # GT-CHDM2



Coupon -**PROMO** 

73.85

Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

▲ WARNING: Products in this catalog can expose you to chemicals including Lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov





One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

harm. For more information, go to https://www.p65warnings.ca.gov

⚠ WARNING: Products in this catalog can expose you to chemicals including Lead

which is known to the State of California to cause cancer, birth defects or reproductive



Easy Connecting and Disconnecting from Cylinder

# The One, Two Easy way to fill Industrial Gas Cylinders.

The One, Two Solution for increased production of assembly line filling with safety and increased profits.



ordering.\* One coupon to a location.


Starts 12/19/23 Expires 2/27/2024.
Coupon not combinable with any other

offer. Promotion Discount based on standard industrial selling price.

### Industrial FasTest® Fill Tool Standard Part #'s

QFT-540	Quick-Fill Valve, CGA540 Industrial – Oxygen
QFT-580	Quick-Fill Valve, CGA580 Industrial – Inert
OFT-RPV-580	Ouick Fill Valve. CGA580 RPV Style w/ #2 Handle Standard

▲ WARNING: This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm. For more information: www.P65Warnings.ca.gov



# CGA CONNECTIONS, CRYOVENT, QUICK CONNECTION TOOL

Standard Field Replacement Parts / Bail Handle Connectors / Lever Handle

# **FasTest Replacement Seals**

Gas connector standard replacement parts listed in this section are available for field replacement. FasTest does not offer any further replacement components as special tools. Handling precautions may be required. Due to the high pressure of compressed gas filling, as well as the Oxygen cleaning requirements of specific CGA standards, FasTest requires you to return gas connector products for maintenance and repair. Specific CGA standards require O2 cleaning before being returned to field service.



# **FasTest® Replacement Seals**

Connector	Part #	Description	Pack of
QF-H870	QF-H870SPK5	Replacement Seals, Viton	Pack of 5
	QF-H870SPK100	Replacement Seals, Viton	Pack of 100
	QF-H870SPK250	Replacement Seals, Viton	Pack of 250
QFT-540	QFT-540SPK5	Replacement Main Seals, Viton	Pack of 5
	QFT-540SPK100	Replacement Main Seals, Viton	Pack of 100
_	QFT-540SPK250	Replacement Main Seals, Viton	Pack of 250
	QFT-540ESPK5	Replacement Main Seals, EPDM	Pack of 5
_	QFT-540ESPK100	Replacement Main Seals, EPDM	Pack of 100
	QFT-540ESPK250	Replacement Main Seals, EPDM	Pack of 250
QFT-580	QFT-580ESPK5	Replacement Main Seals, EPDM	Pack of 5
	QFT-580ESPK100	Replacement Main Seals, EPDM	Pack of 100
	QFT-580ESPK250	Replacement Main Seals, EPDM	Pack of 250
QFT-RPV-580	QFT-RPV-580ESPK5	Replacement Main Seals, EPDM	Pack of 5
_	QFT-RPV-580ESPK100	Replacement Main Seals, EPDM	Pack of 100
_	QFT-RPV-580ESPK250	Replacement Main Seals, EPDM	Pack of 250
	QFT-RPV-580-RT	Pin Retraction Tool	
	QFT-RPV-580-PN	Replacement Pin and Nut	
	QFT-RPV-580-PINPK5	Replacement Pins	Pack of 5
QFT-MED540F	QFT-540SPK5	Replacement Seals, Viton	Pack of 5
	QFT-540SPK100	Replacement Seals, Viton	Pack of 100
	QFT-540SPK250	Replacement Seals, Viton	Pack of 250
QFT-MED540M	QFT-540SPK5	Replacement Seals, Viton	Pack of 5
	QFT-540SPK100	Replacement Seals, Viton	Pack of 100
	QFT-540SPK250	Replacement Seals, Viton	Pack of 250
QF-VC	QF-UMSEAL	Replacement Main Seal	Pack of 1
QF-VAF	QF-USSET	Replacement Seal Set	Pack of 1
QF-VAM	QF-USSET	Replacement Seal Set	Pack of 1

# - Coupon -**All FasTest**

Replacement Seals

Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024. \*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

# FasTest CryoVent

**Improve Safety** & Reduce Noise

**Simple Sleeve Actuation Connector for Venting Gases** 

WARNING: These products contain chemicals known to the State of California to cause cancer. birth defects or other reproductive harm. For more information: www.P65Warnings.ca.gov





These handles allow for easier connector use when clearance is limited to operate the connector. Examples of these are with six and twelve cylinder packs where the protective cover prevents connectors with standard handles from operating.

# Flexible Bail **Handle Connectors**

- Designed for use with one gloved hand
- Available in CGA540, CGA580, and
- Ideal for restricted clearance of 6 and 12-cylinder pack
- Two active locking mechanisms
- Two Flexible Bail Sizes Available: #1 (14") & #4 (21")

### Flexible Bail Handle Connectors

Part #	Description	Handle
QFT-540-F1	CGA540 14" size	#1 Handle
QFT-540-F4	CGA540 21" size	#4 Handle
QFT-580-F1	CGA580 14" size	#1 Handle
QFT-580-F4	CGA580 21" size	#4 Handle
QFT-346-F1	CGA346 14" size	#1 Handle
QFT-346-F4	CGA346 21" size	#4 Handle

MARNING: These products contain chemicals known to the State of California to cause cancer, birth defects or other reproductive harm. For more information: www.P65Warnings.ca.gov

## FasTest Connectors Lever Handle



### **Kev Features**

- Robust connector eliminates common failures
- Available in CGA-540, CGA-580, CGA-590 & CGA-346
- Fast, smooth operation
- Two stage safety
- Designed for use w/small diameter (20-80 cf) cylinders

Also Single (gloved) hand operation

Part #	Level Style Handle Description
QFT-346-LH	CGA346 Industrial - Breathing Air, Lever Handle
QFT-540-LH	CGA540 Industrial - Oxygen, Lever Handle
QFT-580-LH	CGA580 Industrial - Inert, Lever Handle
QFT-RPV-540-LH	CGA540 Industrial - Oxygen, RPV Style, Lever Handle
QFT-RPV-580-LH	CGA580 Industrial - Inert, RPV Style, Lever Handle

▲ WARNING: These products contain chemicals known to the State of California to cause cancer, birth defects or other reproductive harm. For more information: www.P65Warnings.ca.gov

# **New Quick Connection Tool** for Specialty Gas Filling

# **High Purity G-Series**

New High Purity G-Series for specialty gas cylinder filling

- Re-designed internal geometry improves vacuum rating to reliably fill high purity gas cylinders
- Change out cylinders 90% faster than twist-on fittings
- Change out cylinders 90% faster than twist-on fittings

Produce an Extra Batch per Day!

▲ WARNING: These products contain chemicals known to the State of California to cause cancer, birth defects or other reproductive harm. For more information: www.P65Warnings.ca.gov

Pt # QFT-HP580

# **100% OXYGEN COMPATIBLE**

# **KRYTOX™ LUBRICANTS**

For All Your Oil, Grease & Cleaner Needs



# Non-Flammable Non-Migrating

- Seals & Gaskets
- O-Rings
- Regulators
- Cryogenic Pumps
- Quick Connect Fill Tools
- Casters
- Cylinder Valve Stems
- Vacuum Pump Oils




www.oehha.ca.gov/proposition-65
















# P.B. Fill **Adapter Assembly**



For PB Fill Tool use Male to Male to Connect to Hose

Pt # CGA-440ILS-MM

# **Cryogenic In-line Swivel Assembly for CGA-440** Oxygen



Female to Male Pt # CGA-440II S-FM Also Available Male to Male Pt # CGA-440ILS-MM

# – Coupon –

Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

▲ WARNING: Products in this catalog can expose you to chemicals including Lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov



# GENERANT

To Order -1/4" NPT 22 - 500 Psig

Pressure Setting	Part # each	Part # Package of 10
22 PSI	LPR-22	LPR-22-PK10
35 PSI	LPR-35	N/A
50 PSI	LPR-50	N/A
75 PSI	LPR-75	N/A
100 PSI	LPR-100	N/A
125 PSI	LPR-125	N/A
150 PSI	LPR-150	N/A
175 PSI	LPR-175	N/A
200 PSI	LPR-200	N/A
230 PSI	LPR-230	LPR-230-PK10
235 PSI	LPR-235	LPR-235-PK10
350 PSI	LPR-350	LPR-350-PK10
375 PSI	LPR-375	N/A
400 PSI	LPR-400	N/A
425 PSI	LPR-425	N/A
450 PSI	LPR-450	N/A
500 PSI	LPR-500	N/A

# Coupon Cylinder

**Open Close Valves Fast** 

**Designed for** 

**Fill Plants** 

Filling – Oxygen Oilless Air Tool

CALL for a Demo

### **Inline Tool Features**

- Faster Rundowns Than Ratchet Wrenches
- No Vibration
- Improved Operator Ergonomics
- Engineered Torque Control
- Tool Shutoff Opening & Closing
- Lubrication Free Air Motor

Cylinder Valve Pneumatic Air Tool

<b>-,</b>		
Part #	Description	
PNTL-IL-MED	Pneumatic Air Tool, Inline, Torque Pre-Set for Med Post Valve Use	
PNTL-IL-HW	Pneumatic Air Tool, Inline, Torque Pre-Set for Handwheel Use	

\*Photo shown with optional valve sockets.

Present Coupon # FL23-12 when ordering.\* One coupon to a location.

Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

**WARNING:** Products in this catalog can expose you to chemicals including Lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov

# - Coupon -

# **BUY 10 or MORE LPR Pressure Reliefs**

**Receive a FREE Bottle of** Pt # LC-80Z Valve Leak Check



Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

MARNING: Products in this catalog can expose you to chemicals including Lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov

# VALVE LEAK CHECK Oxygen Safe

Find your Leaks Fast & Easily

with the Extending Tube to Get in the Hard to Reach Areas



Ratermann's Valve Leak Check is ready to use! Formats available in 8 oz. bottles, 1 gallon, and 55 gallon drums.

The 8 oz. Squeeze Bottle comes with a 12" Pull Out Adjustable Extension Tube in each bottle to Deliver Leak Check Solution Where vou Need it.

### **Pressure Test**

It is very important to leak check hoses on a regular basis. Often, this test is conducted while the hose is attached to the fill manifold and under pressure. The best gas to use for a leak check (and most expensive) is helium. Helium works well because the helium molecule is very small. As a result, helium will find a leak better than most other gases. Keep in mind that this can get a little spendy, so other inert gases can be substituted. We do not recommend compressed air or any other gas that could contain impurities.

# **Specifications**

- · Does not contain mineral oil, vegetable oil, animal oil, fats, ketones, aldehydes, or alcohols as components in the formulation. (Our latest formulation has also phased out flurosurfactants.)
- · Does not contain any material that will act as primary skin irritants, skin sensitizers, or produce any other dermatosis.
- Does not possess or produce any objectionable odors. The threshold odor number will be a maximum of 1 with a maximum odor intensity index of 0.
- Has a pH between 6.5 and 7.5.
- Passes and surpasses Mil-Pref foam tests (minimum 130 mm foam height after 5 min
- · Has a residue below .5% by mass.
- · Will not support mold growth within the product shelf life (5 years from day of manufacture)
- The formula has also undergone and passed halogen testing (ASME section V, Article 6, T-641, ASTM).



Pt # LC-1GAL **SPECIAL PRICE** 

4 each +

24 each +

Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

# Our Premiere Leak





Pt # LC-80Z

Pt # LC-1GAL

Part #	Description	Size
LC-80Z	Leak Check Squeeze Bottle	8 oz.
LC-1GAL	Leak Check – 4 to a case	1 Gallon
LC-55GAL	Leak Check – Drum	55 Gallon

FIND LEAKS FAST!

- · Ratermann Leak Check is designed to quickly identify leaks on contact.
- Works well with small molecule gases Helium & Hydrogen
- Reduce product loss find those leaks fast... and eliminate them
- Designed to detect compressed gas leaks.



### **Corrosion Tests**

### Ratermann's Valve Leak Check has passed the following corrosion tests:

10.1 Aluminum Alloy Alclad (2024)	Pass	No Corrosion
10.2 Aluminum Alloy (2024) ASTM B209-96	Pass	No Corrosion
10.3 Steel, conforming to SAE-AMS 5046 A-90	Pass	No Corrosion
10.4 Copper, conforming to ASTM B512	Pass	No Corrosion

Checking

valves for

cylinder

leaks.

# **Hose Visual Inspections**



Remember... the time to replace worn hose, is before it fails."

**Email** sales@rmimfg.com to Receive a FREE copy of Hose **Maintenance** and **Selection Chart.** 

# **CUSTOM GAS PIPE MARKERS & PLACARDS**

# Gas Pipe Markers

# **OXYGEN**

For Pipes 2-1/2" to 6" Outside Diameter use **Style 14** 

2.25" x 12"



Letter height for Style 14 is 1.5"-2" tall.

# For Pipes 8" to 10" Outside Diameter use

Style 16

3" x 24"

# **OXYGEN**

3" \_\_\_\_\_

Letter height for Style 16 is 2 1/2" tall.

# For Pipes 1-1/2" to 2" Outside Diameter use

Style 15

1.125" x 8"



Letter height for Style 15 is 3/4" tall.

# For Pipes 3/4" to 1-1/4" Outside Diameter use

Style 17

1.125" x 8"

OXYGEN

1.125"

Letter height for Style 17 is 1/2" tall.

Gas Service	Colors	Style 14 2.25" x 12"	Style 16 3" x 24"
Argon	Brown/White Print	PML-AR-14	PML-AR-16
Carbon Dioxide	Gray/White Print	PML-CO2-14	PML-CO2-16
Oxygen	Green/White Print	PML-OX-14	PML-OX-16
Nitrogen	Black/White Print	PML-N-14	PML-N-16
Liquid	Blue/White Print	PML-LIQUID-14	PML-LIQUID-16
		Style 15	Style 17
Gas Service	Colors	1.125" x 8"	1.125" x 8"
Argon	Brown/White Print	PML-AR-15	PML-AR-17
Carbon Dioxide	Gray/White Print	PML-CO2-15	PML-CO2-17
Oxygen	Green/White Print	PML-OX-15	PML-OX-17
Nitrogen	Black/White Print	PML-N-15	PML-N-17
Liquid	Blue/White Print	PML-LIQUID-15	PML-LIQUID-17

# CUSTOM PRINT AVAILABLE Call for Information

⚠ WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

# **NFPA Diamond Placards**









Example of Assembled Oxygen Refrigerated

### NFPA Diamond Placards - 10" x 10"\*

Distance at which signals must be legible is 200 feet.

Part #	Description
PLK-NFPA-ALM-10	Blank NFPA Diamond Sign – Aluminum 10" x 10"
PLK-NFPA-RP-10	Blank NFPA Diamond Sign – Rigid Plastic 10" x 10"
PLK-NFPA-KIT10	NFPA Numbering Kit

<sup>\*</sup> Number and Symbol sold separately.

	Part #	Descri	ption
4" Numbers	PLK-NFPA-4-0	0	
2" Symbols	PLK-NFPA-4-1	1	
Required	PLK-NFPA-4-2	2	
with	PLK-NFPA-4-3	3	
10" x 10"	PLK-NFPA-4-4	4	
Placard	PLK-NFPA-2-RAD	44	– Radiation Hazard
Each sold	PLK-NFPA-2-ACID	ACID	– Acid
separately.	PLK-NFPA-2-ALK	ALK	– Alkali
. Vinyl	PLK-NFPA-2-COR	COR	– Corrosive
adhesive	PLK-NFPA-2-OX	OX	– Oxidizer
	PLK-NFPA-2-NOH20	₩	– Use No Water

# NFPA Diamond Placards – 15" x 15"\*

Distance at which signals must be legible is 300 feet.

Part #	Description
PLK-NFPA-ALM-15	Blank NFPA Diamond Sign – Aluminum 15" x 15"
PLK-NFPA-RP-15	Blank NFPA Diamond Sign – Rigid Plastic 15" x 15"
PLK-NFPA-KIT15	NFPA Numbering Kit

<sup>\*</sup> Number and Symbol sold separately.

Part #	Descri	ption
PLK-NFPA-6-0	0	
PLK-NFPA-6-1	1	
PLK-NFPA-6-2	2	
PLK-NFPA-6-3	3	
PLK-NFPA-6-4	4	
PLK-NFPA-4-RAD	44	– Radiation Hazard
PLK-NFPA-4-ACID	ACID	– Acid
PLK-NFPA-4-ALK	ALK	– Alkali
PLK-NFPA-4-COR	COR	<ul><li>Corrosive</li></ul>
PLK-NFPA-4-OX	ОХ	– Oxidizer
PLK-NFPA-4-NOH20	₩	– Use No Water
	PLK-NFPA-6-0 PLK-NFPA-6-1 PLK-NFPA-6-2 PLK-NFPA-6-3 PLK-NFPA-6-4 PLK-NFPA-4-RAD PLK-NFPA-4-ACID PLK-NFPA-4-ACID PLK-NFPA-4-COR PLK-NFPA-4-COR	PLK-NFPA-6-0 0 PLK-NFPA-6-1 1 PLK-NFPA-6-2 2 PLK-NFPA-6-3 3 PLK-NFPA-6-4 4 PLK-NFPA-4-RAD AAP PLK-NFPA-4-ACID ACID PLK-NFPA-4-ACID ACID PLK-NFPA-4-COR COR PLK-NFPA-4-COX OX

▲ WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

# **LPG Tank Equipment Parts**

# **Internal Pressure Relief Valves** for DOT Forklift **Cylinders**

Designed specifically for use as primary relief valve on fork-lift cylinders.

Pt # CVG-66-0248



# Forklift Connectors

These brass connectors are designed to join the carburetor fuel line to the



Pt # CVG-66-1024

Half coupling ACME. For installation between the LPG engine fuel line and the forklift service valve.

# Fill Valve



Pt # CVG-66-1122

# **Propane Cap** for Fast Fill **Connector** with Strap



\$ 19.73

Pt # PC-FFS

# **Service Valves** for DOT Fork-lift and ASME Motor **Fuel Containers**



**Fixed** Liquid Level

Pt # CVG-66-1072

Gauges

▲ WARNING: Products in this catalog can expose you to chemicals including Lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov

Part #	Description	Box Qty.	Box Qty. Promo Price
CVG-66-0248	Fork Lift PRV 3/4" @ 375 PSI	75	\$11.38/ea.
CVG-66-1024	Fork Lift Connector, Male	50	\$11.07/ea.
CVG-66-1072	Fork Lift Liquid Level Gauge	210	\$ 5.35/ea.
CVG-66-1122	Fill Valve 3/4"	50	\$18.64/ea.
CVG-80-2064	Fork Lift Service Valve	35	\$16.06/ea.

Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

Fill Cap ACME 1-3/4", Pack 10

Fill Cap ACME 1-3/4", Pack 100

# **LPG Tank Safety and Branding Propane Tank Labels**

# Liquid Petroleum/ **Propane**

Information Labels with **NFPA Diamond** 



DANGER: EXTREMELY FLAMMABLE GAS. CONTAINS GAS UNDER PRESSURE: MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY FORM EXPLOSIVE MIXTURES WITH AIR. MAY CAUSE FROSTBITE. Do not handle until all safety precautions have MIXTURES WITH AIR, MAY CAUSE FROSTIEL. Do not handle until all safety precautions have been read and understood. Keep away from heat, open flames, sparks, hot surfaces. No smoking. Use and store only outdoors or in a well-ventilated place. Leaking pas fire: Do not extinguish, unless leak can be storped safely. Eliminated in glintion sources it agle to dos. Outs a back flow preventive device in the piping. Do not open valve until connected to equipment prepared for use. Close valve after each use and when empty, Rever put cytomics into unventilated areas or passenger velholes. Protect from sullight when ambert temperature exceeds 5CC (125P, Read and follow the Safety Data Sheet (SDS) before use. FIRST AID. IF INMALED. Remove person to seep comfortable for treating, Get medical advecatemion. F OM SKIN!

Thaw forsted parts with blewarm water. Do not rub affected area. Get immediate medical advice/attention. nediate medical advice/attention.

CAS: Propane 74-98-6 Liquefied Petroleum Gas: 684-76-85-7 DO NOT REMOVE THIS PRODUCT LABEL.

### WARNING! FLAMMABLE **COMPRESSED GAS**

Know the odor of LP-Gas Leaks may cause fires and explosions.

WHEN YOU CONNECT THE CYLINDER

Cylinder Valve Pressure Regulator Nut Regulator Vent

Regulator Vent Liquid Level Indicator (Optional)

DO NOT ATTEMPT REPAIRS. CALL YOUR LP-GAS DEALER

THIS LP TANK IS **FOUIPPED WITH A** SAFETY RELIEF VALVE. **DO NOT PLACE INSIDE** ANY ENCLOSED OR **HEATED AREA.** 

### WHEN CONNECTING FOR USE:

PC-FFS-PK10

PC-FFS-PK100

 Use only in compliance with applicable codes.
 Read and follow appliance manufacturers instructions. If regulator has a coupling nut, the nut has left hand threads and must be tightened. nut has left hand threads and must be tightened. It regulator has a plug in connection, pull ring back, insert fully and release ring. Be sure regulator vent is pointed, down. \* Turn off all valves on the appliance. \* Do not clock for gas leaks with a match or open filme. To other kor leaks open the cylinder valve and paylo sapy valet at areas marked X. If bubbles appear, oal valve and have P2-pas service person make needed repairs. Also, check pressure relief valves for leakage before lighting appliance. \* Light appliances! following manufacturers instructions. \* When appliance is not in use, keep cylinder valve closed.

### ADDITIONAL WARNING TO USER-

 Know the odor of LP-gas. Under certain circumstances you may not be able to smell the odorant. If you hear or smell leaking LP-gas shut odorant. If you hear or smell leaking LP-gas shut off officingler value. Heaking continues, immediately get everyone away from the cylinder and call the fine department. PL-gas is heaver than air and will settle in low places while dissipating. Condact with the liquid contents of this cylinder will cause freeze burns to the skin. — Do not allow children to tamper or play with this cylinder. \* When not connected for use, keep cylinder valve turned off connected for use, keep cylinder valve turned off and for 45 h, propane capacity or less, plug or cap the valve outlet. \* Do not use, store or transport cylinder where it would be exposed to high temperatures. Relief valve may open allowing LP-gas to escape. \* When transporting, keep cylinder in an upright position with cylinder

# PROPANE

# NFPA HAZARD RATING



CONSULT CORRESPONDING MSDS FOR FURTHER INFORMATION AND INSTRUCTIONS AFFIX TO ALL PORTABLE CONTAINERS USED BY





reliably RATERMANN

COMMERCIAL CUSTOMERS

labels@rmimfg.com 1-800-264-7793

601 Pinnacle Pl., Livermore, CA 94550

Your Logo and Company Information Here

**For additional Propane Safety Labels** 

with Your Custom Print Information call 1.800.264.7793

# **MEDICAL DUST COVERS & VALVE SEALS**

Fast and Easy Push-On Design

# **Dust Covers with Updated Design**

Universal – Works on Different Gas Types Works on All Brand Post Valves

### **DUST COVER FEATURES**

- Time-saving Pre-loaded Seal
- Fast Push-on Design
- Eliminates any interference with the burst disc on the post valve
- Secured to valve
- Utilizes valve outlet rather than the pin index holes making it universal for use on medical oxygen, nitrous oxide and carbon dioxide



Preloaded Seal **Dust** Cover Pt # MPS-MCDM



Loadable Seal Dust Cover Pt # MPS-DM



**Pre-loaded** with Green **Seal Dust** Cover Pt # MPS-MCDM-G



**Easy** Finger **Pull Tab** Dust Cover Pt # MPS-2DM



### **Dust Cover and Medical Dust Cover Choices**

• Has more pronounced side flanges, providing increased leverage for easier installation

Part #	Description	Pack of 100	Pack of 1000
MPS-2DM	Dust Cover, Push-On, Clear without Seal Holder	MPS-2DMPK100	MPS-2DMPK1000
MPS-DM	Medical New Dust Cover, Push-On, Clear with Seal Holder	MPS-DMPK100	MPS-DMPK1000
MPS-MCDM	Medical New Dust Cover, Push-On, Clear with Seal Holder & Pre-loaded MC-1 Seal Included	MPS-MCDMPK100	MPS-MCDMPK1000
MPS-MCDM-G	Medical New Dust Cover, Push-On, Clear with Seal Holder & Pre-loaded with Green MC-1 Seal Included	MPS-MCDM-GPK100	MPS-MCDM-GPK1000

Seals for Medical Oxygen

Part #	Description	Pack of 100	Pack of 1000
MC-1	Gray Washer	MC-1PK100	MC-1PK1000
MC-G1	Green Washer	MC-G1PK100	MC-G1PK100

MARNING: Products in this catalog can expose you to chemicals including lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov

# **Easy Finger Pull Tab Dust Cover**

# **RECEIVE** FREE

# Sample Pack of **Dust Covers & Seals**

Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024. \*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

# **Medical Reusable Seal**

# MOST COMMON

The MC-3 is brass with a Viton center, and is reusable. It should last the life of the regulator, as long as it is not damaged or overtightened.



### **Medical Reusable Seal**

Description	Part # for Pkg. of 10	Part # for Pkg. of 100
Reuable Seal	(Pt # MC-3PK10)	MC-3PK100

▲ WARNING: Products in this catalog can expose you to chemicals including lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov



⚠ WARNING: Products in this catalog can expose you to chemicals including lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov

Part # CC-P1





# -≠6 Pack Cradle 6 Casters H-Style Top\*

Part #	Description
CRS-C6PK-H6-346FP-xx-CI	CGA 346 Air w/ Flex Pigtails
CRS-C6PK-H6-540FP-xx-CI	CGA 540 Oxygen w/ Flex Pigtails
CRS-C6PK-H6-580FP-xx-CI	CGA 580 Argon/Nitrogen w/ Flex Pigtails
CRS-C6PK-H6-580RG-xx-CI	CGA 580 Helium/Nitrogen/Argon w/ Rigid Pigtails
CRS-C6PK-H6-350RG-xx-CI	CGA 350 Hydrogen w/ Rigid Pigtails
Replace "xx" with color code	

### **Ordering Information – Paint Color Choices**

Black (Leave Blank), Gray (-GY), Yellow (-YW), Orange (-OR), Red (-RD), Blue (-BL), Green (-GR)

# 16 Cradle Pallet Packs\*

Part # Powder Coated	Description
CRS-FL16PK-346FP-xx-CI	16 Forklift CGA 346 Air with Flex Pigtail
CRS-FL16PK-540FP-xx-CI	16 Forklift CGA 540 Oxygen with Flex Pigtail
CRS-FL16PK-580FP-xx-CI	16 Forklift CGA 580 Argon, Nitrogen with Flex Pigtail
CRS-FL16PK-580RG-xx-CI	16 Forklift CGA 580 Helium, Nitrogen, Argon, w/ Rigid Pigtails
CRS-FL16PK-350RG-xx-CI	16 Forklift CGA 350 Hydrogen with Rigid Pigtails
Replace "xx" with color code	

# 12 Pack Cradle\*

Part # Powder Coated	On Casters	Description
CRS-C12PK-346FP-xx-CI	On Casters	CGA 346 Air w/ Flex Pigtail
CRS-C12PK-540FP-xx-CI	On Casters	CGA 540 Oxygen w/ Flex Pigtail
CRS-C12PK-580FP-xx-CI	On Casters	CGA 580 Argon, Nitrogen w/ Flex Pigtail
CRS-C12PK-580RG-xx-CI	On Casters	CGA 580 Helium, Nitrogen, Argon w/ Rigid Pigtails
CRS-C12PK-350RG-xx-CI	On Casters	CGA 350 Hydrogen w/ Rigid Pigtails

Replace "xx" with color code

Rigid and TSCZEL Pigtails are also available.

To order replace "FP" in the part number with "RG" for Rigid or "TZ" for TSCZEL

# **Ordering Information - Paint Color Choices**


Black (Leave Blank), Gray (-GY), Yellow (-YW), Orange (-OR), Red (-RD), Blue (-BL), Green (-GR)

▲ WARNING: Products in this catalog can expose you to chemicals including Lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov

# **Choose Your Color Using Durable Powder Coated Paint for Company Branding or Designating Gas Service**

Pt # CRS-C12PK

- Standard is Black.
- Additional paint colors available include gray, yellow, orange, red, blue and green.









Green (-GR)\*

\* Steel Surcharge will apply

Red (-RD)

# **CRADLE REPLACEMENT MANIFOLDS**

for 6, 12 & 16 Pack Cradles

# **OS Series OS Style Manifolds**

**Designed for 6 & 12 Cylinder Cradle Manifold Replacement** 



Most Common Rigid Pigtails

Image of 6 pack manifold

# 6 Pack Replacement Manifold with Rigid Pigtails

Part #	CGA Fitting	Gas Type
RMC-OS-580-06	CGA 580	Inert
RMC-OS-540-06	CGA 540	Oxygen
RMC-OS-320-06	CGA 320	Carbon Dioxide
RMC-OS-346-06	CGA 346	Air
RMC-OS-350-06	CGA 350	Hydrogen/Methane
RMC-OS-320-06 RMC-OS-346-06	CGA 320 CGA 346	Carbon Dioxide Air

Standard Manifold Length 25.625"

12 Pack Replacement Manifold with Rigid Pigtails

Part #	<b>CGA Fitting</b>	Gas Type
RMC-OS-580-12	CGA 580	Inert
RMC-OS-540-12	CGA 540	Oxygen
RMC-OS-320-12	CGA 320	Carbon Dioxide
RMC-OS-346-12	CGA 346	Air
RMC-OS-350-12	CGA 350	Hydrogen/Methane

Standard Manifold Length 34.625"



# - Coupon -

OS Series
OS Style Manifolds

10%<sup>§</sup>

Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

# RMI® Parts for

# **HS Series Style** for the following cradles:



reliably RATERMANN

Style Manifolds /SafTCart /
ProRack™ Style / Cage Style Manifolds

Designed for 6, 12 & 16 Cylinder Cradle Manifold Replacement



### Photo example of an Used Cradle Rigid Manifold style



# Manifold Clamp for 3/4" Pipe

For the HS, HSR, and HSS Series. Pt # RMC-MFLD-CLAMP34

### 6 Pack Replacement Manifold with Rigid Pigtails

Part #	CGA Fitting	Gas Type
RMC-HS-580-06	CGA 580	Inert
RMC-HS-540-06	CGA 540	Oxygen
RMC-HS-346-06	CGA 346	Air
RMC-HS-350-06	CGA 350	Hydrogen/Methane

Standard Manifold Length 30.125"

### 12 Pack Replacement Manifold with Rigid Pigtails

Part #	CGA Fitting	Gas Type
RMC-HS-580-12	CGA 580	Inert
RMC-HS-540-12	CGA 540	Oxygen
RMC-HS-346-12	CGA 346	Air
RMC-HS-350-12	CGA 350	Hydrogen/Methane

Standard Manifold Length 39.375"

# - Coupon -

HS Series
SafTCart/ProRack™
Style/Cage Style
Manifolds

10%

Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.



# 16 Pack Replacement Manifold with Rigid Pigtails

Part #	CGA Fitting	Gas Type
RMC-HS-580-16	CGA 580	Inert
RMC-HS-540-16	CGA 540	Oxygen
RMC-HS-346-16	CGA 346	Air
RMC-HS-350-16	CGA 350	Hydrogen/Methane

Standard Manifold Length 36.625'

⚠ WARNING: Products in this catalog can expose you to chemicals including Lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov

# CRADLE REPLACEMENT MANIFOLDS for 6, 12 & 16 Pack Cradles



reliably

**Shorter Condensed Manifold with Setback Valves Inside Cradle** 



**Header Valves** can have optional RPV Header Valve.




Image of 12 pack manifold

# **Custom Manifolds Can Be Made to Meet Your Needs**

- Copper Rigid
- All Metal Flex Hose and Monel®
- Stainless Steel Rigid

### **CVE Series Features**

- 1 1/2" yellow brass bar stock body
- Flexible, stainless steel PTFE or TSCZEL pigtails standard
- · Optional armor guarded flexible or rigid copper pigtails
- Fits Saf-T-Cart style cylinder cradles and most commercially available pallet racks
- Modular design allows for quick easy repairs

### Types of Hoses

## PTFE - Ratermann Mfg. FP Family of Hoses

Image of 6 pack manifold

The most popular high-pressure hose in use. Commonly found in fill plants across the country. Durable, flexible, and economically priced.

TSCZEL – Ratermann Mfg. FPZ Family of Hoses TSCZEL ETFE lined offers 75% less effusion than standard PTFE pigtails. Optional stainless steel armor casing provides additional life, safety and protection. Each assembly is tested to 1 1/2 times MAWP. Branded with MAWP, and month/year. Not recommended for oxygen service

PTFE "Post Sintered" - Ratermann Mfg. FPT Family of Hoses The "post sintered" process re-bakes the PTFE at a controlled time and temperature, increasing the wall thickness and tightening the molecular bond of the PTFE, which dramatically reduces effusion and diffusion. Economically priced, very flexible and works well with most gases. Ideal for oxygen.

# - Coupon -

**CVE Series** Replacement

**Manifolds** 

One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer Promotion Discount based on standard industrial selling price.

### **6 Pack Replacement Manifold PTFE Hose**

Part #	Description	Type of Gas
RMC-CVE-580-06	CGA 580	Inert
RMC-CVE-540-06	CGA 540	Oxygen
RMC-CVE-346-06	CGA 346	Air

6 Pack Replacement Manifold TSCZEL Hose			
RMC-CVE-580TZ-06	CGA 580	Inert	
RMC-CVE-540TZ-06	CGA 540	Oxygen	
RMC-CVE-346TZ-06	CGA 346	Air	

### 6 Pk Replacement Manifold 3600 PSI Post Sintered Hose

RMC-CVE-580-36-06	CGA 580	Inert
RMC-CVE-540-36-06	CGA 540	Oxygen
RMC-CVF-346-36-06	CGA 346	Air

6 Pack Includes: 6/ea. 24" Pigtails

### 12 Pack Replacement Manifold PTFE Hose

Part #	Description	Type of Gas
RMC-CVE-580-12	CGA 580	Inert
RMC-CVE-540-12	CGA 540	Oxygen
RMC-CVE-346-12	CGA 346	Air

12 Pack Replaceme	nt Manifold T	SCZEL Hose
RMC-CVE-580TZ-12	CGA 580	Inert
RMC-CVE-540TZ-12	CGA 540	Oxygen
RMC-CVE-346TZ-12	CGA 346	Air

### 12 Pack Replacement Manifold 3600 PSI Post Sintered Hose

RMC-CVE-580-36-12	CGA 580	Inert	
RMC-CVE-540-36-12	CGA 540	Oxygen	
RMC-CVE-346-36-12	CGA 346	Air	

12 Pack Includes: 12/ea. 24" Pigtails

### 16 Pack Replacement Manifold PTFE Hose

Part #	Description	Type of Gas
RMC-CVE-580-16	CGA 580	Inert
RMC-CVE-540-16	CGA 540	Oxygen
RMC-CVE-346-16	CGA 346	Air

### 16 Pack Replacement Manifold TSCZEL Hose RMC-CVE-580TZ-16 CGA 580 Inert RMC-CVE-540TZ-16 CGA 540 Oxygen RMC-CVE-346TZ-16 CGA 346 Air

### 16 Pack Replacement Manifold 3600 PSI **Post Sintered Hose** RMC-CVE-580-36-16 CGA 580 Inert RMC-CVE-540-36-16 CGA 540 Oxygen RMC-CVE-346-36-16 CGA 346 Air

16 Pack Includes: 16/ea. 24" Pigtails

▲ WARNING: Products in this catalog can expose you to chemicals including Lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov









# NEW PRODUCT BI-LOK OXYGEN CLEAN

Oxygen cleaned in-house. Generant is a leading designer and manufacturer of pressure and flow control devices for over 75 years. Generant's standard major product groups include:

- Check Valves
- Relief Valves
- Needle Valves
- Tube Fittings
- Safety Relief Valves
- Thermal Relief Valves
- Cryogenic Instrument Control Valves
- Pressure Regulators



# **EASTERN STANDARD TIME**

# SHIPPING UP TO 8 PM NEW EXTENDED HOURS






# FAST SHIPPING

We can now ship your orders up to 8 PM EST. Expect same-day shipping for instock items. Keep Ratermann in mind for urgent end-of-day orders. We have you covered.

sales@rmimfg.com





\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.



Full Pre-Printed Storage Sign 8 1/2" x 11" \* One time plate charge applies





Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

# - Coupon -

# Standard Industrial **Grade Vacuum Pump Oil**

Ratermann Manufacturing's mechanical vacuum pump fluids are engineered to maximize optimum lubrication while achieving the lowest possible vacuum level with our Fire Resistant vacuum pump fluid.

**PROMO** 



PT # VP-PUMP1G

for Pt # VP-PUMP1G



Present Coupon # FL23-12 when ordering.\* One coupon to a location Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.



Outstanding results for removing cylinder label adhesives! Biodegradable, 100% Organic, Non-Toxic No Residual After Surface Dries

for Pt # LR-ACS-1QT

Description LR-ACS-1QT 1 Quart w/trigger spray LR-ACS-1GAL 1 Gallon LR-ACS-5GAL 5 Gallon

\* Promo is for Pt # LR-ACS-1QT only

Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.



# LISTEN NOW! THE HIGH PRESSURE PODCAST

In the dynamic world of industry, George Ratermann takes the helm with the High Pressure podcast, a captivating platform that shines a spotlight on industry personalities, emerging trends, and cuttingedge technologies. With a knack for insightful conversations, George navigates the intricacies of high-pressure industries, unraveling the stories and expertise of key personalities.

Watch on YouTube!



# CRYOGENIC HOSES Vacuum Jacketed Insulated Flexible Cryogenic Hoses

## Vacuum Jacketed Hoses – 3/8"



3/8" I.D. CGA 295 x CGA 295

Size	Part Number	Description	
3′	VS-38ID36CGA295	3 foot Vacuum Jacketed Hose	
4′	VS-38ID48CGA295	4 foot Vacuum Jacketed Hose	MOST COMMON
5′	VS-38ID60CGA295	5 foot Vacuum Jacketed Hose	
6′	VS-38ID72CGA295	6 foot Vacuum Jacketed Hose	MOST COMMON
10'	VS-38ID120CGA295	10 foot Vacuum Jacketed Hose	

## Vacuum Jacketed Hoses – 1/2"



1/2" I.D. CGA 295 x CGA 295

Size	Part Number	Description	
3′	VS-12ID36CGA295	3 foot Vacuum Jacketed Hose	
4′	VS-12ID48CGA295	4 foot Vacuum Jacketed Hose	
5′	VS-12ID60CGA295	5 foot Vacuum Jacketed Hose	
6′	VS-12ID72CGA295	6 foot Vacuum Jacketed Hose	MOST COMMON
8′	VS-12ID96CGA295	8 foot Vacuum Jacketed Hose	
10'	VS-12ID120CGA295	10 foot Vacuum Jacketed Hose	
12'	VS-12ID144CGA295	12 foot Vacuum Jacketed Hose	MOST COMMON
15'	VS-12ID180CGA295	15 foot Vacuum Jacketed Hose	MOST COMMON
18′	VS-12ID216CGA295	18 foot Vacuum Jacketed Hose	MOST COMMON



Vacuum **Jacketed** Hoses 3/8" I.D. & 1/2" I.D.

Coupon

Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

WARNING: Products in this catalog can expose you to chemicals including Lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov



Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024. \*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

# Coupon





# SHERWOOD

Replacement fusible plugs also available. Old cap style available upon request. Call Customer Service for details.

Sherwood Replacement Safeties Pt #	S.S. Replacement Safeties Pt #	Industrial Replacement Safety Reliefs
SHW-P625-19N9-28	SHW-P6074S-25A-R	3000 psi – Brass Safety Relief
SHW-P625-19N9-32	SHW-P6074S-25B-R	3360 psi – Brass Safety Relief
SHW-P625-19N9-35	SHW-P6074S-25C-R	3775 psi – Brass Safety Relief
SHW-P625-19N9-38	SHW-P6074S-25D-R	4000 psi – Brass Safety Relief

Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

⚠ WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

# Cylinder Siphon Tubes



Siphon tubes are constructed from 3/8" type "K" copper tube. Each tube is fitted with a 1/4" male NPT brass fitting for easy attachment to most brass valves on the market today. Standard length is 53" OAL to fit most 250-300 cu. ft. cylinders. All ends are cut at 45° angle to allow for unrestricted flow.

▲ WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

### Pt # CST-C

Stainless Steel siphon tubes are available for higher purity gases.

Call Customer Service for details.

Description

rait #	Description
CST-S	Standard Siphon Tube, 53" OAL
CST-C	Standard Siphon Tube, 48" OAL
CST-C26	Standard Siphon Tube, 26" OAL

# **INDUSTRIAL GAS VALVES**

# **GRPV** Series:

# **Residual Pressure Cylinder Valves**

CGA 320	Residual Pressure Cylinder Valve		
Part Number	Description		

Part Number	Description	Safety
SHW-GRPV32061-28	3/4" NGT, Tapered Thread, Brass	3000 PSI
SHW-GRPV32061-32	3/4" NGT, Tapered Thread, Brass	3360 PSI
SHW-GRPV32061-35	3/4" NGT, Tapered Thread, Brass	3775 PSI
SHW-GRPV32061-38	3/4" NGT, Tapered Thread, Brass	4000 PSI

CGA 320	Flanged Residual Pressure Valve for Beverage Cylinders		
Part #	Part Description	Description	
SHW-GRPV32051-28LX	CGA320 1 1/8UNF 3000 PSI CG1	Lexan Hndwhl Residual Pressure	
SHW-GRPV32051-28LX-G54	CGA320 1 1/8UNF 3000 PSI CG1*	Lexan Hndwhl Residual Pressure	
SHW-GRPV32051-28LX-75	CGA320 3/4UNF 3000 PSI CG1	Lexan Hndwhl Residual Pressure	
SHW-GRPV32051-32LX	CGA320 1 1/8UNF 3360 PSI CG1	Lexan Hndwhl Residual Pressure	
SHW-GRPV32051-32LX-G54	CGA320 1 1/8UNF 3360 PSI CG1*	Lexan Hndwhl Residual Pressure	
SHW-GRPV32051-32LX-75	CGA320 3/4UNF 3360 PSI CG1	Lexan Hndwhl Residual Pressure	
SHW-GRPV32051-35LX	CGA320 1 1/8UNF 3775 PSI CG1	Lexan Hndwhl Residual Pressure	
SHW-GRPV32051-35LX-75	CGA320 3/4UNF 3775 PSI CG1	Lexan Hndwhl Residual Pressure	
SHW-GRPV32051-38LX	CGA320 1 1/8UNF 4000 PSI CG1	Lexan Hndwhl Residual Pressure	
SHW-GRPV32051-38LX-75	CGA320 3/4UNF 4000 PSI CG1	Lexan Hndwhl Residual Pressure	

<sup>\*</sup>Rotorex RPV fill adaptor compatible version

### **CGA 540 Residual Pressure Cylinder Valve**

Part Number	Description	Safety
SHW-GRPV54061-28	3/4" NGT, Tapered Thread, Brass	3000 PSI
SHW-GRPV54061-32	3/4" NGT, Tapered Thread, Brass	3360 PSI
SHW-GRPV54061-35	3/4" NGT, Tapered Thread, Brass	3775 PSI
SHW-GRPV54061-38	3/4" NGT, Tapered Thread, Brass	4000 PSI

### **CGA 580 Residual Pressure Cylinder Valve**

Part Number	Description	Safety
SHW-GRPV58061-32	3/4" NGT, Tapered Thread, Brass	3360 PSI
SHW-GRPV58061-35	3/4" NGT, Tapered Thread, Brass	3775 PSI
SHW-GRPV58061-38	3/4" NGT, Tapered Thread, Brass	4000 PSI
SHW-GRPVA58061-32	3/4" NGT, Tapered Thread, Chrome	3360 PSI
SHW-GRPV58061-32-7	3/4" NGT +7 Over Size, Tapered Thread, Brass	3360 PSI
SHW-GRPV58061-35-7	3/4" NGT +7 Over Size, Tapered Thread, Brass	3775 PSI
SHW-GRPV58061-38-7	3/4" NGT +7 Over Size, Tapered Thread, Brass	4000 PSI

▲ WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov





Call us today at 800-264-7793 for special pricing.

Part # SHW-GRPV32061-28







Part # SHW-GRPV58061-38

www.P65Warnings.ca.gov

# **Fill Adapters for the GRPV Series Checking Rod** 2 Piece Retractable **One Piece Adapter** With Fixed Pin **Pin Adapters** Part # SHW-TL580C Part # SHW-TLG540S Pin Locking Tool Part # SHW-TLG580SLW Part # SHW-TL580D Part # SHW-TL590D Part # SHW-TL580B WARNING: Cancer and Reproductive Harm – For additional Fill Adapters, call 800-264-7793.

# **SALES PROMOS & COUPONS**

Start Date December 19, 2023 - February 27, 2024

# Aluminum Cylinder Carry Handles

**Choose Your Colors** 



Catalina® Style Pt # CCH-AC-BK AC Style: OD = 3-7/8", ID = 2-3/4"

Luxfer® Style Pt # CCH-AL-BK AL Style: OD = 3-7/8", ID = 2-1/2"

## PROTECTS THE VALVE AND AIDS IN THE TRANSPORTATION OF THE CYLINDER

Plastic Valve Protection Carry Handles are available to fit Catalina® and Luxfer® brand aluminum cylinders. We stock carry handles and retaining rings for both manufacturers cylinders. For 15 and 20 lb. Aluminum cylinders. Can be installed without removing valve.

Note: All colors shown are printed representations. Actual colors may vary.



# – Coupon – SPECIAL PRICING

For 15 & 20 lb. Aluminum Cylinders

Part #	Description	10+	100+
CCH-AC-xx	Catalina® Style Carry Handle	4.78	3.90
CCH-AL-xx	Luxfer® Style Carry Handle	4.78	3.90
CCH-AS-xx	Thread On Style Carry Handle	4.00	3.10

# **Ordering Information:**

Replace  $x\bar{x}$  in the part number with the color codes below Black – BK, Blue – B, Red – RR, Yellow – Y, Green – GR, Orange – O

Present Coupon # FL23-12 when ordering.\*
One coupon to a location. Starts 12/19/23 Expires 2/27/2024.
\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.



# RECEIVE

Valve Opening Tool



for \$1.00

Part #

**Universal Valve Open & Close Tool** for New & Old Style Valve Hand Wheels

Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

▲ WARNING: Products in this catalog can expose you to chemicals including Lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov





25+ \$7.66 EACH

\$8.99

Suggested Retail



# Counter Sales Bucket Included with 25+ purchase

Present Coupon # FL23-12 when ordering.\*
One coupon to a location.
Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.





Pt # PP-B

B Acetylene CGA 520

# - Coupon -CGA 510 Valve Plugs

20%

Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.



# C1 TRIANGLE CAP STYLE CYLINDER COLLARS



# **TRIANGLE CAP STYLE CYLINDER COLLARS** – **NON-IMPRINTED HIGH PRESSURE CYLINDERS**

for 80 cu. ft. through 330 cu. ft. Cylinders 7" Diameter



**Comes in Packs of** 50 Collars - \$24.50 a pack



**Triangle Style** Collars

Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.



**Part Number** C1-C C1-CPK50



White **Part Number** C1-W C1-WPK50



**Part Number** C1-BG C1-BGPK50



Yellow **Part Number** C1-Y C1-YPK50



Dark Green **Part Number** C1-DG C1-DGPK50



**Part Number** C1-LB C1-LBPK50



Blue **Part Number** C1-B C1-BPK50



Dark Blue Part Number C1-DB C1-DBPK50



Orange **Part Number** C1-O C1-OPK50



Red Part Number C1-R C1-RPK50



Purple Part Number C1-P C1-PPK50



Brown Part Number C1-BR C1-BRPK50



Gray **Part Number** C1-GY C1-GYPK50



Black **Part Number** C1-BL C1-BLPK50

Special Collar Colors are Available



Fluorescent Orange **Part Numbers** C1-FO C1-FOPK50



Hot Pink **Part Numbers** C1-HP

C1-HPPK50



Lime Green **Part Numbers** C1-LG C1-LGPK50



Pink **Part Numbers** C1-PK C1-PKPK50



Gold **Part Numbers** C1-G0 C1-GOPK50



Silver **Part Numbers** C1-SIL C1-SILPK50



Copper **Part Numbers** C1-CO C1-COPK50

Please note: All colors shown are printed representations. Actual colors may vary

# CYLINDER COLLARS

**Customized Cylinder Management System** 









Develop a Customized Cylinder Management System for Your Organization



# Use for

- Job Sites
- Cylinder Processing

# **Choose Imprint**

- 1. Choose the Collar Style
- 2. Choose Collar Color

With same imprint and color ink, you can mix and match different color collars at no extra charge.

3. Choose Imprint for Collar

Light material – dark print Dark material – light print




LG

PK

# **50% OFF PLATE CHARGE**

Present Coupon # FL23-12 when ordering.\*
One coupon to a location. Starts 12/19/23 Expires 2/27/2024.
\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.



To order, choose color of collar. Use part number listed to specify color, and add imprint style part number.

Price includes one color printing and collar. One-time plate charge applies. Custom Print Collar + or - 15% Production Run.

See Our Main Catalog or Website for Different Collar Styles or Give us a Call

# Please fill in Information below and fax to 1-800-264-7797

Imprint Information	Qty. (250 min.)	Customer Name
Line 1		Contact Name
		Phone #
Line 2		Fax #

All custom imprint products are manufactured and shipped from the West Coast facility.

# **Customer Owned Triangle Imprinted Cylinder Collars**







Dark Gree



Turquoise



White



Lime Green



Management Collars for 80 cu. ft. through 330 cu. ft. Cylinders



Purple

Limited to on hand quantities



# **PROMO PRICING\***

\* Promo Pricing for Available Quantities only while supplies last.

Part #	Color	Pack of	PRICE
C1-CW-CPK50	Semi Clear	pk of 50	\$39.00
C1-CW-DGPK50	Dark Green	pk of 50	\$39.00
C1-CW-LBPK50	Turquoise	pk of 50	\$39.00
C1-CW-LGPK50	Lime Green	pk of 50	\$39.00
C1-CW-PPK50	Purple	pk of 50	\$39.00
C1-CW-WPK50	White	pk of 50	\$39.00
C1-CW-YPK50	Yellow	pk of 50	\$39.00

Present Coupon # FL23-12 when ordering.
\* One coupon to a location. Starts 12/19/23
Expires 2/27/2024. \*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

# **HAZMAT AND PLACARD SYSTEMS**





Part #	Description
PLK-NFLAM2-R*	Non-Flammable Gas 2
PLK-FLAM2-R*	Flammable Gas 2
PLK-TOXIC2-R*	Toxic Gas 2
PLK-INHAL2-R*	Inhalation Hazard 2
PLK-OXY2-R*	Oxygen 2
PLK-OXIDIZ5.1-R*	Oxidizer 5.1
Present Coupon #	FL23-12 when ordering.*

Present Coupon # FL23-12 when ordering.\*
One coupon to a location.
Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

# **Placard Systems for Your Trucks**



### PLACARDS AVAILABLE

**PLK-1 Contains** 

Flammable Gas 2, Non-Flammable Gas 2, Oxygen 2, Inhalation Hazard 2, Toxic Gas 2, Dangerous When Wet 4, Poison 6, Corrosive 8, and Blank.

### PLK-3 Contains Most Common Used

Flammable Gas 2, Non-Flammable Gas 2, Oxygen 2, and Blank.

Part #	Description	
PLK-1	8 Legend Flip Placard System with Solid Frame	
PLK-3	3 Legend Flip Placard System with Solid Frame	



industrial selling price.

8 Legend Flip Placard System with Solid Frame Pt # PLK-1

▲ WARNING: Products in this catalog can expose you to chemicals including Lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov

NON-FLAMMABLE

GAS

# **Placard Holders**

Also available in:

Aluminum, Permanent Vinyl, Magnetic Backed and Cardboard Styles

10.75" x 10.75" Rigid Vinyl (RV) Style – Subsidiary Risk Hazardous Material Placards – Fits in PLK-2 Holder

\*\*RV = Rigid Vinyl

Part #	Description
PLK-NFLAM2-RV**	Non-Flammable Gas 2
PLK-FLAM2-RV**	Flammable Gas 2
PLK-TOXIC2-RV**	Toxic Gas 2
PLK-INHAL2-RV**	Inhalation Hazard 2
PLK-OXYGEN2-RV**	Oxygen 2
PLK-OXIDIZ5.1-RV**	Oxidizer 5.1
PLK-CORROSIVE8-RV**	Corrosive 8



- Coupon -

8+ PLACARDS

5% OFF

16+ PLACARDS

Present Coupon # FL23-12 when ordering.\*
One coupon to a location.
Starts 12/19/23 Expires 2/27/2024.
\*Coupon not combinable with any other offer.
Promotion Discount based on standard

Slide In Style Rigid Placard Single Clip Placard Pt # PLK-2

Part #	Description
PLK-2	Placard Holder
PLK-3SPLIT	3-Way Split (Flammable Gas/ Non-Flammable Gas/Oxygen) Class 2

Rigid Vinyl (RV) Style – Samples of Subsidiary Risk Hazardous Material Placards











WARNING: Products in this catalog can expose you to chemicals including Lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov

# **ALL ABOUT DEWAR SAFETY**

RMI® Parts for

Dewar Regulator Adjustment Lockout

with Tamper Evident Design

Works on most brands & models

Keep customers from adjusting regulators. A large percentage of problems with DOT4L liquid cylinders (Dewars) is directly related to end user tampering with the set screws on economizers and pressure building regulators.

- Economizer
- Pressure Builder Regulator and
- Pressure Builder/ Economizer Combo Regulators



Regulator Lockouts Package of 25 Pt # RPE-WTPK25




Part # Color/Description

RPE-WTPK25 White / Regulator Lockout, pack of 25









# **Custom Print** 360° Tape

Designed to Identify the Gas Type





# and

**Promote Your Brand.** 



Quickly See Tank that Belongs to Your Company!

# ARGON Industrial, Specialty & Medical Cases ARGON Industrial, Spe

Your Industrial Cryogenic DOT-4L 360° Tape per Recommendation of CGA C-7 2014, Appendix F

CUSTOM PRINT\* – Industrial 3" Dewar 360° Gas Tape

Part #	Description	Roll Length
DGC-TA-XXXX	Argon	250' Roll
DGC-TC-XXXX	Carbon Dioxide	250' Roll
DGC-TH-XXXX	Helium	250' Roll
DGC-TN-XXXX	Nitrogen	250' Roll
DGC-TO-XXXX	Oxygen	250' Roll

Requirement of SB-26 Medical 3 1/2" Dewar 360° Gas Tape		
Part #	Description	<b>Roll Length</b>
DGC-MEDCO2-XXXX	Carbon Dioxide	250' Roll
DGC-MEDN-XXXX	Nitrogen	250' Roll
DGC-MEDO-XXXX	Oxygen	250' Roll

\* One time plate charge – Roll minimum applies.

1/2 OFF
PLATE CHARGE

PLATE CHARGE ON 360° TAPE

FULL COLOR AND LOGO

Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

# **CGA FITTING RESTRAINTS**

Restraints / Retrofit Kits for Oxygen & Inert / 360° Wrap Around Tape

# **Restraints for Industrial Gas** & Liquid Cylinder Fittings

CGA fitting restraints hold the fitting in place with a blocking device attached to the valve. Using an industrial grade stainless steel cable, which is locked on by a tamper-evident seal (Pt # CGP PS1). (sold separately)





OXYGEN

Tamper-Evident Seal Part # CGP PS1 (sold separately)

CGA -Red Warning Label

### **WARNING!**

Part # DL-10

Your Industrial Cryogenic DOT-4L 360° Tape per Recommendation of CGA C-7 2014, Appendix F and MEDICAL DOT-4L LABELS for GHS and CGA SB-26 Requirements

Requirement of SB-26 Medical 3 1/2" Dewar 360° Gas Tape

Part #	Description	Roll Length
DG-MEDO	3 1/2" Oxygen Dewar 360° Gas Tape	250' Roll
DG-MEDN	3 1/2" Nitrogen Dewar 360° Gas Tape	250' Roll
DG-MEDNO	3 1/2" Nitrous Oxide Dewar 360° Gas Tape	250' Roll



NITROGEN

NITROGEN

Industrial 3" Dewar 360° Gas Tape

Part #	Description	Roll Length
DG-TC	3" Carbon Dioxide Dewar 360° Gas Tape	250' Roll
DG-TO	3" Oxygen Dewar 360° Gas Tape	250' Roll
DG-TN	3" Nitrogen Dewar 360° Gas Tape	250' Roll
DG-TA	3" Argon Dewar 360° Gas Tape	250' Roll
DG-TH	3" Helium Dewar 360° Gas Tape	250' Roll

French Medical 3 1/2" & Industrial 3" Dewar 360° Gas Tape

F-DG-NNF	French – 360° Tape Nitrogen NF
F-DG-NOUSP	French – 360° Tape Nitrous Oxide USP
F-DG-OUSP	French – 360° Tape Medical 02
F-DG-TCUSP	French – 360° Tape Carbon Dioxide USP

Medical and Gas Tape also available in Spanish, please call for part number.



To Order Custom Print 360° Dewar Industrial or Medical Tape see Section 6A 25-26 in Digital Catalog www.ratermannonlinecatalog.com

# Retrofit Kits for Oxygen, CO2, Nitrous Oxide and Inert Gas Dewars

### **OXYGEN DEWAR** Part # Order Otv. For: Liquid Valve CGA-440 CGP-3 1 ea. Vent CGA-440 CGP-3 1 ea. 540 CGA Fittings CGP-3 1 ea. TAMPER SEAL CGP-PS1 3 ea. WARNING LABEL DL-10 1 ea. **COMPLETE BOTTLE 3-VALVE** (CGA 540, 440, 326, 320) (liquid, gas, & vent valve) RETROFIT KIT for Oxygen, CO<sup>2</sup> (CGA 320) & Nitrous Oxide (CGA 326) Part Number | Description CGP-23PK1 Package contains one kit CGP-23PK5 Package contains five kits **COMPLETE 3 VALVE KIT for CO<sup>2</sup>** (CGA 622) & Nitrous Oxide (CGA 624) Part Number | Description CGP-25PK1 Package contains one kit CGP-25PK5 Package contains five kits LIQUID FILL AND VENT **CGA 622 AND CGA 624** Part Number | Description CGP-5 CGA 622 CO2

CGA 624 Nitrous Oxide

CGP-6



**WARNING:** Products in this catalog can expose you to chemicals including lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov

Oxygen

Vent & Liquid Fitting Restraints

Part # CGP-3

# FOR INERT GAS DEWARS

### **ARGON & NITROGEN DEWAR** Part # Order Qty Liquid Valve CGP-2 1 ea. Vent CGP-2 1 ea. 580 CGA Fittings CGP-4 1 ea. TAMPER SEAL CGP-PS1 3 ea. WARNING LABEL **DL-10** 1 ea.



Part Number	Description
CGP-13PK1	Package contains one kit
CGP-13PK5	Package contains five kits




CGA 580 Restraints Part # CGP-4



Inert Vent & Liquid Fitting Restraints Part # CGP-2

MARNING: Products in this catalog can expose you to chemicals including lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov



# READ NOW THE RATERMANN BLOG

Get to know the ins and outs of the products you use daily and the products you might not know you need. The Ratermann blog is an excellent place to brush up on your knowledge. New blog posts are published weekly. Keep you and your team up to date with all things Ratermann, subsribe now1

www.rmimfg.com



# **Rebuild Kit for Cryogenic Valves**



# Replacement Parts Valve Rebuild Kits for

- Vent Gas
- Liquid • Pressure Builder

Individually Packaged - Cleaned For Oxygen Service per CGA G-4.1 specifications.



Part #	Description
DV-RBK1	Rebuild Kit for Cryogenic Dewar Valves, Gray Handwheel
DV-RBK1-PK10	Rebuild Kit (Stem & Gray Handwheel) for Cryo Dewar Valves, Pkg of 10

⚠ WARNING: Products in this catalog can expose you to chemicals including lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov

# - Coupon -**VALVE REBUILD** KIT PROMO

Buy 1 / pack of DV-RBK1-PK10 &

RECEIVE 1/ea. FREE Pt # DV-RBK1



Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

Designed for use with one gloved

Available in CGA540, CGA580, &

Ideal for restricted clearance of

Two active locking mechanisms

Two Flexible Bail Sizes Available:

Coupon –

ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other

offer. Promotion Discount based on

standard industrial selling price.

palletized cylinders and 6 and 12-

Key Features

hand

**CGA346** 

cylinder pack

#1 (14") & #4 (21")

# - Coupon -Medical **Cylinder** Plugs & Seals

# **Easy Oxygen Push on Cap**

• Economy Push On Seal





Red Cap Pt # PM-14RD

Green Cap Pt # PM-14

### **Barb Nipple Cap**

Smooth sides



Pt # PP-BARB

Ribbed Nipple Cap Pt # PP-BARB-RS

# Thread on **Dust Cover Cap**



Red Cap Pt # PP-MEDPLRD





Green Cap Pt # PP-MEDPL

Present Coupon # FL23-12 when ordering.3 One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

# Flexible Bail **Handle Con**nectors





### Flex Bail Handles

Part #	Description
QFT-540-F1	Quick-Fill Valve, CGA540 Industrial - Oxygen, with #1 Flex Bail Handle (14in)
QFT-540-F4	Quick-Fill Valve, CGA540 Industrial - Oxygen, with #4 Flex Bail Handle (21in)
QFT-580-F1	Quick-Fill Valve, CGA580 Industrial - Inert, with #1 Flex Bail Handle (14in)
QFT-580-F4	Quick-Fill Valve, CGA580 Industrial - Inert, with #4 Flex Bail Handle (21in)
QFT-346-F1	Quick-Fill Valve, CGA346 Industrial - Breathing Air, with #1 Flex Bail Handle (14in)
QFT-346-F4	Quick-Fill Valve, CGA346 Industrial - Breathing Air, with #4 Flex Bail Handle (21in)

# CALL TO SETUP A DEMO OR FOR MORE INFO -

MARNING: This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm. For more information: www.P65Warnings.ca.gov

# **GENERANT SERIES TPG CONNECTION SYSTEMS**

# **Generant Tamper Proof Device** for DOT-4LC and TC-4LM Liquid Cylinders

The connection system is supplied for installation into the outlet ports of most gas use, vent and fill valves on a cryogenic liquid cylinder. The system is a one-piece assembly consisting of a CGA fitting/clutch mechanism permanently mounted in a stainless steel locking bracket. Once installed, this system cannot be removed without rendering the CGA outlet connection unusable.

### **FEATURES AND BENEFITS**

- Easily installs on most existing threaded cylinder valves using standard hex wrench
- NPT Male connection supplied with factory applied PTFE thread sealant tape
- Suitable for both Industrial and Medical Applications
- CGA connections manufactured to industry standards
- Zero External Leakage
- Cleaned and Packaged for Oxygen Service
- Optional Integral Anti-Backflow Check Valve
- OEM Endorsed

### **Valve Outlet Connections**

For both industrial and medical cylinders, an option to silver braze, welding or using connections that are integral to the valve has been added: threaded or socket connections may be "attached by other means to the valve body in a manner that prevents removal or would render the connection or valve body unusable if removal was attempted or accomplished."

### **Generant Tamper Proof Devices**


Part # Pkg. of 5	Description	Per Dewar Head	Part # for Single Item
TPG-540-PK5	CGA 540 (Gas use) – Oxygen	1	(Pt # TPG-540)
TPG-540CV-PK5	CGA 540 (Gas use) – Oxygen with Check Valve	1	(Pt # TPG-540CV)
TPG-580-PK5	CGA 580 (Gas use) – Inert	1	(Pt # TPG-580)
TPG-580CV-PK5	CGA 580 (Gas use) – Inert with Check Valve	1	(Pt # TPG-580CV)
TPG-440-PK5	CGA 440 (Vent & Liquid use) – Oxygen	2	(Pt # TPG-440)
TPG-295-PK5	CGA 295 (Vent & Liquid use) – Inert	2	(Pt # TPG-295)
TPG-622-PK5	CGA 622 (Vent & Liquid use) – CO2	2	(Pt # TPG-622)
TPG-320-PK5	CGA 320 (Gas, Liquid & Vent use) – CO2	3	(Pt # TPG-320)
TPG-320CV-EP-PK5	CGA 320 (Gas, Liquid & Vent use) – CO2 with Check Valve, Food Gra	ide 3	(Pt # TPG-320CV-EP)
TPG-326-PK5	CGA 326 (Gas, Liquid & Vent use) – N2O	3	(Pt # TPG-326)
TPG-326CV-EP-PK5	CGA 326 (Gas, Liquid & Vent use) – N2O with Check Valve, Food Gra	ade 3	(Pt # TPG-326CV-EP)

Easy Installation

▲ WARNING: Products in this catalog can expose you to chemicals including lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov

### **Generant Series TPG Installation and Removal**

(This should be performed by a qualified technician.)



### **INSTALLATION**

**Note:** Series TPG Connection Systems are supplied cleaned and packaged for use in Oxygen Systems. When utilized in an Oxygen application, proper procedures should be maintained to ensure that the complete installation is safe for Oxygen service.

### **Key Point:**

**SB-26** (CGA Safety Bulletin 26) was created to help prevent anyone from installing incorrect fittings on liquid cylinders, as the result of such,

especially in medical applications has been and can be fatal. In accordance to SB-26 (CGA Safety Bulletin 26) Industrial

portable



GENERANT

The connection is installed and ready for safe use.

cryogenic containers must have tamper-proof or tamper-evident restraints on the outlet valve such as a TPG. **Medical** portable cryogenic containers must have tamper-proof restraints on the outlet valve such as a TPG.

# SPECIALTY FITTINGS & COUPONS Start Date Dec. 19, 2023 - Feb. 27, 2024

# **RATERMANN'S LINE OF** SPECIALTY FITTINGS & HOSES

CGA To CGA (DISS) **3 Piece Adaptors** 



**CGA (DISS) Torque Wrenches** 



Call for Other **Specialty** Fittings!

Restricted **Flow Orifices** 



**CGA (DISS) Inlet Connections** 



CGA (DISS) **Gaskets** 



**JIS Outlet Adaptors** 





CGA (DISS) **Outlet Adaptors** 











Leak Check Gallon Pt # LC-1GAL

MANUFACTURING



\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.



**Brand Valves** Open I Close **Valve** 

Fast!



Valve Tool Pt# CV-38RVT



Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

**WARNING:** Products in this catalog can expose you to chemicals including Lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov



**Connect** vour **Dewar** quickly for fast hookup and filling.





Coupon -

**BUY ONE** Industrial Price...

**GET** 

Present Coupon # FL23-12 when ordering. One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.







### Part # **Description**

OTH-440-2L Oxygen Heavy Duty Quick Turn Long 45° - No Relief Valve Oxygen Heavy Duty Quick Turn Long 90° - No Relief Valve

† Hose not included.



Part #	Description

QTH-295-1L	LN2 Heavy Duty Quick Turn Long, T - No Relief Valve	
QTH-295-2L	LN2 Heavy Duty Quick Turn Long 45° - No Relief Valve	
QTH-295-3L	LN2 Heavy Duty Quick Turn Long 90° - No Relief Valve	

† Hose not included.

**WARNING:** Products in this catalog can expose you to chemicals including Lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov

# PTFE TAPE & PTFE PASTE Oxygen Safe





# **Green Oxygen PTFE Threaded Seal Tape**

Part #	Description		
TAPE-2-GREEN	1/2" x 520" Green PTFE Tape		
TAPE-34-GREEN	3/4" x 520" Green PTFE Tape		

# **PTFE Tape**

Part #	Description		
TAPE-1	1/4" PTFE Tape		
TAPE-2	1/2" PTFE Tape		
TAPE-34	3/4" PTFE Tape		
TAPE-3	1" PTFE Tape		

# **PTFE Paste**



### IDEAL APPLICATIONS FOR PTFE PASTE

- Oxygen cylinders to eliminate leaks
- Fine instrument threads
- Oxygen systems below 125° C
- Valves on bottled gases

### **PTFE Paste**

Part # Description
OXY-PTFE-8 PTFE Paste

When You Buy 10+ PTFE - Coupon - 10% o F

Present Coupon # FL23-12 when ordering.\*
One coupon to a location. Starts 12/19/23 Expires 2/27/2024.
\*Coupon not combinable with any other offer. Promotion
Discount based on standard industrial selling price.

# When You Buy

10+ PTFE TAPE – Coupon –

10%

Present Coupon # FL23-12 when ordering.\*
One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

# **PTFE Tape Pointers**



# First 1-2 Threads Should Be Exposed

With the threads facing toward you, the tape should be applied in a clockwise direction. With threads facing away from you, tape should be applied in a counter-clockwise direction. This will ensure the proper direction and that the tape will not loosen when threads are being tightened. Apply 1-1/2 to 2 turns of tape, making sure to leave first 1-2 threads bare, as not to accidentally introduce tape particles into your flow path.



– Coupon –

SYLINDER NETTING

Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

# Purple Nitrile Powder-Free Exam Gloves

These Latex-Free gloves will NOT give protection from cold or cryogenic liquids.



Part #	Description
PNG-S	Purple Nitrile Gloves – Small
PNG-M	Purple Nitrile Gloves – Medium
PNG-L	Purple Nitrile Gloves – Large
PNG-XL	Purple Nitrile Gloves – Extra Large

### VACUUM JACKETED CRYOGENIC HOSES In Stock



### Vacuum Insulated Flexible Hoses – 3 Feet thru 25 Feet 3/8" I.D. CGA 295 x CGA 295 & 1/2" I.D. CGA 295 x CGA 295

#### **Features**

- Reduced evaporation and the elimination of frost and condensation during transfers
- Vacuum jackets and super insulation for an optimally efficient flexible transfer line
- Can be used with ALL liquid cryogens from LNG to liquid helium (LHe) depending on the end fittings
- A full line of bayonets, pipe threads, compression and custom end fittings are available
- Hose assemblies can be fabricated with full length ARMOR casing



### **ARCTIC FOX® Vacuum Jacketed Cryogenic Hoses IN STOCK**

Part Number	Description	MOST COMMON IN RED
VS-12ID96CGA295	Vacuum Jacketed Hose, 1/2	" ID, 150 PSI, CGA295 SS Flare Ends, 8 Feet Long
VS-12ID144CGA295	Vacuum Jacketed Hose, 1/2	" ID, 150 PSI, CGA295 SS Flare Ends, 12 Feet Long
VS-12ID72CGA295	Vacuum Jacketed Hose, 1/2	" ID, 150 PSI, CGA295 SS Flare Ends, 6 Feet Long
VS-38ID48CGA295	Vacuum Jacketed Hose, 3/8	" ID, 150 PSI, CGA295 SS Flare Ends, 4 Feet Long
VS-12ID180CGA295	Vacuum Jacketed Hose, 1/2	" ID, 150 PSI, CGA295 SS Flare Ends, 15 Feet Long
VS-12ID216CGA295	Vacuum Jacketed Hose, 1/2	" ID, 150 PSI, CGA295 SS Flare Ends, 18 Feet Long
VS-12ID36CGA295	Vacuum Jacketed Hose, 1/2	" ID, 150 PSI, CGA295 SS Flare Ends, 3 Feet Long
VS-38ID120CGA295	Vacuum Jacketed Hose, 3/8	" ID, 150 PSI, CGA295 SS Flare Ends, 10 Feet Long
VS-38ID60CGA295	Vacuum Jacketed Hose, 3/8	" ID, 150 PSI, CGA295 SS Flare Ends, 5 Feet Long



Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

▲ WARNING: This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm. For more information: www.P65Warnings.ca.gov



# THE TIPPING POINT PODCAST

The Tipping Point podcast, hosted by the insightful Marie Williams, is a captivating journey into the realms of emerging industry leaders and their unique paths to leadership. Through engaging conversations, Marie delves into the stories of these rising stars, unraveling the pivotal moments and challenges that shaped their trajectories. With a keen focus on the tipping points that sparked their professional ascent, the podcast not only offers valuable insights into leadership but also serves as a source of inspiration for aspiring professionals navigating their own career journeys.

Watch on YouTube!



## SET UP A R DIRECT ACCOUNT TODAY

Get the most of the Ratermann website with a personalized shopping experience. Save your favorites, view past orders, get quotes, and more.

rmiorder.com/registration

R

### **CYLINDER COATINGS**



### Watson Roll-On (WSR)

Watson Coatings manufactures water-reducible alkyd coating for industrial gas cylinders – a true innovation in gas cylinder coating. The Aqua-Shield WSR Series gas cylinder coatings are waterreducible alkyd coatings for use on the exterior of high-pressure industrial gas cylinders. W.S.R. stands for water-reducible, spray, or roll. This line of gas cylinder coatings boasts a viscosity that is high enough to be brushed or rolled on with pipe rollers, yet is low enough to be sprayed straight from the bucket with minimal thinning. Being water-based, these gas cylinder coatings can be thinned with water and cleaned up with water, as long as the material is wet. Once the coating has dried, it can be removed with a mild solvent.



Roll-On
1 Gallon Paint
Pt # WP-WSRXXX-1G



Roll-On 5 Gallon Paint Pt # WP-WSRXXX-5G

### - Coupon -

8 – ONE GALLON or 2 – FIVE GALLON PAILS

Ordered of Pt # WP-WSR Paint will

RECEIVE FREE
Pt # RP-HROLLER Set



### **Label Adhesive Remover**

Biodegradable, 100% Organic, Non-Toxic No Residual After Surface Dries

#### **Removes Heavy Duty Jobs such as**

 Oil, Tar, Grease, Adhesives, Caulk, Carbon Black, Wet Oil-Based Paints
 Stains and More





Outstanding results for removing cylinder label adhesives on Dewars and Cylinder High Pressure



### Coupon -

High Pressure & Dewar Label Adhesive Remover

\$16.95

for Pt # LR-ACS-1QT

Part # Description

LR-ACS-1QT 1 Quart w/trigger spray

LR-ACS-1GAL 1 Gallon

LR-ACS-5GAL 5 Gallon

\* Promo is for Pt # LR-ACS-1QT only

Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.



### **Aerosol Cylinder Paint\* Color Reference Chart**



Aerosol Pt # WP-S

Watson Coatings Custom Aerosols are 12 ounce solvent-based aerosols packaged 12 cans to a case and can be customized to your specific color and gloss requirements.

Part #	Standard Colors	
WP-S841A	White	
WP-S857A	Off White	
WP-S852A	Brilliant White (Blue Hue)	
WP-S301A	Gray (FSC #16187)	
WP-S360A	Gray	
WP-S367A	Dove Gray	
WP-S368A	Ford Gray	
WP-S369A	Light Gray	
WP-S370A	ASA-49 Gray	
WP-S371A	Dark Gray	
WP-S727A	Cream	
WP-S725A	Mapp Yellow	
WP-S724A	Haze Yellow	
WP-S729A	Special Yellow	
WP-S718A	Yellow	
WP-S624A	Clover Green	
WP-S621A	Cylinder Green	
WP-S628A	Light Green	
WP-S626A	Liquid Green	
WP-S610A	Olive Drab	
WP-S625A	Cactus Green	
WP-S619A	Dark Green	

Part #	Standard Colors
WP-S629A	Emsco Green
WP-S618A	Green (FSC #14187)
WP-S545A	Specialty Gas Purple
WP-S237A	Maroon
WP-S210A	Lincoln Red
WP-S274A	Cranberry
WP-S239A	Red
WP-S238A	Cardinal Red
WP-S913A	Fiesta Orange
WP-S915A	Old Airco Orange
WP-S914A	Orange
WP-S917A	Ming Orange
WP-S919A	CK Orange
WP-S539A	Light Blue
WP-S544A	Varsity Blue
WP-S542A	Marlin Blue
WP-S536A	M.P. Blue
WP-S537A	Medium Blue
WP-S540S	French Blue
WP-S533A	Blue
WP-S541A	Dawn Blue
WP-S1051A	Chocolate Brown
WP-S1047A	Autumn Brown
WP-S1045A	Brown
WP-S1049A	Beige
WP-S1046A	Russett Brown

## **FAST** Cylinder Touch Ups with



### Aerosol **Cylinder Paint**





### **Shoulder Paint Shield**

Shield the shoulder of the tank from overspray when painting cylinder collars.

Part #	Aerosol Paint
WP-S1048A	Focal Beige
WP-S1052A	Walnut Brown
WP-S1050A	Suede Brown
WP-S109A	Black (FSC #17038)
WP-S312A	Aluminum Metallic

Part # **Aerosol Paint Gold Metallic** WP-S723A **Coppertone Metallic** WP-S1108A WP-S1107A **Blue Metallic** Steel Blue Metallic WP-S1109A WP-S110A **Dark Blue Metallic** 

\*The color shown is a very close representation to the actual color. If you need an exact color match, please contact us. We will be happy to send a painted metal chip for validation of color.

Agua-Shield Temp-Alert 350® (TA350) is the one and only clear coating Medical & Industrial Cylinders

Temp-Alert 1 Gallon for Aluminum Pt # WP-TA350-1G 5 Gallon Pt # WP-TA350-5G

WATSON

that changes from a glossy clear coating to a Dark Green and then Black color when exposed to temperatures in excess of 350°F.

### **Temp-Alert**







The WFSR coatings are water based primers for use with WSR or WAS coatings on the bottom of Acetylene Gas Cylinders for additional corrosion resistance.

WP-WFSR302-5G

Part #	Item Description
WP-WFSR154-1G	Foot Coating: Black, 1 Gal Pail
WP-WFSR154-5G	Foot Coating: Black, 5 Gal Bucket
WP-WFSR302-1G	Foot Coating: Light Gray, 1 Gal Pail

**Foot Coatings** 

WESR

MAISTON

Foot

Coatings

1 Gal. Paint

Pt # WP-WFSR

Foot Coating: Light Gray, 5 Gal Bucket



Foot Coatings 5 Gal. Paint Pt # WP-WFSR

© 1999-2020 Ratermann Manufacturing, Inc. All Rights Reserved.



The Aqua-Shield WPSR coatings are waterbased primers for use with WSR, WAS or WPC coatings for added film build and increased corrosion resistance on the exterior of high pressure industrial gas cylinders, miscellaneous steel or on the exterior of pipes.

### **Primers**



**Primers** 1 Gallon Paint Pt # WP-WPSR



**Primers** 5 Gallon Paint Pt # WP-WPSR

rait#	item bescription
WP-WPSR382M-1G	Light Gray Primer, 1 Gal Pail
WP-WPSR382M-5G	Light Gray Primer, 5 Gal Bucket
WP-WPSR867M-1G	Flat White Primer, 1 Gal Pail
WP-WPSR867M-5G	Flat White Primer, 5 Gal Bucket

### **CYLINDER PAINT ACCESSORIES**





### 5 Gallon **Bucket Accessories**

Cover for Open Bucket to Keep Paint from Drying



**Bucket Cover** Pt # RP-BONNET-2 \* Bucket not included



Paint Roller Screen Removes Excess Paint from Roller Pt # RP-5BGRID

### Label Scraper

**Utility Scraper** Pt # SCRAPER





**See Color Chart Reference Guide** on Web for All **Cylinder Paint Colors Available Give Us a Call** 800-264-7793 for a Color Chart



### **Spray-Ready Watson Paint**

For large spray applications, a newer version of the Agua-Shield WSR gas cylinder coatings, use the Agua-Shield WAS series of gas cylinder coatings. The Aqua-Shield WAS series is a spray-ready gas cylinder coating that can be used directly from the bucket or drum without additional thinning.



Spray-Ready 1 Gallon Paint Pt # WP-WAS-1G



Spray-Ready 5 Gallon Paint Pt # WP-WAS-5G

http://www.rmiorder.com/pdf/paint-color-chart.pdf

### DEWAR VALVE LABELS Safety First!

### **Dewar Valve Labels**



**VENT** 

Adhere the label to dewar below valve as shown.

Part # DL-OV



Part # DL-OG



Part # DL-OL



Part # DL-OPB

- Coupon - Dewar Valve Labels	
10%	
Present Coupon # FL23-12 when ordering.* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.	
*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.	

Part # for Pkg. of 50	Description	Part # for Pkg. of 10
DL-OVPK50	Vent	(Pt # DL-OVPK10)
DL-OGPK50	Gas	(Pt # DL-OGPK10)
DL-OLPK50	Liquid	(Pt # DL-OLPK10)
DL-OPBPK50	Pressure Builder	(Pt # DL-OPBPK10)

### **Dewar Operation Label**



## Coupon Buy 10 Get 1 FREE

Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount based on standard industrial selling price.

### Stated in the Warning Section of Label

- Per SB-26-2014, on DOT-4L/TC-4LM Liquid Cylinders, a statement should be added to the cylinder warning against changing or force fitting connections, or the use of adapters on cylinder connections.
- Operation Labels with Operation **Safety Common Questions** 
  - Why is my tank hissing?
  - Warning
  - Safety Warning

Additional warning statement as recommended in CGA SB-26



### **Medical Gas Valve Labels**

MEDICAL OXYGEN

MEDICAL NITROGEN

Part # DL-MO

MEDICAL CARBON DIOXIDE

Part # DL-MN

MEDICAL NITROUS OXIDE

Part # DL-MCO2

Part # DL-MNO

Part # for Pkg. of 50	Description	Part # for Pkg. of 10
DL-MOPK50	Medical Oxygen	(Pt # DL-MOPK10)
DL-MNPK50	Medical Nitrogen	(Pt # DL-MNPK10)
DL-MCO2PK50	Medical Carbon Dioxide	(Pt # DL-MCO2PK10)
DL-MNOPK50	Medical Nitrous Oxide	(Pt # DL-MNOPK10)

Coupon -**Medical Gas** Valve Labels when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

Find all Your Cryogenic Needs...



Ratermann **Cryogenics Digital Catalog** 

www.rmicryo.com/catalog

\*Coupon not combinable with

any other offer. Promotion Discount based on standard industrial selling price.



### **Hose Visual Inspections**

Remember...

"the time to replace worn hose, is before it fails."

### Email

### sales@rmimfg.com

to Receive a FREE copy of Hose **Maintenance and Selection Chart.** 



Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024.

\*Coupon not combinable with any other offer. Promotion Discount



### Our Most Common CO<sup>2</sup> Replacement Hoses

Ratermann's Beverage Solutions

3000 PSIG MAWP Rated - Plated Carbon Steel End Fittings



Present Coupon # FL23-12 when ordering.\* One coupon to a location. Starts 12/19/23 Expires 2/27/2024. \*Coupon not combinable with any other offer. Promotion Discount ♠ WARNING: Products in this catalog can expose you to chemicals including Lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www p65warnings.ca.gov





NSF-51 Rated Carbon Dioxide - Food Grade Hose Pt # BEV-F-

NSF-51 Rated Carbon Dioxide - Food Grade Hose with Vent Tube Pt # RFV-F-VT

Polyethylene Beverage Hose, NSF-51 listed Pt # BVT-P

UV Stabilized Polyethylene Beverage Hose, NSF-51 listed Pt # BVT-PXUV

**UV Resistant** Polyethylene Beverage Hose, NSF-51 listed Pt # RVT-PUV

**Call Your Customer Service** Representative 1-800-264-7793 for More Information

### GAS DELIVERY REGULATOR SERIES GDR GENERANT



### 1/4" - 1" NPT, BSPT **Spring Reference & Pilot Operated**







Pipe-Away **Chamber Option** 



Standard Configuration



**Pilot Operated** (Dome Loaded)

### **Materials of Construction**

Component	Material
Body	CW617N Forged Brass, EN 12420
Adjustment Screw, Valve, Valve Stem, Spring Button, Spring Retainer, Venturi Tube	CDA 360 Brass, ASTM B16
Chamber Insert	303 SS, ASTM A276
Adjustment Springs	GDR-500: Music Wire, ASTM A228 GDR-1000: Chrome Silicon, ASTM A401
Valve Spring	302 SS, ASTM A313
Diaphragm	FKM, EPDM, or Nitrile on Nylon Backing
Soft Seals (Valve and O'Rings)	FKM, EPDM, or Nitrile
Trim (Flange Screws and Locknut)	18-8 Stainless Steel

NOTES: Regulators are assembled with Dupont Krytox® lubricant.

DuPont™ Krytox™, and Vydax® are registered trademarks or trademarks of E.I. duPont de Nemours and Company

PROPER COMPONENT SELECTION - When specifying a component, the total system design must be considered to ensure safe and trouble-free performance. Intended component function, materials compatibility, pressure ratings, installation, environment and maintenance are the responsibility of the system designer.

★WARNING: Products in this catalog can expose you to chemicals including lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to https://www.p65warnings.ca.gov

#### **Description of Generant GDR Series**

The GDR Series Regulator provides reliable and precise pressure control in the most demanding applications. Optimized spring design with unique venturi design assures high flow with extremely low droop characteristics. Solid, non-tied diaphragm and all brass construction will provide leak-free and long-lasting performance. Regulator is fully balanced to virtually eliminate outlet pressure fluctuations due to inlet pressure variations. All GDR Series regulators are 100% factory tested.

#### **Features**

- FULLY BALANCED DESIGN: Maintains a constant delivery pressure regardless of inlet pressure fluctuations.
- **OPTIMIZED FOR HIGH FLOW:** Unique Venturi Tube and Optimized Spring Design allows for high flow rates.
- WIDE PRESSURE RANGE: Inlet Pressures up to 550 PSI, Outlet Pressures up to 450 PSI.
- SOLID, NON-TIED, DIAPHRAGM: Solid diaphragm eliminates potential leak path and increases sensitivity.
- **CONFIGURABLE**: Order Regulators with Various Porting Options, Panel-Mounted, with Chamber Pipe-A-Way, or Pilot Operated.
- OXYGEN SERVICE COMPATIBLE: Designed for use in Oxygen Service and Cleaned for use in O2 Service standard.

#### **Technical Data**

#### **GDR-500**

Max Inlet Pressure: 550 PSIG (37.9 bar)

Outlet Pressure Ranges:

Spring	Outlet Pressure Range
Α	0-55 PSIG (0-3.8 bar)
В	50-135 PSIG (3.5-9.3 bar)
С	125-225 PSIG (8.6-15.5 bar)
D	225-450* PSIG (15.5-31 bar)

\*rated at 450 PSIG @ 100°F A, B, and C Range Springs are interchangeable. D Range Spring requires dedicated Chamber.

### Fail Open Flow Coefficients:

Port Configuration	Fail Open Cv
1/4" NPT and BSPT	1.6
3/8" NPT	2.4
1/2" NPT and BSPT	2.9

#### **GDR-500 Pilot Operated**

Max. Pilot: 450 PSIG (31.0 bar) @ 100°F Max. Usable Cv: 1.5 Pilot Pressure to Outlet Pressure: 1/.95

(100 PSI Pilot = 95 PSI Outlet)

#### **GDR-1000**

Max Inlet Pressure: 400 PSIG (27.6 bar)

Outlet Pressure Ranges:

Spring	Outlet Pressure Range
Α	0-55 PSIG (0-3.8 bar)
В	50-135 PSIG (3.5-9.3 bar)
C	125-225 PSIG (8.6-15.5 bar)

A, B, and C Range Springs are interchangeable.

Fail Open Flow Coefficients:

Port Configuration	Fail Open Cv
3/4" and 1" NPT	5.8
3/4" and 1" BSPT	5.8

#### **GDR-1000 Pilot Operated**

Max. Pilot: 250 PSIG (17.2 bar) @ 140°F Max. Usable Cv: 2.7 Pilot Pressure to Outlet Pressure: 1/.90 (100 PSI Pilot = 90 PSI Outlet)

Effect of Inlet Pressure Variation on Set (Regulator Balance): < 0.25 PSI per 100 PSI

### **High Flow Regulator**

### **Most Common Regulators**

Part Number	Description
4GDR-250B-EP-A	High Flow Regulator 1/4" F NPT EPDM Seal 0-55 PSI
4GDR-250B-EP-B	High Flow Regulator 1/4" F NPT EPDM Seal 55-135 PSI
4GDR-250B-EP-C	High Flow Regulator 1/4" F NPT EPDM Seal 125-225 PSI
4GDR-500B-EP-A	High Flow Regulator 1/2" F NPT EPDM Seal 0-55 PSI
4GDR-500B-EP-B	High Flow Regulator 1/2" F NPT EPDM Seal 55-135 PSI
4GDR-500B-EP-C	High Flow Regulator 1/2" F NPT EPDM Seal 125-225 PSI
4GDR-500B-EP-D	High Flow Regulator 1/2" F NPT EPDM Seal 225-450 PSI (Laser App)
4GDR-750B-EP-A	High Flow Regulator 3/4" F NPT EPDM Seal 0-55 PSI
4GDR-750B-EP-B	High Flow Regulator 3/4" F NPT EPDM Seal 55-135 PSI
4GDR-750B-EP-C	High Flow Regulator 3/4" F NPT EPDM Seal 125-225 PSI
4GDR-1000B-EP-A	High Flow Regulator 1" F NPT EPDM Seal 0-55 PSI
4GDR-1000B-EP-B	High Flow Regulator 1" F NPT EPDM 55-135 PSI
4GDR-1000B-EP-C	High Flow Regulator 1" F NPT EPDM Seal 125-225 PSI

Note: All Regulators are supplied with 2 (two) 1/4" NPT Pipe Plugs. Pipe. EPDM is good for all industrial gases including CO2





### **LOW PRESSURE VAPORIZERS - 700 PSI**

### **Standard Low Pressure Aluminum Ambient Vaporizers**

### **FEATURES**

- Low & High-Pressure and Pressure-Building Models
- Fins Designed for Maximum Surface Area
- Wide-Gap Design for Superior Air Flow
- Customized Models Available for Special Applications
- Simple Assembly
- No Welding Required
- Expandable, Modular Design
- Stackable with No Crating Required
- Custom Accessories Available

#### Most Common

Low Pressure Aluminum Ambient Vaporizers, 700 PSI

RMI Part Number	Connections	MAWP (PSI)	Flow Rate SCFH (N2)	Dimensions
VP-LP02-1MNPT	1" MNPT	700	2,000	20 7/16 L x 21 1/2 W x 152 1/16 Tall
VP-LP03-1MNPT	1" MNPT	700	3,200	32 5/8 L x 21 1/2 W x 152 1/16 Tall
VP-LP07-1MNPT	1" MNPT	700	7,000	44 11/16 L x 33 5/8 W x 152.0625 Tall
VP-LP10-1MNPT	1" MNPT	700	10,000	45 3/16 L x 33 W x 209 ½ Tall
VP-LP15-1.5FLG	1.5" Mueller	700	15,000	45 3/16 L x 45 3/16 W x 209 7/16 Tall

STOCK

**READY** 

### Low Pressure Aluminum Ambient Vaporizers, 700 PSI

RMI Part Number	Connections	MAWP (PSI)	Flow Rate SCFH (N2)	Dimensions
VP-LP0.75-1MNPT	1" MNPT	700	750	
VP-LP05-1MNPT	1" MNPT	700	5,000	44 11/16 L x 21 1/2 W x 152.0625 Tall
VP-LP20-1.5FLG	1.5" Mueller	700	20,000	57 3/8 L x 45 1/8 W x 209 7/16 Tall
VP-LP25-1.5FLG	1.5" Mueller	700	25,000	69 ½ L x 45 1/8 W x 205 1/8 Tall
VP-LP30-1.5FLG	1.5" Mueller	700	30,000	69 1/2 L x 57 1/4 W x 205 1/8 Tall
VP-LP45-2FLG	2" Mueller	700	45,000	71 5/16 L x 71 5/16 W x 278 1/8 Tall
VP-LP50-2FLG	2" Mueller	700	50,000	71 15/16 L x 83 15/16 W x 279 7/16 Tall

### **VAPORIZERS**

Ambient Intermittent Vaporizers / Cryogenic Hoses / Pressure Relief Assembly

## **Liquid Cylinder Ambient Intermittent Vaporizers Increase Vapor Withdrawal Rates for Any Type of Cryogenic Liquid Cylinder.**



Our Vaporizers attach directly to the liquid withdrawal connection to economically boost withdrawal ratings.

#### STANDARD FEATURES

- Each Unit is cleaned, sealed and tagged for Oxygen service.
- 600 PSIG MAWP standard.
- Compliant with ASME B31.3
- Free Standing or hangs on your cylinder.
- Ships fully assembled, tested and ready to use.
- In stock and ready to ship

#### **OPTIONS**

- Cryogenic Flex Hose
- Floor Mounted Drip Pan
- Pre-installed relief Valve with set points from 100 to 600 PSIG
- Stainless Steel lined
- EU/PED code compliance

#### **Intermittent Ambient Air Vaporizers for Liquid Cylinders**

RMI Part Number	Connections	MAWP (PSI)	Flow Rate SCFH (N2)	Weight (lbs)
VLC-A2F	1/2 FNPT	600	1200	53
VLC-A4F	1/2 FNPT	600	2400	96

#### Accessories

Part #	Description
FPAM12C440CH48	Oxygen Cryo Hose, Armored, 4 feet, CGA 440 x 1/2 Male NPT
FPAM12C295CH48	Inert Cryo Hose, Armored, 4 feet, CGA 295 x 1/2 Male NPT
VAP-PR100	Pressure Relief Assembly, 100PSI
VAP-PR150	Pressure Relief Assembly, 150PSI
VAP-PR200	Pressure Relief Assembly, 200PSI
VAP-PR300	Pressure Relief Assembly, 300PSI
VAP-PR400	Pressure Relief Assembly, 400PSI
VAP-PR500	Pressure Relief Assembly, 500PSI
VAP-PR600	Pressure Relief Assembly, 600PSI


### **VAPORIZERS**

### Vaporizer Flow Rates Using a Liquid Cylinder



### Flow Rate Using Liquid Cylinders Built in Vaporizing Coil

Graph demonstrates pressure drop of liquid cylinder not using a vaporizer but instead using built in pressure builder of liquid cylinder.



A liquid cylinder converting liquid into gas uses the vaporizer built into the liquid cylinder also known as the vaporizing coil and pressure building coil. The regulator is hooked up to the gas outlet. The pressure and flow rate drops when the demand exceeds the output capability of the vaporizing coil.

### Flow Rate Using a Liquid Cylinder with an External Ambient Intermittent Air Vaporizer


Graph shows the flow rate of liquid cylinders using an ambient intermittent air vaporizer in 4 & 8 hour time periods of continuous use at ambient air temperature of 70° Fahrenheit.

(SCFH = Standard Cubic Feet Per Hour)

### 4 & 8 Hour Pressure Drops for Ambient Intermittent Vaporizer

Part Number	4 Hour N2 Capacity (SCFH) 300 PSI 70° F	8 Hour N2 Capacity (SCFH) 300 PSI 70° F
VLC-A2F	1,200	800
VLC-A4F	2,400	1,600

A liquid cylinder using an ambient vaporizer is connected through the liquid use valve of the cylinder into the vaporizer. The vaporizer is hooked up to the regulator which supplies the gas. The drop in pressure through the vaporizer is typically 1%. For example, if the liquid going into the vaporizer is around 300 PSI the gas would be at 297 PSI output.



### If using for 24 or 48 Continuous Hours at 300psi 70° F:

Part Number	24 Hour N2 Capacity (SCFH)	48 Hour N2 Capacity (SCFH)
VLC-A2F	640	510
VLC-A4F	1,280	1,020


The numbers shown in the graphs above are average values. The conditions of the liquids and/or the ambient conditions (outside temperature) may cause the values to differ.



Hose Connections and Regulators are Available Separately

### **Low Temperature Actuation Probe Series LTAP**


Low Temperature Actuation Probe 1/2" NPT Probe Connection MAWP 600 PSI (41.4 bar)



### **Installation Note:**

LTAP actuation probes are typically installed in a system with an orifice fitting and back pressure regulator controlling the domeload pressure of a pilot operated reducing regulator.

Consult factory for a detailed schematic of typical installations.



### **Description**

The LTAP Series Low Temperature Actuation Probe is a temperature controlled pneumatic two-way valve. The device utilizes a pressurized copper probe which reacts to fluid temperature and opens a passageway in the top control head as the fluid temperature approaches the device temperature setpoint. The LTAP Series can be installed on cryogenic systems to protect end users when draw rates are higher than system capacity or ambient conditions are much colder than normal.

#### **Features**

- HIGHLY ACCURATE: Setpoint Tolerance of ±3°F.
- QUICK OPEN: Control head opens quickly at desired setpoint: less than 3°F from first bubble to full open.
- REPEATABLE AND RELIABLE: Designed to activate at temperature setpoint repeatably and reliably in a wide range of ambient conditions.
- CLEANED FOR O2 SERVICE: Assembled Cleaned for Oxygen Service as Standard.
- ROBUST DESIGN: Solid brass design with Working Pressures up to 600 PSIG.

#### **Technical Data**

Maximum Probe Pressure: 600 PSIG (41.4 bar)
Maximum Control Head Pressure: 600 PSIG (41.4 bar)

Temperature Setpoint Range: -40°F to -10°F

Setpoint Tolerance: Nominal ±3°F Full Open: Within -3°F of Initial Open

Exposed Fluid Temperature Range: -320°F to +150°F

Ambient Temperature: -60°F to +140°F

Control Head Full Open Cv: 0.02

This Product is **NOT** a Safety Device or Safety Accessory.

#### **Materials of Construction**


Component	Material
Probe	Copper Tube, ASTM B280
Soldering Material	Lead-Free Silver Solder
Valve Body, Control Head, Control Head Internal Components	Brass, ASTM B16
Springs	302SS, ASTM A313
Control Head Seals, Charge Valve Screw Seal	As Specified: EPDM or FS
Control Head Clip Ring	15-7 SS
Set Screws, Piston Pin, Tie Rod Bolts	18-8 SS

Note: LTAPS are assembled with DuPont™ Krytox™, and Vydax® are registered trademarks or trademarks of E.I. duPont de Nemours and Company


### **Low Temperature Actuation Probe Series LTAP**

### GENERANT

#### **Dimensional Data**



### **HOW TO ORDER**



PROPER COMPONENT SELECTION – When specifying a component, the total system design must be considered to ensure safe and trouble-free performance. Intended component function, materials compatibility, pressure ratings, installation, environment and maintenance are the responsibility of the system designer.

### GREASE AND PASTES Krytox™ and LOX-8™

### **General Purpose Grease for**

- Valves
- Fittings
- Regulators
- Truck Pallets
- Oxygen Dewars, Casters and Handles

Part # CGV-2-F12

Use on

**Valves** 

100% Oxygen

Compatible



Krytox™ GPL-226 Grease 1/2 KG Jar Part # KRY-GPL2260.5KG

Use on Oxygen Dewars and Fittings







Use on Regulators



Part #	Description	Size Container
KRY-GPL2262	226 Grease	2 Oz. Tube
KRY-GPL2268	226 Grease	8 Oz. Tube
KRY-GPL2260.5KG	226 Grease	1/2 KG Jar
KRY-GPL2261KG	226 Grease	1 KG Jar

▲ WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov. For further information on Proposition 65, please go to www.oehha.ca.gov/proposition-65



### **LOX-8™ Paste and Grease**

LOX-8<sup>TM</sup> Paste & Grease has met the requirements for (BAM) testing. It is odorless, non-corrosive, green tinted, and hydrophobic (waterproof). It is totally non-migrating and remains where it is applied. LOX-8<sup>TM</sup> is ideal, even after long periods of time, where repetitive assembly and disassembly are required.

#### **Applications**

- Assembly lubricant
- Breathing apparatus
- Cryogenics
- Hospitals: oxygen and nitrous oxide systems
- Instruments
- Medical equipment
- Thread sealants
- Welding and Many other industrial uses

### Grease

Part #	Description
OXY-8 LOX G3.5	3.5 oz. Grease
OXY-8 LOX G16	16 oz. Grease
OXY-8 LOX GP	Plunger 3.5 oz. Grease
OXY-8 LOX G25G	25 gram Grease

#### Paste

Part #	Description
OXY-8 PAST	3.5 oz. Paste
OXY-8 PAST 16	16 oz. Paste
OXY-8 P PAST	3.5 oz. Plunger
OXY-8 PAST G25G	25 gram Paste

### For All Your Oil, Grease and Cleaner Needs

Greases from Krytox™ Performance Lubricants deliver long-lasting lubricity and viscosity performance that no hydrocarbon-based grease can match. These advanced lubricants deliver measurable value, reducing maintenance costs for re-lubrication, component failure and downtime. When compared to conventional lubricants, Krytox™ grease provides less friction and wear, with longer service life for your critical components.

### **Non-Flammable Non-Migrating BAM Tested**

- Seals & Gaskets
- O-Rings
- Regulators
- Cryogenic Pumps
- Quick Connect Fill Tools
- Casters
- Cylinder Valve Stems
- Vacuum Pump Oils



Krytox GPL-226 Grease

### **Key Product Benefits of Krytox™ Greases include:**

- White, pure, nontoxic, non-reactive, non-flammable, long-lasting, fluorinated synthetic greases
- Safe for chemical and oxygen service; provides radiation resistance



Krytox GPL-226 Grease Jar



Krytox GPL-226 Cryo Pump Grease Cartridge



For additional Krytox products, please call 800-264-7793 or email sales@rmimfg.com











Valves



**Connectors** 



Cryo **Pumps** 



Vacuum Pump Oils





### Please call in for additional sizes and configurations for all our IN STOCK Valves.



Bronze Globe Valve Socket Ends Pt # GVMPB-B-A-ACAA


Bronze Globe Valve **Stainless Steel Stubs** Pt # GVMSSB-C-A-ACAA

Bronze Globe Valve with Pipe Thread Pt # GVMTB-C-A-ACAE

Stainless Steel with Bronze Globe Valve Pt # GVMSB-C-A-ACBA

Stainless Steel Globe Valve Pt # GVMSS-C-A-ACDA

Bronze Globe Valve Pt # GVNB-C-ACJE









275 S K Street, Livermore, CA 94550

**Distribution Centers** Strategically located in USA • North America

### 1-2 DAY DELIVERY

FAST DELIVERY ON YOUR FAVORITE ITEMS



### RELIABLY EVERYWHERE.



### 7 AM EST TO 8 PM EST CUSTOMER SERVICE

Monday through Friday. Live inperson 7 AM EST - 8 PM EST. Ship same day up to 8 PM EST.

### SAME DAY SHIPPING UP TO 8PM EST

Strategic warehouse locations around the country. Tennessee, Texas, and California. Over 30,000 products!

### SHOP 24/7 ONLINE RMIORDER.COM

Over 30,000 products for the compressed gas & cryogenic industries.

# We have you covered.













