

CUSTOM BRANDING COMPLETE OFFERING

Labels, tags, collars, and more.



100% DESIGNED & PRINTED IN HOUSE. FULLY CUSTOM.

RELIABLY EVERYWHERE. COMMITTED TO SERVING YOU.

7 AM TO 8 PM EST CUSTOMER SERVICE

Monday through Friday. Live in-person 7 AM EST - 8 PM EST. Ship same day up to 8 PM EST.

Labels@rmimfg.com 1-800-264-7793

SAME DAY SHIPPING UP TO 8 PM EST

Strategic warehouse locations around the country. Tennessee, Texas, and California. Over 30,000 products!

reliable delivery.

**CUSTOM LABEL PRODUCTION 7-10 DAYS
RUSH ORDERS UPON REQUEST**

reliably
RATERMANN



THANK YOU FOR YOUR SUPPORT

At Ratermann we are always striving to be a trusted partner in your business. We hand selected these products to showcase our extensive offering.

Brent Lockhart - President



PERFECTION IN EVERY LABEL

Custom imprint is an art form, we are dedicated to the craft of creating personalized branding experiences. Our team is at your service, committed to tailoring a comprehensive branding package.

Deonta Johnson - Label Production Manager



FAST TURN AROUND ON CUSTOM ORDERS.

1.800.264.7793 LABELS@RMIMFG.COM RMIORDER.COM



BRANDING 24 SALES FLYER

reliably RATERMANN

your specialist for branding & label compliance

Build your brand with a range of custom printed labels. Include your logo, phone number, address, and website all in full color. These CGA compliant labels allow you to brand where your customers will see it most.



status tags



shoulder labels



specialty gas labels



gas cert pouches



the complete branding package

Let's work together to build your brand

Give us a call to go over your branding program and GHS requirements. No matter your application, Ratermann offers an extensive range of custom labels. Brand your industrial cylinders with status tags, custom shoulder labels, specialty gas labels, and pouches. Add custom, full-color side labels to your medical cylinders. Stay CGA compliant with your liquid cryogenic tanks with custom 360 tape, and side labels. Finally, add the finishing touch with a logo decal to maximize your branding efforts.

For more information on your branding options, please give us a call at **1-800-264-7793**.

Want a free custom mock up with your logo? Email us at labels@rmimfg.com.



reliable people.



reliable solutions.




reliable delivery.



medical side labels



360 ID tape



cryogenic tank GHS labels



custom dewar operation labels

reliably
RATERMANN

Your **ONE STOP** for All of Your Label Needs

From Custom Shape & Size
to Full Color

OXYGEN, COMPRESSED
UN1072

OXYGEN
2

HAZARD
OXIDIZER

CAUTION: MAY CAUSE OR INTENSIFY FIRE. OXIDIZER. CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD. KEEP AND STORE AWAY FROM FIRE, HEAT, SPARKS, AND OPEN FLAMES. DO NOT SMOKING. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. USE AND STORE ONLY OUTDOORS OR IN A WELL-VENTILATED PLACE. WHEN PROTECTIVE GLOVES, PROTECTIVE CLOTHING, AND EITHER EAR OR FACE PROTECTION. LEAKING GAS FLOW. DO NOT SMOKING, UNLESS LEAK CAN BE STOPPED SAFELY. ELIMINATE ALL IGNITION SOURCES 5 FEET TO 50 FEET FROM SUNLIGHT WHEN AMBIENT TEMPERATURE EXCEEDS 52°C (125°F). USE A BACK FLOW PREVENTIVE DEVICE IN THE PIPING. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. USE ONLY WITH EQUIPMENT RATED FOR OXYGEN SERVICE. DO NOT OPEN VALVE UNTIL CONNECTED TO EQUIPMENT PREPARED FOR USE. USE ONLY EQUIPMENT COMPATIBLE MATERIALS OF CONSTRUCTION. OPEN VALVE SLOWLY. USE ONLY SHEET (SDS) CHECKED FOR OXYGEN SERVICE. READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE. CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

YOUR LOGO HERE

www.company.com
1-800-000-1234
1234 Street Name, Houston, TX 77007

IN CASE OF EMERGENCY
800-255-1034

OXYGEN, COMPRESSED
UN1072

OXYGEN
2

HAZARD
OXIDIZER

CAUTION: MAY CAUSE OR INTENSIFY FIRE. OXIDIZER. CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD. KEEP AND STORE AWAY FROM FIRE, HEAT, SPARKS, AND OPEN FLAMES. DO NOT SMOKING. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. USE AND STORE ONLY OUTDOORS OR IN A WELL-VENTILATED PLACE. WHEN PROTECTIVE GLOVES, PROTECTIVE CLOTHING, AND EITHER EAR OR FACE PROTECTION. LEAKING GAS FLOW. DO NOT SMOKING, UNLESS LEAK CAN BE STOPPED SAFELY. ELIMINATE ALL IGNITION SOURCES 5 FEET TO 50 FEET FROM SUNLIGHT WHEN AMBIENT TEMPERATURE EXCEEDS 52°C (125°F). USE A BACK FLOW PREVENTIVE DEVICE IN THE PIPING. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. USE ONLY WITH EQUIPMENT RATED FOR OXYGEN SERVICE. DO NOT OPEN VALVE UNTIL CONNECTED TO EQUIPMENT PREPARED FOR USE. USE ONLY EQUIPMENT COMPATIBLE MATERIALS OF CONSTRUCTION. OPEN VALVE SLOWLY. USE ONLY SHEET (SDS) CHECKED FOR OXYGEN SERVICE. READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE. CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

YOUR LOGO HERE

www.company.com
1-800-000-1234
1234 Street Name, Houston, TX 77007

OXYGEN, COMPRESSED USP
UN1072

OXYGEN
2

HAZARD
OXIDIZER

CAUTION: MAY CAUSE OR INTENSIFY FIRE. OXIDIZER. CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD. KEEP AND STORE AWAY FROM FIRE, HEAT, SPARKS, AND OPEN FLAMES. DO NOT SMOKING. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. USE AND STORE ONLY OUTDOORS OR IN A WELL-VENTILATED PLACE. WHEN PROTECTIVE GLOVES, PROTECTIVE CLOTHING, AND EITHER EAR OR FACE PROTECTION. LEAKING GAS FLOW. DO NOT SMOKING, UNLESS LEAK CAN BE STOPPED SAFELY. ELIMINATE ALL IGNITION SOURCES 5 FEET TO 50 FEET FROM SUNLIGHT WHEN AMBIENT TEMPERATURE EXCEEDS 52°C (125°F). USE A BACK FLOW PREVENTIVE DEVICE IN THE PIPING. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. USE ONLY WITH EQUIPMENT RATED FOR OXYGEN SERVICE. DO NOT OPEN VALVE UNTIL CONNECTED TO EQUIPMENT PREPARED FOR USE. USE ONLY EQUIPMENT COMPATIBLE MATERIALS OF CONSTRUCTION. OPEN VALVE SLOWLY. USE ONLY SHEET (SDS) CHECKED FOR OXYGEN SERVICE. READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE. DO NOT REMOVE THIS PRODUCT LABEL.

YOUR LOGO HERE

www.company.com
1-800-000-1234
1234 Street Name, Houston, TX 77007

Produced by Air Liquefaction.

Size	Contents	Size	Contents
<input type="checkbox"/> M6	170 Liters	<input type="checkbox"/> E	682 Liters
<input type="checkbox"/> C	248 Liters	<input type="checkbox"/> H	6910 Liters
<input type="checkbox"/> D	415 Liters	<input type="checkbox"/> Other	Liters

PETROLEUM GASES, LIQUEFIED
UN1075

FLAMMABLE GAS
2

HAZARD
FLAMMABLE

CAUTION: EXTREMELY FLAMMABLE GAS. CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. MAY FORM EXPLOSIVE MIXTURES WITH AIR. DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD. KEEP AWAY FROM HEAT, OPEN FLAMES, SPARKS, AND SMOKING. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. USE AND STORE ONLY OUTDOORS OR IN A WELL-VENTILATED PLACE. WHEN PROTECTIVE GLOVES, PROTECTIVE CLOTHING, AND EITHER EAR OR FACE PROTECTION. LEAKING GAS FLOW. DO NOT SMOKING, UNLESS LEAK CAN BE STOPPED SAFELY. ELIMINATE ALL IGNITION SOURCES 5 FEET TO 50 FEET FROM SUNLIGHT WHEN AMBIENT TEMPERATURE EXCEEDS 52°C (125°F). USE A BACK FLOW PREVENTIVE DEVICE IN THE PIPING. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. USE ONLY WITH EQUIPMENT RATED FOR OXYGEN SERVICE. DO NOT OPEN VALVE UNTIL CONNECTED TO EQUIPMENT PREPARED FOR USE. USE ONLY EQUIPMENT COMPATIBLE MATERIALS OF CONSTRUCTION. OPEN VALVE SLOWLY. USE ONLY SHEET (SDS) CHECKED FOR OXYGEN SERVICE. READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE. CAS: 74-98-6 Liquefied Petroleum Gas: 68476-85-7 DO NOT REMOVE THIS PRODUCT LABEL.

YOUR LOGO HERE

WARNING! FLAMMABLE COMPRESSED GAS
Know the odor of LP-Gas. Leaks may cause fires and explosions.

WHEN YOU CONNECT THE CYLINDER

Regulator Nut or Connection
Regulator Vent
Cylinder Valve
Pressure Relief Valve
Cylinder
Liquid Level Indicator (Optional)

DO NOT ATTEMPT REPAIRS. CALL YOUR LP-GAS DEALER.

THIS LP TANK IS EQUIPPED WITH A SAFETY RELIEF VALVE. DO NOT PLACE INSIDE ANY ENCLOSED OR HEATED AREA.

WHEN CONNECTING FOR USE:

- Use only in compliance with applicable codes.
- Read and follow appliance manufacturers instructions.
- If regulator has a coupling that, the nut has left hand threads and must be tightened. If regulator has a plug in connection, pull ring back, insert fully and release ring. Be sure regulator vent is pointed down.
- Turn off all valves on the appliance.
- Do not check for gas leaks with a match or open flame.
- To check for leaks open the cylinder valve and apply soapy water to areas marked "I" in bubble soap. Close valve and have LP-gas service person make needed repairs. Also, check pressure relief valves for leakage before lighting appliance.
- Light appliances following manufacturers instructions.
- When appliance is not in use, keep cylinder valve closed.

ADDITIONAL WARNING TO USER:

- Know the odor of LP-gas. Under certain circumstances you may not be able to smell the odor.
- If you hear or smell leaking LP-gas shut off cylinder valve. If leaking continues, immediately get everyone away from the cylinder and call the fire department.
- LP-gas is heavier than air and will settle in low places while dissipating. Contact with the liquid contents of this cylinder will cause freeze burns to the skin.
- Do not allow children to tamper or play with this cylinder.
- When not connected for use, keep cylinder valve turned off and for 45 to prepare capacity or test, plug or cap the valve outlet.
- Do not use, store or transport cylinder where it would be exposed to high temperatures. Relief valve may open allowing LP-gas to escape.
- When transporting, keep cylinder in an upright position with cylinder valve turned off, and plugged and capped, if so equipped.

PROPANE

NFPA HAZARD RATING

FIRE HAZARD
4

HEALTH HAZARD
2

REACTIVITY
0

Extremely flammable gas • Heavier than Air
Simple Asphyxiant • Obnoxious to warn of its presence
Contact with Liquid will cause Freezing of Tissue
P.E.L. 1000 PPM • Store container outside and keep cool (under 130° F.)
Turn of container valve when not in use.

PERSONAL PROTECTION
Goggles
Gloves

CONSULT CORRESPONDING MSDS FOR FURTHER INFORMATION AND INSTRUCTIONS
APPLY TO ALL PORTABLE CONTAINERS USED BY COMMERCIAL CUSTOMERS

reliably RATERMANN


labels@rmimfg.com
1-800-264-7793
275 South K Street, Livermore, CA 94550

Contact us
1-800-264-7793
or email
labels@rmimfg.com
with any questions and to discuss your GHS labeling requirements.

Your Logo and Company Information Here



Cylinder Shoulder Label Imprint ORDER FORM Work Sheet



List continues on next page

CYLINDER SHOULDER LABEL IMPRINT WORK SHEET

Customer Name: _____ Account #: _____ Phone #: _____

Contact: _____ Email: _____

Shoulder Labels	UN No.	Part No.	Check Labels Used	Exp. Used Annually	Next Need By Date	Rolls Needed
Air, Compressed (Not for Human Consumption)	UN1002	GCS-AIR-NFHC-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Argon, Compressed (Ultra High Purity 5.0)	UN1006	GCS-AR-UHP50-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Argon, Compressed (Ultra High Purity)	UN1006	GCS-AR-UHP-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (60% Nitrogen, 40% Co2)	UN1956	GCS-CG60NI40CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (80% Nitrogen, 20% Co2)	UN1956	GCS-CG80NI20CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gas Flam (Liq Petroleum Gas, Liq Hydrocarbons)	UN1954	GCS-CGF-LPG.LHYC-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases, NOS (% Nitrogen % Oxygen)	UN1956	GCS-CG-N.OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Hydrogen, Compressed (Ultra High Purity)	UN1049	GCS-HYDROGEN-UHP-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
LiqGas (Liq Petroleum Gas, Liq Hydrocarbons)	UN3161	GCS-LG-LPG.LHYC-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Oxygen, Compressed (Extra Dry Grade)	UN1072	GCS-OXYEDG-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Oxygen, Compressed (Ultra High Purity)	UN1072	GCS-OXY-UHP-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Petroleum Gases, Liquefied (High Purity Gas)	UN1075	GCS-PETROLEUMHPG-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
R404A-Pentafluoroethane, 1,1,1-Trifluoroethane,1,1,1,2,-Tetrafluoroethane	UN3337	GCS-R404A-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
R407C-Difluoromethane, Pentafluoroethane, 1,1,1,2-Tetrafluoroethane	UN3340	GCS-R407C-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
1,1,1,2 Tetrafluoroethane R-134A	UN3159	GCS-TE-R134A-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
1,1,1,2 Tetrafluoroethane, Difluoromethane, Pentafluoroethane	UN3163	GCS-TDP-R407F-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
1,1,1,3,3 Pentafluoropropane	UN3163	GCS-PFP-R245FA-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
1,1,1,3,3,3 Hexafluoropropane HFC-236FA	UN3163	GCS-HFC-236FA-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
1-Butane	UN1011	GCS-BUTANE1-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
1-Butene	UN1012	GCS-BUTENE1-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
2,3,3,3 Tetrafluoropropene	UN3163	GCS-TETRAFLPROPENE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
2-Butane	UN1011	GCS-BUTANE2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
2-Butane, CIS	UN1011	GCS-BUTANE2-CIS-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
2-Butane, Trans	UN1011	GCS-BUTANE2-TR-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Acetylene Pre-Purified	UN1001	GCS-ACT-PP-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Acetylene, Dissolved	UN1001	GCS-ACT-D-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air Specialty Gas, Compressed	UN1002	GCS-AIRSG-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air USP, Compressed	UN1002	GCS-AIRUSP-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air USP, No Contents, Compressed	UN1002	GCS-AIRUSP.NC-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air, Com Indoor Use Only-Not For Breathing	UN1002	GCS-AIRIND-NFB-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air, Compressed (Breathing Quality Grade D)	UN1002	GCS-AIRBQ-GD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air, Compressed (Breathing Quality Grade D-E)	UN1002	GCS-AIRBQ-GDE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air, Compressed (Breathing Quality Grade D-E-L)	UN1002	GCS-AIRBQ-GDEL-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air, Compressed (Breathing Quality Grade E)	UN1002	GCS-AIRBQ-GE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air, Compressed (Dry Grade)	UN1002	GCS-AIRDG-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air, Compressed (Zero Grade)	UN1002	GCS-AIRZG-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air, Compressed Breathing Quality	UN1002	GCS-AIRBQ-XXX-PK500	<input type="checkbox"/>	_____	_____	_____

Shoulder Labels *continued from page LABELS-5*

Shoulder Labels <i>continued from page LABELS-5</i>	UN No.	Part No.	Check Labels Used	Exp. Used Annually	Next Need By Date	Rolls Needed
Air, Compressed Grade 0.1	UN1002	GCS-AIR-G0.1-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air, Compressed Ultra Zero Grade Not For Human Consumption	UN1002	GCS-AIRUZG-NFHC-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air, Compressed Zero Grade Not for Human Consumption	UN1002	GCS-AIRZG-NFHC-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air, Compressed	UN1002	GCS-AIR-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Argon, Compressed (Food Grade)	UN1006	GCS-AR-FG-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Argon, Compressed (Grade 5.0)	UN1006	GCS-AR-G5.0-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Argon, Compressed (High Purity)	UN1006	GCS-AR-HP-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Argon, Compressed (Pre-Purified)	UN1006	GCS-AR-PP-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Argon, Compressed (Zero Grade)	UN1006	GCS-ARZG-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Argon, Compressed	UN1006	GCS-AR-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Beer Gas Com Gas NOS (60% Co2, 40% Nitrogen)	UN1956	GCS-CG-BG60CD40NI-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Beer Gas Com Gas NOS (70% Nitrogen, 30% Co2)	UN1956	GCS-CG-BG70NI30CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Beer Gas Com Gas NOS (75% Nitrogen, 25% Co2)	UN1956	GCS-CG-BG75NI25CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Beer Gas Food Grade (60% Co2, 40% Nitrogen)	UN1956	GCS-CG-BGFG60CD40NI-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Boron Trichloride	UN1741	GCS-BCI3-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Butane	UN1011	GCS-BUTANE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Butane, Non Odorized	UN1011	GCS-NBUTANE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Butylene	UN1012	GCS-BUTYLENE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Dioxide (Beverage Grade)	UN1013	GCS-CD-BEV-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Dioxide (Bone Dry)	UN1013	GCS-CD-BD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Dioxide (Coleman Grade)	UN1013	GCS-CD-CG-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Dioxide (Food Grade & Beverage Grade)	UN1013	GCS-CD-FGBEV-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Dioxide (Food Grade)	UN1013	GCS-CD-FG-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Dioxide Grade 4.5	UN1013	GCS-CD-G4.5-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Dioxide Siphon Tube	UN1013	GCS-CDSTB-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Dioxide Syphon Type, Net Cont. 50lbs	UN1013	GCS-CDST-N50-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Dioxide USP	UN1013	GCS-CDUSP-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Dioxide USP, No Contents	UN1013	GCS-CDUSP.NC-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Dioxide (Ultra High Purity)	UN1013	GCS-CD-UHP-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Dioxide	UN1013	GCS-CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Monoxide, Compressed, 2 Diamond Label	UN1016	GCS-CARBONMONOX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Chlorodifluoromethane & Chloropentafluoroethane Mix R-502	UN1973	GCS-CHCHP-R502-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Chlorodifluoromethane R-22	UN1018	GCS-CH-R22-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Chlorodifluoromethane	UN1018	GCS-CM-R502-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Chlorodifluoromethane	UN3163	GCS-CHCLF2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gas Flam NOS (60% Helium, 40% Hydrogen)	UN1954	GCS-CGF60HE40HY-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gas NOS (% Helium, % Argon)	UN1956	GCS-CG-HE.AR-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gas NOS (% Helium, % Argon, % Carbon Dioxide)	UN1956	GCS-CG-HE.AR.CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gas NOS (70% Nitrogen, 30% Carbon Dioxide)	UN1956	GCS-CG70N30CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gas NOS (70% Nitrogen, 30% Helium)	UN1956	GCS-CG70NI30HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gas NOS (90% Argon, 10% Methane) P-10 Mixture	UN1956	GCS-CG90AR10M-P10-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gas NOS (90% Argon, 10% Methane) Ultra P-10	UN1956	GCS-CG90AR10M-UP10-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gas NOS (Argon, Co2, Oxygen)	UN1956	GCS-CN-ARCDX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gas NOS (Co2, Nitrogen, Helium)	UN1956	GCS-CN-CDNIHE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gas NOS (Helium, Argon, Carbon Dioxide)	UN1956	GCS-CN-HEARCD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gas NOS (Nitrogen, Co2, Helium, Argon)	UN1956	GCS-CN-NICDHEAR-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gas NOS (Nitrogen, Helium, Argon)	UN1956	GCS-CN-NIHEAR-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gas Oxidizing (50% Oxygen, 50% Argon)	UN3156	GCS-CG050OX50AR-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gas Oxidizing (80% Oxygen, 20% Co2)	UN3156	GCS-CG080OX20CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gas Stargon (Argon, Co2, Oxygen)	UN1956	GCS-CNST-ARCDX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gas Stout Mix, FoodGrade (75% Nitrogen, 25% Co2)	UN1956	GCS-CGSMFG75NI25CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases Flammable NOS (% Hydrogen % Argon)	UN1954	GCS-FLAM-HY.AR-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (50% Argon, 50% Helium)	UN1956	GCS-CG50AR50HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (50% Helium, 50% Nitrogen)	UN1956	GCS-CG50HE50NI-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (60% Argon, 40% Helium)	UN1956	GCS-CG60AR40HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (60% Co2, 40% Nitrogen)	UN1956	GCS-CG60CD40NI-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (60% Helium, 40% Argon)	UN1956	GCS-CG60HE40AR-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (70% Argon, 30% Co2)	UN1956	GCS-CG70AR30CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____

Shoulder Labels <i>continued from page LABELS-6</i>	UN No.	Part No.	Check Labels Used	Exp. Used Annually	Next Need By Date	Rolls Needed
Com Gases NOS (70% Argon, 30% Helium)	UN1956	GCS-CG70AR30HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (75% Argon, 25% Co2)	UN1956	GCS-CG75AR25CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (75% Argon, 25% Helium)	UN1956	GCS-CG75AR25HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (75% Co2, 25% Argon)	UN1956	GCS-CG75CO225AR-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (75% Helium, 25% Argon)	UN1956	GCS-CG75HE25AR-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (75% Nitrogen, 25% Co2)	UN1956	GCS-CG75NI25CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (75% Nitrogen, 25% Helium)	UN1956	GCS-CG75NI25HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (78% Air, 22% Helium)	UN1956	GCS-CG78AIR22HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (80% Air, 20% Helium)	UN1956	GCS-CG80AIR20HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (80% Argon, 20% Co2)	UN1956	GCS-CG80AR20CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (80% Argon, 20% Helium)	UN1956	GCS-CG80AR20HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (80% Nitrogen, 10% Hydrogen, 10% Co2)	UN1956	GCS-CG80NI10HY10CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (82% Argon, 18% Co2)	UN1956	GCS-CG82AR18CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (84% Argon, 16% Co2)	UN1956	GCS-CG84AR16CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (85% Argon, 15% Co2)	UN1956	GCS-CG85AR15CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (85% Argon, 15% Helium)	UN1956	GCS-CG85AR15HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (85% Nitrogen, 10% Hydrogen, 5% Co2)	UN1956	GCS-CG85NI10HY5CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (85% Nitrogen, 5% Hydrogen, 10% Co2)	UN1956	GCS-CG85NI5HY10CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (86% Argon, 12% Co2, 2% Oxygen)	UN1956	GCS-CG87AR12CD2OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (86% Argon, 14% Co2)	UN1956	GCS-CG87AR14CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (88% Argon, 10% Co2, 2% Oxygen)	UN1956	GCS-CG88AR10CD2OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (89% Nitrogen, 10% Hydrogen, 1% Co2)	UN1956	GCS-CG89NI10HY1CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (90% Argon, 10% Co2)	UN1956	GCS-CG90AR10CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (90% Argon, 5% Co2, 5% Oxygen)	UN1956	GCS-CG90AR5CD5OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (90% Argon, 7.5% Co2, 2.5% Oxygen)	UN1956	GCS-CG90AR7.5CD2.5OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (90% Argon, 8% Co2, 2% Oxygen)	UN1956	GCS-CG90AR8CD2OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (90% Argon, 10% Helium)	UN1956	GCS-CG90AR10HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (90% Nitrogen, 10% CarbonDioxide)	UN1956	GCS-CG90NI10CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (90% Nitrogen, 10% Helium)	UN1956	GCS-CG90NI10HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (90% Nitrogen, 5% Hydrogen, 5% Co2)	UN1956	GCS-CG90NI5HY5CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (91% Argon, 4% Co2, 5% Oxygen)	UN1956	GCS-CG91AR4CD5OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (91% Argon, 5% Co2, 4% Oxygen)	UN1956	GCS-CG91AR5CD4OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (91% Nitrogen, 4% Hydrogen, 5% Co2)	UN1956	GCS-CG91NI4HY5CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (92% Argon, 8% Co2)	UN1956	GCS-CG92AR8CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (92% Argon, 8% Oxygen)	UN1956	GCS-CG92AR8OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (93% Argon, 7% Co2)	UN1956	GCS-CG93AR7CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (95% Argon, 5% Co2)	UN1956	GCS-CG95AR5CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (95% Argon, 5% Oxygen)	UN1956	GCS-CG95AR5OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (95% Argon, 5% Helium)	UN1956	GCS-CG95AR5HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (95% Helium, 5% Argon)	UN1956	GCS-CG95HE5AR-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (95% Nitrogen, 5% Hydrogen)	UN1956	GCS-CG95NI5HY-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (97% Argon, 3% Co2)	UN1956	GCS-CG98AR3CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (97.5% Argon, 2.5% Co2)	UN1956	GCS-CG97.5AR2.5CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (98% Argon, 2% Hydrogen)	UN1956	GCS-CG98AR2HY-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (98% Argon, 2% Nitrogen UHP)	UN1956	GCS-CG98AR2NUHP-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (98% Argon, 2% Nitrogen)	UN1956	GCS-CG98AR2NI-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (98% Argon, 2% Oxygen)	UN1956	GCS-CG98AR2OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (98% Argon, 2% Co2)	UN1956	GCS-CG98AR2CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (98% Nitrogen, 2% Hydrogen)	UN1956	GCS-CG98NI2HY-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (98% Nitrogen, 2% Oxygen)	UN1956	GCS-CG98NI2OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (99% Argon, 1% Co2)	UN1956	GCS-CG99AR1CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (99% Argon, 1% Hydrogen)	UN1956	GCS-CG99AR1HY-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS (99% Nitrogen, 1% Oxygen)	UN1956	GCS-CG99NI1OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases NOS Food Grade (75% Nitrogen, 25% Co2)	UN1956	GCS-CG-FG75NI25CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases (55% Helium, 43% Argon, 2% Co2)	UN1956	GCS-CG55HE43AR2CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases (55% Nitrogen, 40% Helium, 5% Co2)	UN1956	GCS-CG55NI40HE5CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases (60% Helium, 35% Argon, 5% Co2)	UN1956	GCS-CG60HE35AR5CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Com Gases (60% Helium, 35% Nitrogen, 5% Co2)	UN1956	GCS-CG60HE35NI5CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____

Shoulder Labels *continued from page LABELS-7*

Shoulder Labels	UN No.	Part No.	Check Labels Used	Exp. Used Annually	Next Need By Date	Rolls Needed
Com Gases (63% Argon, 35% Helium, 2% Co2)	UN1956	GCS-CG63AR35HE2CD-XXX-PK500	<input type="checkbox"/>			
Com Gases (65% Argon, 33% Helium, 2% Co2)	UN1956	GCS-CG65AR33HE2CD-XXX-PK500	<input type="checkbox"/>			
Com Gases (65% Argon, 33% Helium, 2% Co2)	UN1956	GCS-CG65AR33HE2CD-XXX-PK500	<input type="checkbox"/>			
Com Gases (66% Argon, 33% Helium, 1% Co2)	UN1956	GCS-CG67AR33HE1CD-XXX-PK500	<input type="checkbox"/>			
Com Gases (66.1% Argon, 33% Helium, 0.9% Co2)	UN1956	GCS-CG66.1AR33HE0.9CD-XXX-PK500	<input type="checkbox"/>			
Com Gases (68% Argon, 30% Helium, 2% Co2)	UN1956	GCS-CG68AR30HE2CD-XXX-PK500	<input type="checkbox"/>			
Com Gases (69% Argon, 30% Helium, 1% Co2)	UN1956	GCS-CG69AR30HE1CD-XXX-PK500	<input type="checkbox"/>			
Com Gases (70% Argon, 28% Co2, 2% Oxygen)	UN1956	GCS-CG70AR28CD2OX-XXX-PK500	<input type="checkbox"/>			
Com Gases (70% Helium, 20% Argon, 10% Co2)	UN1956	GCS-CG70HE20AR10CD-XXX-PK500	<input type="checkbox"/>			
Com Gases (70% Helium, 25% Nitrogen, 5% Co2)	UN1956	GCS-CG70HE25NI5CD-XXX-PK500	<input type="checkbox"/>			
Com Gases (70% Helium, 30% Co2)	UN1956	GCS-CG70HE30CD-XXX-PK500	<input type="checkbox"/>			
Com Gases (74.9% Helium, 23.4% Nitrogen, 1.7% Co2)	UN1956	GCS-CG74.9HE23.4NI1.7CD-XXX-PK500	<input type="checkbox"/>			
Com Gases (78% Argon, 18% Helium, 4% Co2)	UN1956	GCS-CG78AR18HE4CD-XXX-PK500	<input type="checkbox"/>			
Com Gases (79% Argon, 20% Helium, 1% Co2)	UN1956	GCS-CG79AR20HE1CD-XXX-PK500	<input type="checkbox"/>			
Com Gases (81% Argon, 18% Helium, 1% Co2)	UN1956	GCS-CG81AR18HE1CD-XXX-PK500	<input type="checkbox"/>			
Com Gases (81% Helium, 15.6% Nitrogen, 3.4% Co2)	UN1956	GCS-CG81HE15.6NI3.4CD-XXX-PK500	<input type="checkbox"/>			
Com Gases (82% Argon, 15% Co2, 3% Oxygen)	UN1956	GCS-CG82AR15CD3OX-XXX-PK500	<input type="checkbox"/>			
Com Gases (84% Argon, 8% CO2, 8% Helium)	UN1956	GCS-CG84AR8CD8HE-XXX-PK500	<input type="checkbox"/>			
Com Gases (90% Argon, 7.5% Helium, 2.5% Co2)	UN1956	GCS-CG90AR7.5HE2.5CD-XXX-PK500	<input type="checkbox"/>			
Com Gases (90% Helium, 7.5% Argon, 2.5% Co2)	UN1956	GCS-CG90HE7.5AR2.5CD-XXX-PK500	<input type="checkbox"/>			
Com Gases (90% Helium, 7.5% Argon, 2.5% Oxygen)	UN1956	GCS-CG90HE7.5AR2.5OX-XXX-PK500	<input type="checkbox"/>			
Com Gases (95% Argon, 3% Co2, 2% Nitrogen)	UN1956	GCS-CG95AR3CD2NI-XXX-PK500	<input type="checkbox"/>			
Com Gases (96% Argon, 3% Co2, 1% Oxygen)	UN1956	GCS-CG97AR3CD1OX-XXX-PK500	<input type="checkbox"/>			
Com Gases (97% Argon, 2% Oxygen, 1% Co2)	UN1956	GCS-CG98AR2OX1CD-XXX-PK500	<input type="checkbox"/>			
Com Gas Beverage Grade (70% Nitrogen, 30% Co2)	UN1956	GCS-CGBEV70NI30CO2-XXX-PK500	<input type="checkbox"/>			
Com Gas Beverage Grade (75% Nitrogen, 25% Co2)	UN1956	GCS-CGBEV75NI25CO2-XXX-PK500	<input type="checkbox"/>			
Com Gas Flamm (Hydrogen, Argon)	UN1954	GCS-CNF-HYAR-XXX-PK500	<input type="checkbox"/>			
Com Gas Flamm (Hydrogen, Nitrogen)	UN1954	GCS-CNF-HYNI-XXX-PK500	<input type="checkbox"/>			
Com Gas Stout Mix (60% Co2, 40% Nitrogen)	UN1956	GCS-CGSM60CD40NI-XXX-PK500	<input type="checkbox"/>			
Com Gas Stout Mix (75% Nitrogen, 25% Co2)	UN1956	GCS-CGSM75NI25CO2-XXX-PK500	<input type="checkbox"/>			
Com Gas (75% Argon, 15% Co2, 10% Helium)	UN1956	GCS-CG75AR15CD10HE-XXX-PK500	<input type="checkbox"/>			
Com Gas (90% Argon, 5% Co2, 3% Helium, 2% Oxygen)	UN1956	GCS-CG90AR5CD3HE2OX-XXX-PK500	<input type="checkbox"/>			
Com Gas, NOs (95% Argon, 5% Methane) P-5 Mixture	UN1956	GCS-CG95AR5M-P5-XXX-PK500	<input type="checkbox"/>			
Com Gas, NOs (95% Argon, 5% Methane) Ultra P-5 Mixture	UN1956	GCS-CG95AR5M-UP5-XXX-PK500	<input type="checkbox"/>			
Com Gas Flammable (45-60% Hydrogen, 23-10% ETHYNE)	UN1954	GCS-CGF-HY.ETHYNE-XXX-PK500	<input type="checkbox"/>			
Com Gas Flammable (65% Argon, 35% Hydrogen)	UN1954	GCS-CGF65AR35HY-XXX-PK500	<input type="checkbox"/>			
Com Gas Flammable (75% Hydrogen, 25% Nitrogen)	UN1954	GCS-CGF75HY25NI-XXX-PK500	<input type="checkbox"/>			
Com Gas Flammable (85% Argon, 15% Hydrogen)	UN1954	GCS-CGF85AR15HY-XXX-PK500	<input type="checkbox"/>			
Com Gas Flammable (90% Argon, 10% Hydrogen)	UN1954	GCS-CGF90AR10HY-XXX-PK500	<input type="checkbox"/>			
Com Gas Flammable (90% Nitrogen, 10% Hydrogen)	UN1954	GCS-CGF90NI10HY-XXX-PK500	<input type="checkbox"/>			
Com Gas Flammable (92.5% Nitrogen, 7.5% Hydrogen)	UN1954	GCS-CGF92.5NI7.5HY-XXX-PK500	<input type="checkbox"/>			
Com Gas Flammable (95% Argon, 5% Hydrogen)	UN1954	GCS-CGF95AR5HY-XXX-PK500	<input type="checkbox"/>			
Com Gas Flammable (96% Argon, 4% Hydrogen)	UN1954	GCS-CGF97AR4HY-XXX-PK500	<input type="checkbox"/>			
Com Gas FlamToxix NOS 2-Blank	UN1953	GCS-CGF-TX2BL-XXX-PK500	<input type="checkbox"/>			
Com Gas Oxidizing (95% Oxy USP, 5% Co2 USP)	UN3156	GCS-CGO-95OUPS5CDUSP-XXX-PK500	<input type="checkbox"/>			
Com Gas Oxidizing NOS (2 Blank)-	UN3156	GCS-CGOXID2BL-XXX-PK500	<input type="checkbox"/>			
Com Gas Oxidizing (60% Helium USP 40% Oxygen USP)	UN3156	GCS-CGO60HEU40OXU-XXX-PK500	<input type="checkbox"/>			
Com Gas Oxidizing (70% Helium USP 30% Oxygen USP)	UN3156	GCS-CGO70HEU30OXU-XXX-PK500	<input type="checkbox"/>			
Com Gas Oxidizing (75% Nitrogen, 25% Oxygen)	UN3156	GCS-CGO-75NI25OX-XXX-PK500	<input type="checkbox"/>			
Com Gas Oxidizing (80% Helium USP 20% Oxygen USP)	UN3156	GCS-CGO80HEU20OXU-XXX-PK500	<input type="checkbox"/>			
Com Gas Oxidizing NOS (3 Blank) Rx Only-	UN3156	GCS-CGOXID3BL-RX-XXX-PK500	<input type="checkbox"/>			
Com Gas Oxidizing NOS (3 Blank) Over 23.5% O2 content	UN3156	GCS-CGOXID3BL-23.5-XXX-PK500	<input type="checkbox"/>			
Comp Gas Flammable NOS (Hydrogen, Nitrogen)	UN1954	GCS-CF-HYNI-XXX-PK500	<input type="checkbox"/>			
Comp Gas Oxidizer (60% Oxygen, 40% Nitrogen)	UN3156	GCS-CNO-60OX40NI-XXX-PK500	<input type="checkbox"/>			
Comp Gas Oxidizer (Oxygen, Nitrogen)	UN3156	GCS-CNO-OXNI-XXX-PK500	<input type="checkbox"/>			
Comp Gas Oxidizer (Oxygen, CO2)	UN3156	GCS-CNO-OXCD-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (% Air USP, % Co2 USP)	UN1956	GCS-CG-AIRU.CDU-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (% OXUSP, % Co2USP %NMF)	UN1956	GCS-CG-OXYU.CDU.NNF-XXX-PK500	<input type="checkbox"/>			

Shoulder Labels *continued from page LABELS-8*

Shoulder Labels	UN No.	Part No.	Check Labels Used	Exp. Used Annually	Next Need By Date	Rolls Needed
Compressed Gases NOS (% Oxygen USP, % Helium USP)	UN1956	GCS-CG-OXYU.HEU-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS Beverage (Nitrogen,Co2)	UN1956	GCS-CN-NICD-BEV-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (3 blank Lines) O2 Less Than 19.5%	UN1956	GCS-CGNOS3BL-19.5-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (% Argon, % Co2)	UN1956	GCS-CG-AR.CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (% Argon, % Oxygen)	UN1956	GCS-CG-AR.OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (% Argon, % Nitrogen)	UN1956	GCS-CG-AR.NI-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (% Co2, % Nitrogen)	UN1956	GCS-CG-CD.NI-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (% Nitrogen, % Co2)	UN1956	GCS-CG-NI.CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (2 blank Lines)	UN1956	GCS-CGNOS2BL-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (3 blank Lines)	UN1956	GCS-CGNOS3BL-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (Argon, Co2)	UN1956	GCS-CN-ARCD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (Argon, Co2, Helium)	UN1956	GCS-CN-ARCDE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (Argon, Helium)	UN1956	GCS-CN-ARHE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (Argon, Helium, Co2)	UN1956	GCS-CN-ARHECD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (Argon, Hydrogen)	UN1956	GCS-CN-ARHY-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (Argon, Nitrogen)	UN1956	GCS-CN-ARNI-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (Argon, Oxygen)	UN1956	GCS-CN-AROX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (Helium, Argon)	UN1956	GCS-CN-HEAR-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (Helium, Nitrogen)	UN1956	GCS-CN-HENI-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (Nitrogen, Argon) Stainless TriMix	UN1956	GCS-CN-NIAR-STM-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (Nitrogen, Argon)	UN1956	GCS-CN-NIAR-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (Nitrogen, Co2)	UN1956	GCS-CN-NICD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (Nitrogen, Hydrogen)	UN1956	GCS-CN-NIHY-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (Nitrogen, Oxygen)	UN1956	GCS-CN-NIOX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS Rx Only (3 blank Lines)	UN1956	GCS-CGNOS3BL-RX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS	UN1956	GCS-CGNOS-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases, NOS, (75% Co2, 25% Nitrogen)	UN1956	GCS-CG75CD25NI-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Deuterium, Compressed	UN1957	GCS-DEUTERIUM-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Dichlorodifluoromethane, R-12	UN1028	GCS-DI-R12-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Ethane, Compressed	UN1035	GCS-ETHANE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Flam Comp Gases NOS (2 blank Lines)	UN1954	GCS-CGF-NOS2BL-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Flam Comp Gases NOS (3 blank Lines)	UN1954	GCS-CGF-NOS3BL-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Flam Comp Gases NOS	UN1954	GCS-CGF-NOS-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Flammable Anaerobic Gas Mixture	UN1954	GCS-ANGAS-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Helium UHP 5.0, Compressed	UN1046	GCS-HE-UHP50-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Helium UHP, Compressed	UN1046	GCS-HEUHP-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Helium USP, Compressed	UN1046	GCS-HE-USP-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Helium, Compressed (Balloon Grade)	UN1046	GCS-HEBG-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Helium, Compressed (High Purity)	UN1046	GCS-HE-HP-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Helium, Compressed (Zero Grade)	UN1046	GCS-HEZG-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Helium, Compressed Grade 5.0	UN1046	GCS-HE-G5.0-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Helium, Compressed	UN1046	GCS-HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Hydrocarbon Gax Mixture NOS (50% Butane, 25% Propane, 25% ISO-Butane)	UN1965	GCS-HCGF50BU25PR25ISB-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Hydrocarbon Gax Mixture NOS (60% Butane, 20% Propane, 20% ISO-Butane)	UN1965	GCS-HCGF60BU20PR20ISB-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Hydrocarbon Gax Mixture NOS (70% Butane, 30% Propane)	UN1965	GCS-HCGF70BU30PR-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Hydrogen Chloride, 2 Diamond Label	UN1050	GCS-HYDROGEN-CH-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Hydrogen, Compressed (High Purity)	UN1049	GCS-HYDROGEN-HP-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Hydrogen, Compressed (Pre-Purified)	UN1049	GCS-HYDROGEN-PP-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Hydrogen, Compressed (Zero Grade)	UN1049	GCS-HYDROGEN-ZG-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Hydrogen, Compressed	UN1049	GCS-HYDROGEN-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Isobutane, Compressed	UN1969	GCS-ISOBUTANE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Isobutylene, Compressed	UN1955	GCS-ISOBUTYLENE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Krypton, Compressed	UN1056	GCS-KRYPTON-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Liquefied Gas NOS (3 blank Lines)	UN3161	GCS-LGF-NOS3BL-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Liquefied Petroleum Gas Chemtane2	UN1075	GCS-LIQPETROLEUM-C2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Liquefied Petroleum Gas	UN1075	GCS-LIQPETROLEUM-XXX-PK500	<input type="checkbox"/>	_____	_____	_____

Shoulder Labels *continued from page LABELS-9*

	UN No.	Part No.	Check Labels Used	Exp. Used Annually	Next Need By Date	Rolls Needed
Liquefied Petroleum Gas Chem-O-Lene	UN1075	GCS-LIQPETROLEUM-CH-XXX-PK500	<input type="checkbox"/>			
Methane	UN1971	GCS-METHANE-XXX-PK500	<input type="checkbox"/>			
Methyl Chloride RQ	UN1063	GCS-METHYLCH-RQ-XXX-PK500	<input type="checkbox"/>			
Methylacetylene & Propadiene Mix Stabilized	UN1075	GCS-METHACT-PROPAMX-XXX-PK500	<input type="checkbox"/>			
Natural Gas, Compressed	UN1971	GCS-CNG-XXX-PK500	<input type="checkbox"/>			
Neon, Compressed	UN1065	GCS-NEON-XXX-PK500	<input type="checkbox"/>			
Nitrogen NNF, Compressed	UN1066	GCS-NNF-BL-XXX-PK500	<input type="checkbox"/>			
Nitrogen NNF, Compressed	UN1066	GCS-NNF-XXX-PK500	<input type="checkbox"/>			
Nitrogen NNF, No Contents, Compressed	UN1066	GCS-NNF.NC-XXX-PK500	<input type="checkbox"/>			
Nitrogen, Comp Beverage Grade	UN1066	GCS-N-BEV-XXX-PK500	<input type="checkbox"/>			
Nitrogen, Compressed (High Purity)	UN1066	GCS-N-HP-XXX-PK500	<input type="checkbox"/>			
Nitrogen, Compressed (Pre-Purified)	UN1066	GCS-N-PP-XXX-PK500	<input type="checkbox"/>			
Nitrogen, Compressed (Zero Grade)	UN1066	GCS-NZG-XXX-PK500	<input type="checkbox"/>			
Nitrogen, Compressed Ultra High Purity 5.0	UN1066	GCS-N-UHP50-XXX-PK500	<input type="checkbox"/>			
Nitrogen, Compressed Ultra High Purity	UN1066	GCS-N-UHP-XXX-PK500	<input type="checkbox"/>			
Nitrogen, Compressed	UN1066	GCS-N-XXX-PK500	<input type="checkbox"/>			
Nitrogen, Food Grade	UN1066	GCS-N-FG-XXX-PK500	<input type="checkbox"/>			
Nitrogen, Food/Bev Grade	UN1066	GCS-N-FGBG-XXX-PK500	<input type="checkbox"/>			
Nitrous Oxide USP No Contents	UN1070	GCS-N2OUSP.NC-XXX-PK500	<input type="checkbox"/>			
Nitrous Oxide USP	UN1070	GCS-N2OUSP-XXX-PK500	<input type="checkbox"/>			
Nitrous Oxide USP, E	UN1070	GCS-N2OUSPE-XXX-PK500	<input type="checkbox"/>			
Nitrous Oxide USP, K	UN1070	GCS-N2OUSPK-XXX-PK500	<input type="checkbox"/>			
Nitrous Oxide, 2 Diamond Label	UN1070	GCS-NO2-XXX-PK500	<input type="checkbox"/>			
Nitrous Oxide, Cath Grade	UN1070	GCS-NO2-CG-XXX-PK500	<input type="checkbox"/>			
Nitrous Oxide, Food Grade	UN1070	GCS-NO2-FG-XXX-PK500	<input type="checkbox"/>			
Nitrous Oxide Sulfur Dioxide Racing	UN3156	GCS-N2OSO2-R-XXX-PK500	<input type="checkbox"/>			
Oxygen Compressed Aviators Breathing	UN1072	GCS-OXYAB-XXX-PK500	<input type="checkbox"/>			
Oxygen USP, Compressed,	UN1072	GCS-OXYUSP-XXX-PK500	<input type="checkbox"/>			
Oxygen USP, No Contents, Compressed	UN1072	GCS-OXYUSP.NC-XXX-PK500	<input type="checkbox"/>			
Oxygen USP, E 2015 PSIG@70°F	UN1072	GCS-OXYUSP-E-XXX-PK500	<input type="checkbox"/>			
Oxygen USP, PSIG@70°F	UN1072	GCS-OXYUSP-BL-XXX-PK500	<input type="checkbox"/>			
Oxygen, Comp, Bev Grade	UN1072	GCS-OXY-BEV-XXX-PK500	<input type="checkbox"/>			
Oxygen, Comp, Food Grade	UN1072	GCS-OXY-FG-XXX-PK500	<input type="checkbox"/>			
Oxygen, Compressed	UN1072	GCS-OXY-XXX-PK500	<input type="checkbox"/>			
Pentafluoroethane & 1,1,1 Trifluoroethane R-507	UN3163	GCS-PFTF-R507-XXX-PK500	<input type="checkbox"/>			
Petroleum Gases, Liquefied	UN1075	GCS-PETROLEUMLIQ-XXX-PK500	<input type="checkbox"/>			
Petroleum Gas, Liq (w/Methylacetylene & A52Propadiene)	UN1075	GCS-PETROLEUMMP-XXX-PK500	<input type="checkbox"/>			
Propane, Non Odorized	UN1075	GCS-NPROPANE1075-XXX-PK500	<input type="checkbox"/>			
Propane	UN1075	GCS-PROPANE1075-XXX-PK500	<input type="checkbox"/>			
Propane	UN1978	GCS-PROPANE1978-XXX-PK500	<input type="checkbox"/>			
Propylene, Non Odorized	UN1077	GCS-NPROPYLENE-XXX-PK500	<input type="checkbox"/>			
Propylene	UN1077	GCS-PROPYLENE-XXX-PK500	<input type="checkbox"/>			
R143A- 1,1,1- Trifluoroethane	N2035	GCS-TF-R143A-XXX-PK500	<input type="checkbox"/>			
R227 Heptafluoropropane	UN3296	GCS-R227-XXX-PK500	<input type="checkbox"/>			
R401A-Chlorodifluoromethane, Chlorotetrafluoroethane, Difluoroethane	UN3163	GCS-R401A-XXX-PK500	<input type="checkbox"/>			
R401B-Chlorodifluoromethane, Chlorotetrafluoroethane, Difluoroethane	UN3163	GCS-R401B-XXX-PK500	<input type="checkbox"/>			
R402A-Pentafluoroethane, Chlorodifluoromethane, Propane	UN3163	GCS-R402A-XXX-PK500	<input type="checkbox"/>			
R402B-Pentafluoroethane, Chlorodifluoromethane, Propane	UN3163	GCS-R402B-XXX-PK500	<input type="checkbox"/>			
R408A-Chlorodifluoromethane, 1,1,1-Trifluoroethane,	UN3163	GCS-CHTF-R408A-XXX-PK500	<input type="checkbox"/>			
R410A-Pentafluoroethane, Difluoromethane,	UN3163	GCS-R410A-XXX-PK500	<input type="checkbox"/>			
R422D-1,1,1,2-Tetrafluoroethane, Pentafluoroethane, Isobutane	UN3163	GCS-R422D-XXX-PK500	<input type="checkbox"/>			
R507-Pentafluoroethane, 1,1,1-Trifluoroethane	UN3163	GCS-R507-XXX-PK500	<input type="checkbox"/>			
Sulfur Dioxide, 2 Diamond Label	UN1079	GCS-SO2-XXX-PK500	<input type="checkbox"/>			
Sulfur Hexafluoride, Compressed	UN1080	GCS-SH-XXX-PK500	<input type="checkbox"/>			
Trans-1-Chloro-3, 3, 3-Trifluoropropene	UN3163	GCS-TCT-XXX-PK500	<input type="checkbox"/>			
Trifluorochloroethylene	UN3160	GCS-TFCE-XXX-PK500	<input type="checkbox"/>			
Xenon, Compressed	UN2036	GCS-XENON-XXX-PK500	<input type="checkbox"/>			


Example of Standard (A) Layout Style



(A) Is our Standard Layout Style. We will layout your labels with this format unless told otherwise.



Example of (B) Layout Style without logo



(B) Style is without logos.



1 Company Information

Company Name: **Required**


Address: **Required - Street Number and Name, City, State and Zip Code****

Phone: **Required**

Web Address: (optional)

Tag line or Slogan: (optional)

Style (A) is Our Standard Layout Style. For another Style (B), use Grid to Draw in Layout & Proportions.



* not to scale

2 Optional Logo


Logo for Label All logo label orders will be processed after sending a camera-ready proof to approve.

List PMS Color(s) Used

1 PMS Color # _____

2 PMS Color # _____

3 PMS Color # _____



Location of Logo on Label

Send Us Your Art Work to: labels@rmimfg.com

Format for Logo – Tiff Format Logo Colors – Pantone Colors

On complex graphic artwork, a Vector file (artwork created in Adobe Illustrator, Corel Draw) is ideal for complex color logos. Please include pantone colors.

3 Approval for Printing

Ratermann Manufacturing, Inc. or any of its representatives will not be liable or responsible for any regulatory information or content.

It is the customers responsibility to check with the State and/or Federal agency in their area concerning regulatory information.

Approving data content. Do not need an exact art work layout. Please proceed in printing.

Please review carefully all custom printed production specifications as they are not returnable for refund or credit.

Signature _____

Date _____

Not approved to print. Please send art layout for approval. (Choose this for all orders that involve logos.)

Signature _____

Date _____


* Complete address is a requirement for Industrial and Specialty Gases (per CGA C-7-2014, Section 7.1 OSHA's Hazard Communication Standard).

**Medical Gases – The FDA requires City, State and Zip Code, but allows the street address to be omitted, as long as the company can be located in a city or telephone directory on medical gases. For medical gas labels, our customers have the option of including their full address or just the City, State and Zip Code and this decision is solely at their discretion. (Per FDA CFR Title 21, Sec. 201.1 (i))

Non-Flammable Cylinder Shoulder Labels

CUSTOM IMPRINT LABELS - NON-FLAMMABLE

Custom Imprint Shoulder Roll Labels



Add your Company information here.

Custom Print
Air, Compressed
Pt # GCS-AIR-XXX-PK500

We also Offer the Small Size Cylinder Shoulder Labels for 10, 20, 30 & 40 cubic foot cylinders.

See LABELS 15-16

Call 800-264-7793 to place your order.

Standard Size of Cylinder Label 5 7/8" x 2"

Custom Print Part No.	Non-Flammable Shoulder Labels	UN No.
GCS-CG-AIRU.CDU-XXX-PK500	Compressed Gases NOS (% Air USP, % Co2 USP)	UN1956
GCS-CG-AR.CD-XXX-PK500	Compressed Gases NOS (% Argon, % Co2)	UN1956
GCS-CG-AR.NI-XXX-PK500	Compressed Gases NOS (% Argon,%Nitrogen)	UN1956
GCS-CG-BG60CD40NI-XXX-PK500	Beer Gas, Compressed Gases NOS (60% Co2, 40% Nitrogen)	UN1956
GCS-CG-BG75NI25CD-XXX-PK500	Beer Gas Compressed Gases NOS (75% Nitrogen, 25%Co2)	UN1956
GCS-CG-BGFG60CD40NI-XXX-PK500	Beer Gas Food Grade (60%Co2,40%Nitrogen)	UN1956
GCS-CG-HE.AR-XXX-PK500	Compressed Gases NOS (%Helium,%Argon)	UN1956
GCS-CG-HE.AR.CD-XXX-PK500	Compressed Gases NOS (% Helium, % Argon, % Carbon Dioxide)	UN1956
GCS-CG-N.OX-XXX-PK500	Compressed Gases NOS (% Nitrogen % Oxygen)	UN1956
GCS-CG-NI.CD-XXX-PK500	Compressed Gases NOS (% Nitrogen, % Co2)	UN1956
GCS-CG-OXYU.CDU.NNF-XXX-PK500	Compressed Gases NOS (%OXUSP, %Co2USP%NNF)	UN1956
GCS-CG-OXYU.HEU-XXX-PK500	Compressed Gases NOS (%OxygenUSP, %HeliumUSP)	UN1956
GCS-CG50AR50HE-XXX-PK500	Compressed Gases NOS (50% Argon,50% Helium)	UN1956
GCS-CG50HE50NI-XXX-PK500	Compressed Gases NOS (50%Helium,50% Nitrogen)	UN1956
GCS-CG55HE43AR2CD-XXX-PK500	Compressed Gases (55%Helium,43%Argon,2% Co2)	UN1956
GCS-CG55NI40HE5CD-XXX-PK500	Compressed Gases (55%Nitrogen,40%Helium,5% Co2)	UN1956
GCS-CG60AR40HE-XXX-PK500	Compressed Gases NOS (60% Argon,40% Helium)	UN1956
GCS-CG60CD40NI-XXX-PK500	Compressed Gases NOS (60% Co2, 40% Nitrogen)	UN1956
GCS-CG60HE35NI5CD-XXX-PK500	Compressed Gases (60%Helium,35%Nitrogen,5% Co2)	UN1956
GCS-CG60HE40AR-XXX-PK500	Compressed Gases NOS (60% Helium,40% Argon)	UN1956
GCS-CG60NI40CO2-XXX-PK500	Compressed Gases NOS (60% Nitrogen, 40% Co2)	UN1956
GCS-CG66.1AR33HE0.9CD-XXX-PK500	Compressed Gases (66.1%Argon,33%Helium,0.9% Co2)	UN1956
GCS-CG67AR33HE1CD-XXX-PK500	Compressed Gases (66%Argon,33%Helium,1% Co2)	UN1956
GCS-CG68AR30HE2CD-XXX-PK500	Compressed Gases (68%Argon,30%Helium,2% Co2)	UN1956
GCS-CG69AR30HE1CD-XXX-PK500	Compressed Gases (69%Argon,30%Helium,1% Co2)	UN1956
GCS-CG70AR28CD2OX-XXX-PK500	Compressed Gases (70%Argon,28%Co2,2%Oxygen)	UN1956
GCS-CG70AR30HE-XXX-PK500	Compressed Gases NOS (70% Argon,30% Helium)	UN1956
GCS-CG70HE20AR10CD-XXX-PK500	Compressed Gases (70%Helium,20%Argon,10% Co2)	UN1956
GCS-CG70HE25NI5CD-XXX-PK500	Compressed Gases (70%Helium,25%Nitrogen,5% Co2)	UN1956
GCS-CG70HE30CD-XXX-PK500	Compressed Gases (70%Helium,30% Co2)	UN1956
GCS-CG70N30CD-XXX-PK500	Compressed Gases, NOS (70% Nitrogen, 30% Carbon Dioxide)	UN1956
GCS-CG74.9HE23.4NI1.7CD-XXX-PK500	Compressed Gases (74.9%Helium,23.4%Nitrogen,1.7% Co2)	UN1956
GCS-CG75AR15CD10HE-XXX-PK500	Compressed Gases (75%Argon,15%Co2,10%Helium)	UN1956
GCS-CG75AR25CO2-XXX-PK500	Compressed Gases NOS (75% Argon, 25% Co2)	UN1956
GCS-CG75AR25HE-XXX-PK500	Compressed Gases NOS (75% Argon,25% Helium)	UN1956
GCS-CG75CO225AR-XXX-PK500	Compressed Gases NOS (75% Co2, 25% Argon)	UN1956
GCS-CG75HE25AR-XXX-PK500	Compressed Gases NOS (75% Helium,25% Argon)	UN1956
GCS-CG75NI25CO2-XXX-PK500	Compressed Gases NOS (75% Nitrogen, 25% Co2)	UN1956
GCS-CG78AIR22HE-XXX-PK500	Compressed Gases NOS (78% Air,22% Helium)	UN1956
GCS-CG78AR18HE4CD-XXX-PK500	Compressed Gases (78%Argon,18%Helium,4% Co2)	UN1956
GCS-CG79AR20HE1CD-XXX-PK500	Compressed Gases (79%Argon,20%Helium,1% Co2)	UN1956
GCS-CG80AR20CO2-XXX-PK500	Compressed Gases NOS (80% Argon,20% Co2)	UN1956
GCS-CG80AR20HE-XXX-PK500	Compressed Gases NOS (80% Argon,20% Helium)	UN1956
GCS-CG80NI20CO2-XXX-PK500	Compressed Gases NOS (80% Nitrogen, 20% Co2)	UN1956
GCS-CG81AR18HE1CD-XXX-PK500	Compressed Gases (81%Argon,18%Helium,1% Co2)	UN1956
GCS-CG81HE15.6NI3.4CD-XXX-PK500	Compressed Gases (81%Helium,15.6%Nitrogen,3.4% Co2)	UN1956

Non-Flammable List continues on next page

Cylinder Label Accessories

Label Adhesive Remover

Outstanding results for removing cylinder label adhesives!



Biodegradable,
100% Organic, Non-Toxic
No Residual After Surface Dries
Flash Point 162° F (71° C)



Label Adhesive Remover

Part #	Description
LR-ACS-1QT	1 Quart with trigger spray
LR-ACS-1GAL	1 Gallon
LR-ACS-5GAL	5 Gallon

Non-Flammable Cylinder Shoulder Labels

Non-Flammable Cylinder Shoulder Labels *continued from previous page*

Custom Print Part No.	Non-Flammable Shoulder Labels	UN No.
GCS-CG82AR15CD30X-XXX-PK500	Compressed Gases (82%Argon,15%Co2,3%Oxygen)	UN1956
GCS-CG82AR18CO2-XXX-PK500	Compressed Gases NOS (82% Argon, 18% Co2)	UN1956
GCS-CG85AR15CO2-XXX-PK500	Compressed Gases NOS (85% Argon, 15% Co2)	UN1956
GCS-CG85AR15HE-XXX-PK500	Compressed Gases NOS (85% Argon,15% Helium)	UN1956
GCS-CG85NI5HY10CD-XXX-PK500	Compressed Gases NOS (85%Nitrogen,5%Hydrogen,10%Co2)	UN1956
GCS-CG87AR12CD20X-XXX-PK500	Compressed Gases NOS (86% Argon, 12% Co2, 2% Oxygen)	UN1956
GCS-CG90AR10CO2-XXX-PK500	Compressed Gases NOS (90% Argon,10% CarbonDioxide)	UN1956
GCS-CG90AR10HE-XXX-PK500	Compressed Gases NOS (90% Argon,10% Helium)	UN1956
GCS-CG90AR10M-P10-XXX-PK500	Compressed Gases NOS (90%Argon,10%Methane) P-10 Mixture	UN1956
GCS-CG90AR10M-UP10-XXX-PK500	Compressed Gases NOS (90%Argon,10%Methane) Ultra P-10	UN1956
GCS-CG90AR5CD3HE20X-XXX-PK500	Compressed Gases (90%Argon,5%Co2,3%Helium,2%Oxygen)	UN1956
GCS-CG90AR8CD20X-XXX-PK500	Compressed Gases NOS (90% Argon, 8% Co2, 2% Oxygen)	UN1956
GCS-CG90HE7.5AR2.5CD-XXX-PK500	Compressed Gases (90%Helium,7.5%Argon,2.5% Co2)	UN1956
GCS-CG90HE7.5AR2.5OX-XXX-PK500	Compressed Gases (90%Helium,7.5%Argon,2.5% Oxygen)	UN1956
GCS-CG90NI5HY5CD-XXX-PK500	Compressed Gases NOS (90%Nitrogen,5%Hydrogen,5%Co2)	UN1956
GCS-CG91AR4CD5OX-XXX-PK500	Compressed Gases NOS (91% Argon, 4% Co2, 5% Oxygen)	UN1956
GCS-CG91AR5CD4OX-XXX-PK500	Compressed Gases NOS (91% Argon, 5% Co2, 4% Oxygen)	UN1956
GCS-CG91NI4HY5CD-XXX-PK500	Compressed Gases NOS (91%Nitrogen,4%Hydrogen,5%Co2)	UN1956
GCS-CG92AR8CO2-XXX-PK500	Compressed Gases NOS (92% Argon, 8% Co2)	UN1956
GCS-CG92AR8OX-XXX-PK500	Compressed Gases NOS (92% Argon, 8% Oxygen)	UN1956
GCS-CG95AR5CO2-XXX-PK500	Compressed Gases NOS (95% Argon, 5% Co2)	UN1956
GCS-CG95AR5HE-XXX-PK500	Compressed Gases NOS (95% Argon,5% Helium)	UN1956
GCS-CG95AR5M-P5-XXX-PK500	Compressed Gases NOS (95% Argon, 5% Methane) P-5 Mixture	UN1956
GCS-CG95AR5OX-XXX-PK500	Compressed Gases NOS (95% Argon, 5% Oxygen)	UN1956
GCS-CG95HE5AR-XXX-PK500	Compressed Gases NOS (95% Helium,5% Argon)	UN1956
GCS-CG95NI5HY-XXX-PK500	Compressed Gases NOS (95% Nitrogen, 5% Hydrogen)	UN1956
GCS-CG97AR3CD1OX-XXX-PK500	Compressed Gases NOS (96%Argon,3%Co2,1%Oxygen)	UN1956
GCS-CG98AR2OX1CD-XXX-PK500	Compressed Gases NOS (97%Argon,2%Oxygen,1% Co2)	UN1956
GCS-CG98AR3CO2-XXX-PK500	Compressed Gases NOS (97% Argon,3% Co2)	UN1956
GCS-CG98AR2CO2-XXX-PK500	Compressed Gases NOS (98% Argon,2% Co2)	UN1956
GCS-CG98AR2HY-XXX-PK500	Compressed Gases NOS (98% Argon, 2% Hydrogen)	UN1956
GCS-CG98AR2OX-XXX-PK500	Compressed Gases NOS (98% Argon, 2% Oxygen)	UN1956
GCS-CG98NI2HY-XXX-PK500	Compressed Gases NOS (98% Nitrogen, 2% Hydrogen)	UN1956
GCS-CG99AR1HY-XXX-PK500	Compressed Gases NOS (99% Argon, 1% Hydrogen)	UN1956
GCS-CGBEV75NI25CO2-XXX-PK500	Compress Gas Beverage Grade (75%Nitrogen,25% Co2)	UN1956
GCS-CGNOS2BL-XXX-PK500	Compressed Gases NOS (2 Blank Lines)	UN1956
GCS-CGNOS3BL-19.5-XXX-PK500	Compressed Gases NOS (3 Blank Lines) O2 LessThan 19.5%	UN1956
GCS-CGNOS3BL-RX-XXX-PK500	Compressed Gases NOS Rx Only (3 Blank Lines)	UN1956
GCS-CGNOS3BL-XXX-PK500	Compressed Gases NOS (3 Blank Lines)	UN1956
GCS-CGSM60CD40NI-XXX-PK500	Compressed Gas Stout Mix (60%Co2,40% Nitrogen)	UN1956
GCS-CGSM75NI25CO2-XXX-PK500	Compressed Gas Stout Mix (75% Nitrogen, 25% Co2)	UN1956
GCS-CGSMF75NI25CO2-XXX-PK500	Compressed Gas Stout Mix Food Grade (75%Nitrogen,25% Co2)	UN1956
GCS-CN-ARCD-XXX-PK500	Compressed Gases NOS (Argon,Co2)	UN1956
GCS-CN-ARCDHE-XXX-PK500	Compressed Gases NOS (Argon,Co2,Helium)	UN1956
GCS-CN-ARCDX-XXX-PK500	Compressed Gases NOS (Argon,Co2,Oxygen)	UN1956
GCS-CN-ARHE-XXX-PK500	Compressed Gases NOS (Argon,Helium)	UN1956
GCS-CN-ARHY-XXX-PK500	Compressed Gases NOS (Argon,Hydrogen)	UN1956
GCS-CN-ARNI-XXX-PK500	Compressed Gases NOS (Argon,Nitrogen)	UN1956
GCS-CN-AROX-XXX-PK500	Compressed Gases NOS (Argon,Oxygen)	UN1956
GCS-CN-HEAR-XXX-PK500	Compressed Gases NOS (Helium,Argon)	UN1956
GCS-CN-HEARCD-XXX-PK500	Compressed Gases NOS (Helium,Argon,Carbon Dioxide)	UN1956
GCS-CN-HENI-XXX-PK500	Compressed Gases NOS (Helium,Nitrogen)	UN1956
GCS-CN-NIAR-XXX-PK500	Compressed Gases NOS (Nitrogen,Argon)	UN1956
GCS-CN-NICD-XXX-PK500	Compressed Gases NOS (Nitrogen,Co2)	UN1956
GCS-CN-NICDHEAR-XXX-PK500	Compressed Gases NOS (Nitrogen,Co2,Helium,Argon)	UN1956
GCS-CN-NIHEAR-XXX-PK500	Compressed Gases NOS (Nitrogen,Helium,Argon)	UN1956
GCS-CN-NIHY-XXX-PK500	Compressed Gases NOS (Nitrogen,Hydrogen)	UN1956
GCS-CN-NIOX-XXX-PK500	Compressed Gases NOS (Nitrogen,Oxygen)	UN1956
GCS-CNST-ARCDX-XXX-PK500	Compressed Gases NOS Stargon (Argon,Co2,Oxygen)	UN1956

Cylinder Label Accessories

Economy Bump Band



Part # LBE-300

Minimize Cylinder Paint & Label Wear

These are made to be used in UV Environment.



Part # LB-MEDE

Part # LB-D122

Part # LB-T330

Bump Band & Economy Bump Band

Part # for Pkg. of 100	Description	Part # for Pkg. of 10
LB-MEDEPK100	4" Diameter Cylinder	(Pt # LB-MEDEPK10)
LB-T330PK100	244-330 High Pressure	(Pt # LB-T330PK10)
LB-D122PK100	122-80 High Pressure	(Pt # LB-D122PK10)
LBE-300PK100	Economy Red Band	(Pt # LBE-300PK10)

Cylinder Paint and Accessories

Roller, Handle and Cover Set



Comes 12 to a Case
Part # RP-HROLLER



5 Gallon Paint
Pt # WP-WSR-5G



1 Gallon Paint
4 Gallons – Each to a Case
Pt # WP-WSR-1G

CUSTOM IMPRINT LABELS – NON-FLAMMABLE

Oxygen & Flammable Cylinder Shoulder Labels


CUSTOM IMPRINT LABELS - OXYGEN & FLAMMABLE



Take Your Brand to the Next Level with Your Logo and Additional Color to Label.

Custom Print Part No.	Oxygen Shoulder Labels	UN No.
GCS-OXY-FG-XXX-PK500	Oxygen, Compressed, Food Grade	UN1072
GCS-OXY-XXX-PK500	Oxygen, Compressed	UN1072
GCS-OXYAB-XXX-PK500	Oxygen Compressed Aviators Breathing	UN1072
GCS-OXYEDG-XXX-PK500	Oxygen, Compressed (Extra Dry Grade)	UN1072
GCS-OXYUSP-XXX-PK500	Oxygen USP, Compressed	UN1072

Flammable Custom Imprint Shoulder Roll Labels



Add your Company information here.


Custom Print Part No.	Flammable Shoulder Labels	UN No.
GCS-ACT-D-XXX-PK500	Acetylene, Dissolved	UN1001
GCS-ACT-D-XXX-S-PK500	Acetylene, Dissolved - Small Size	UN1001
GCS-ANGAS-XXX-PK500	Flammable Anaerobic Gas Mixture	UN1954
GCS-CF-HYNI-XXX-PK500	Flammable Compressed Gases NOS (Hydrogen, Nitrogen)	UN1954
GCS-CGF-LPG.LHYC-XXX-PK500	Flammable Compressed Gases (LiqPetroleumGas,LiqHydrocarbons)	UN1954
GCS-CGF-NOS2BL-XXX-PK500	Flammable Compressed Gases NOS (2 blank Lines)	UN1954
GCS-CGF-NOS3BL-XXX-PK500	Flammable Compressed Gases NOS (3 blank Lines)	UN1954
GCS-CGF60HE40HY-XXX-PK500	Flammable Compressed Gases NOS (60% Helium, 40% Hydrogen)	UN1954
GCS-CGF65AR35HY-XXX-PK500	Flammable Compressed Gases NOS (65% Argon,35% Hydrogen)	UN1954
GCS-CGF75HY25NI-XXX-PK500	Flammable Compressed Gases NOS (75%Hydrogen,25%Nitrogen)	UN1954
GCS-CGF85AR15HY-XXX-PK500	Flammable Compressed Gases NOS (85% Argon,15% Hydrogen)	UN1954
GCS-CGF90AR10HY-XXX-PK500	Flammable Compressed Gases NOS (90% Argon,10% Hydrogen)	UN1954
GCS-CGF90NI10HY-XXX-PK500	Flammable Compressed Gases NOS (90%Nitrogen,10% Hydrogen)	UN1954
GCS-CGF92.5NI7.5HY-XXX-PK500	Flammable Compressed Gases NOS (92.5%Nitrogen,7.5% Hydrogen)	UN1954
GCS-CGF95AR5HY-XXX-PK500	Flammable Compressed Gases NOS (95% Argon, 5% Hydrogen)	UN1954
GCS-CGF97AR4HY-XXX-PK500	Flammable Compressed Gases NOS (96% Argon, 4% Hydrogen)	UN1954
GCS-CNF-HYAR-XXX-PK500	Flammable Compressed Gas (Hydrogen,Argon)	UN1954
GCS-CNF-HYNI-XXX-PK500	Flammable Compressed Gases (Hydrogen,Nitrogen)	UN1954
GCS-FLAM-HY.AR-XXX-PK500	Flammable Compressed Gases NOS (% Hydrogen % Argon)	UN1954

SAMPLE OF A ROLL OF LABELS



Easily remove shoulder label from roll


Vinyl Medical Cylinder Body Labels




4" x 6" Part # GMBLC-OUSP-XXX-PK250

All weather vinyl with extra tacky adhesive.

Medical Cylinder Body Label



Part # GMBLC-RLOUSP-XXX-PK250



PLEASE CALL 800-264-7793 FOR MINIMUM ORDER QUANTITY.


Medical Cylinder Body Labels

Part #	CUSTOM IMPRINTED BODY LABELS
GMBLC-OUSP-XXX-PK250	Oxygen USP UN1072 Medical Body Label - Roll 250
GMBLC-RLOUSP-XXX-PK250	Oxygen Refrigerated Liquid USP 1073 - Write-In: Contents

* Custom Imprint Orders subject to 15% over and under run. Pricing includes Department of Transportation Diamond color and black print. One time plate charge applies.

Small Cylinder Shoulder Labels

Custom Imprint Small Shoulder Roll Labels



Approximate Size of Small Cylinder Label 2" x 5"


Custom Print Part No.	Small Shoulder Labels	UN No.
GCS-ACT-D-XXX-S-PK500	Acetylene, Dissolved	UN1001
GCS-AIRBQ-GDE-XXX-S-PK500	Air, Compressed (Breathing Quality Grade D-E)	UN1002
GCS-AIRBQ-GD-XXX-S-PK500	Air, Compressed (Breathing Quality Grade D)	UN1002
GCS-AIRBQ-XXX-S-PK500	Air, Compressed Breathing Quality	UN1002
GCS-AIRDG-XXX-S-PK500	Air, Compressed (Dry Grade)	UN1002
GCS-AIR-NFHC-XXX-S-PK500	Compressed (Not for Human Consumption)	UN1002
GCS-AIRUSP-XXX-S-PK500	Air USP, Compressed	UN1002
GCS-AIRUZG-NFHC-XXX-S-PK500	Air Compressed Ultra Zero Grade Not For Human Consumption	UN1002
GCS-AIR-XXX-S-PK500	Air, Compressed	UN1002
GCS-AIRZG-NFHC-XXX-S-PK500	Air, Com Zero Grade Not for Human Consumption	UN1002
GCS-AIRZG-XXX-S-PK500	Air, Compressed (Zero Grade)	UN1002
GCS-AR-HP-XXX-S-PK500	Argon, Compressed (High Purity)	UN1006
GCS-AR-PP-XXX-S-PK500	Argon, Compressed (Pre-Purified)	UN1006
GCS-AR-UHP-XXX-S-PK500	Argon, Compressed (Ultra High Purity)	UN1006
GCS-AR-XXX-S-PK500	Argon, Compressed	UN1006
GCS-ARZG-XXX-S-PK500	Argon, Compressed (Zero Grade)	UN1006
GCS-BUTANE-XXX-S-PK500	Butane	UN1011
GCS-CD-BD-XXX-S-PK500	Carbon Dioxide (Bone Dry)	UN1013
GCS-CD-BEV-XXX-S-PK500	Carbon Dioxide (Beverage Grade)	UN1013
GCS-CD-CG-XXX-S-PK500	Carbon Dioxide (Coleman Grade)	UN1013
GCS-CD-FG-XXX-S-PK500	Carbon Dioxide (Food Grade)	UN1013
GCS-CDST-N50-XXX-S-PK500	Carbon Dioxide Syphon Type, Net Cont. 50lbs	UN1013
GCS-CDUSP-XXX-S-PK500	Carbon Dioxide USP	UN1013
GCS-CD-XXX-S-PK500	Carbon Dioxide	UN1013
GCS-CG60CD40NI-XXX-S-PK500	Compressed Gases NOS (60% Co2, 40% Nitrogen)	UN1956
GCS-CG60NI40CD-XXX-S-PK500	Compressed Gases NOS (60% Nitrogen, 40% CO2)	UN1956
GCS-CG70N30CD-XXX-S-PK500	Compressed Gas NOS (70% Nitrogen, 30% Carbon Dioxide)	UN1956
GCS-CG75AR25CO2-XXX-S-PK500	Compressed Gases NOS (75% Argon, 25% CO2)	UN1956
GCS-CG75NI25CO2-XXX-S-PK500	Compressed Gases NOS (75% Nitrogen, 25% Co2)	UN1956
GCS-CG90AR10CO2-XXX-S-PK500	Compressed Gases NOS (90% Argon, 10% CO2)	UN1956
GCS-CG90AR10M-P10-XXX-S-PK500	Compressed Gas NOS (90% Argon, 10% Methane) P-10 Mixture	UN1956
GCS-CG90AR8CD2OX-XXX-S-PK500	Compressed Gases NOS (90% Argon, 8% CO2, 2% Oxygen)	UN1956
GCS-CG90HE7.5AR2.5CD-XXX-S-PK500	Compressed Gases, NOS (90% Helium, 7.5% Argon, 2.5% CO2)	UN1956
GCS-CG92AR8CO2-XXX-S-PK500	Compressed Gases NOS (92% Argon, 8% CO2)	UN1956
GCS-CG95AR5M-P5-XXX-S-PK500	Compressed Gases, NOS(95%Argon, 5%Methane) P-5 Mixture	UN1956
GCS-CG95AR5OX-XXX-S-PK500	Compressed Gases NOS (95% Argon, 5% Oxygen)	UN1956
GCS-CG98AR2OX-XXX-S-PK500	Compressed Gases NOS (92% Argon, 2% Oxygen)	UN1956
GCS-CG-AR-CD-XXX-S-PK500	Compressed Gases NOS (% Argon, % CO2)	UN1956
GCS-CG-BG60CD40NI-XXX-S-PK500	Beer Gas Com Gas NOS (60%Co2, 40%Nitrogen)	UN1956
GCS-CGF-NOS2BL-XXX-S-PK500	Flammable Compressed Gases NOS (2 blank Lines)	UN1954
GCS-CGF-NOS3BL-XXX-S-PK500	Flammable Compressed Gases NOS (3 blank Lines)	UN1954
GCS-CG-HE.AR.CD-XXX-S-PK500	Compressed Gas NOS (%Helium, %Argon, %Carbon Dioxide)	UN1956
GCS-CG-N.OX-XXX-S-PK500	Compressed Gases, NOS (% Nitrogen % Oxygen)	UN1956
GCS-CGNOS2BL-XXX-S-PK500	Compressed Gases NOS (2 blank Lines)	UN1956
GCS-CGNOS3BL-XXX-S-PK500	Compressed Gases NOS (3 blank Lines)	UN1956
GCS-CHCP-R502-XXX-S-PK500	Chlorodifluoromethane & Chloropentafluoroethane Mix R-502	

Small Label List continues on next page

Add On Labels with Your Custom Print

High Pressure & Dewar Cylinder Labels

Add On Labels with Your Information Custom Printed




2" x 1" Label
Pt # SAO-2X1-CUFT-PK250

**SAFETY
LEAKING**

REVALVE

1.5" x 1.25" Labels
Pt # SAO-12515-SAFLEK-PK250
Pt # SAO-12515-REVALVE-PK250



3 1/2" x 1.5" Requalification Date Label
Pt # NBLF-LN-V100530-XXX-PK500


**For additional
Add On Labels
with Your Custom Print
call 1-800-264-7793**

LABELS SMALL CYLINDER SHOULDER LABELS

Small Cylinder Shoulder Labels

LABELS SMALL CYLINDER SHOULDER LABELS

**Custom
Imprint
Small
Shoulder
Roll
Labels**



Add your Company information here.

Small Cylinder Shoulder Labels *continued from previous page*

Custom Print Part No.	Small Shoulder Labels	UN No.
GCS-CH-R22-XXX-S-PK500	Chlorodifluoromethane R-22	UN1018
GCS-CN-ARCD-XXX-S-PK500	Compressed Gases NOS (Argon, CO2)	UN1956
GCS-CN-ARHE-XXX-S-PK500	Compressed Gases NOS (Argon, Helium)	UN1956
GCS-CN-ARHY-XXX-S-PK500	Compressed Gases NOS (Argon, Hydrogen)	UN1956
GCS-CN-AROX-XXX-S-PK500	Compressed Gases NOS (Argon, Oxygen)	UN1956
GCS-CNF-HYAR-XXX-S-PK500	Compressed Gases Flammable NOS(Hydrogen, Argon)	UN1954
GCS-CN-NICD-XXX-S-PK500	Compressed Gases NOS (Nitrogen, CO2)	UN1956
GCS-DI-R12-XXX-S-PK500	Dichlorodifluoromethane, R-12	UN1028
GCS-ETHYLENE-XXX-S-PK500	Ethylene, Compressed	UN1962
GCS-FLAM-HY.AR-XXX-S-PK500	Compressed Gases Flammable NOS (% Hydrogen % Argon)	UN1954
GCS-HEBG-XXX-S-PK500	Helium, Compressed (Balloon Grade)	UN1046
GCS-HE-HP-XXX-S-PK500	Helium, Compressed (High Purity)	UN1046
GCS-HEUHP-XXX-S-PK500	Helium, UHP, Compressed	UN1046
GCS-HE-USP-XXX-S-PK500	Helium, USP, Compressed	UN1046
GCS-HE-XXX-S-PK500	Helium, Compressed	UN1046
GCS-HEZG-XXX-S-PK500	Helium, Compressed (Zero Grade)	UN1046
GCS-HYDROGEN-HP-XXX-S-PK500	Hydrogen, Compressed (High Purity)	UN1049
GCS-HYDROGEN-PP-XXX-S-PK500	Hydrogen, Compressed (Pre-Purified)	UN1049
GCS-HYDROGEN-UHP-XXX-S-PK500	Hydrogen, Compressed (Ultra High Purity)	UN1049
GCS-HYDROGEN-XXX-S-PK500	Hydrogen, Compressed	UN1049
GCS-HYDROGEN-ZG-XXX-S-PK500	Hydrogen, Compressed (Zero Grade)	UN1049
GCS-LIQPETROLEUM-XXX-S-PK500	Liquefied Petroleum Gas	UN1075
GCS-METHACT-PROPAMX-XXX-S-PK500	Methylacetylene&Propadiene Mix Stabilized	UN1075
GCS-METHANE-XXX-S-PK500	Methane	UN1971
GCS-METHYLCH-RQ-XXX-S-PK500	Methyl Chloride RQ	UN1063
GCS-N-BEV-XXX-S-PK500	Nitrogen, Compressed (Beverage Grade)	UN1066
GCS-N-FG-XXX-S-PK500	Nitrogen, Compressed (Food Grade)	UN1066
GCS-N-HP-XXX-S-PK500	Nitrogen, Compressed (High Purity)	UN1066
GCS-NNF-XXX-S-PK500	Nitrogen NNF, Compressed	UN1066
GCS-N-PP-XXX-S-PK500	Nitrogen, Compressed (Pre-Purified)	UN1066
GCS-N-UHP-XXX-S-PK500	Nitrogen, Compressed Ultra High Purity	UN1066
GCS-N-XXX-S-PK500	Nitrogen, Compressed	UN1066
GCS-NZG-XXX-S-PK500	Nitrogen, Compressed (Zero Grade)	UN1066
GCS-OXYAB-XXX-S-PK500	Oxygen, Compressed Aviators Breathing	UN1072
GCS-OXYEDG-XXX-S-PK500	Oxygen, Compressed (Extra Dry Grade)	UN1072
GCS-OXY-NFDI-XXX-S-PK500	Oxygen, Compressed, Note for Drug Use Inhalation	UN1072
GCS-OXYUSP.NC-XXX-S-PK500	Oxygen, USP No Contents, Compressed	UN1072
GCS-OXYUSP-XXX-S-PK500	Oxygen, USP, Compressed	UN1072
GCS-OXY-XXX-S-PK500	Oxygen, Compressed	UN1072
GCS-PETROLEUMHPG-XXX-S-PK500	Petroleum Gases, Liquefied (High Purity Gas)	UN1075
GCS-PETROLEUMLIQ-XXX-S-PK500	Petroleum Gases, Liquefied	UN1075
GCS-PETROLEUMMP-XXX-S-PK500	Petroleum Gas,Liquid (with Methylacetylene & Propadiene)	UN1075
GCS-PPTF-R507-XXX-S-PK500	Pentafluoroethane&1,1,1 TrifluoroethaneR-507	UN3163
GCS-PROPANE1075-XXX-S-PK500	Propane	UN1075
GCS-PROPANE1978-XXX-S-PK500	Propane	UN1978
GCS-PROPYLENE-XXX-S-PK500	Propylene	UN1077
GCS-SH-XXX-S-PK500	Sulfur Hexafluoride, Compressed	UN1080
GCS-TE-R134A-XXX-S-PK500	1,1,1,2 Tetrafluoroethane R-134A	UN3159

Cylinder Label Accessories

Label Adhesive Remover



Outstanding results for removing cylinder label adhesives!

Biodegradable,
100% Organic, Non-Toxic
No Residual After Surface Dries
Flash Point 162° F (71° C)



Label Adhesive Remover

Part #	Description
LR-ACS-1QT	1 Quart with trigger spray
LR-ACS-1GAL	1 Gallon
LR-ACS-5GAL	5 Gallon

Large Cylinder Shoulder Labels

Custom Imprint Large Shoulder Roll Labels

Approximate Size of Large Shoulder Cylinder Label is 2.5" x 8"



Add your Company information here.

Custom Print Part No.	Large Shoulder Labels	UN No.
GCS-ACT-D-L-XXX-PK500	Acetylene, Dissolved	UN1001
GCS-AIRBQ-GDE-L-XXX-PK500	Air, Compressed (Breathing Quality Grade D-E)	UN1002
GCS-AIRBQ-GD-L-XXX-PK500	Air, Compressed (Breathing Quality Grade D)	UN1002
GCS-AIRBQ-L-XXX-PK500	Compressed Breathing Quality	UN1002
GCS-AIRDG-L-XXX-PK500	Air, Compressed (Dry Grade)	UN1002
GCS-AIR-L-XXX-PK500	Air, Compressed	UN1002
GCS-AIR-NFHC-L-XXX-PK500	Air, Compressed (Not for Human Consumption)	UN1002
GCS-AIRUSP-L-XXX-PK500	Air USP, Compressed	UN1002
GCS-AIRUZG-NFHC-L-XXX-PK500	Air, Compressed Ultra Zero Grade Not For Human Consumption	UN1002
GCS-AIRZG-L-XXX-PK500	Air, Compressed (Zero Grade)	UN1002
GCS-AIRZG-NFHC-L-XXX-PK500	Air, Compressed Zero Grade Not for Human Consumption	UN1002
GCS-AR-HP-L-XXX-PK500	Argon, Compressed (High Purity)	UN1006
GCS-AR-L-XXX-PK500	Argon, Compressed	UN1006
GCS-AR-PP-L-XXX-PK500	Argon, Compressed (Pre-Purified)	UN1006
GCS-AR-UHP-L-XXX-PK500	Argon, Compressed (Ultra High Purity)	UN1006
GCS-ARZG-L-XXX-PK500	Argon, Compressed (Zero Grade)	UN1006
GCS-BUTANE-L-XXX-PK500	Butane	UN1011
GCS-CD-BD-L-XXX-PK500	Carbon Dioxide (Bone Dry)	UN1013
GCS-CD-BEV-L-XXX-PK500	Carbon Dioxide Beverage Grade	UN1013
GCS-CD-CG-L-XXX-PK500	Carbon Dioxide (Coleman Grade)	UN1013
GCS-CD-FG-L-XXX-PK500	Carbon Dioxide (Food Grade)	UN1013
GCS-CD-L-XXX-PK500	Carbon Dioxide	UN1013
GCS-CDST-N50-L-XXX-PK500	Carbon Dioxide Syphon Type, Net Cont. 50 LBS	UN1013
GCS-CDUSP-L-XXX-PK500	Carbon Dioxide USP	UN1013
GCS-CF-HYNI-L-XXX-PK500	Compressed Gas Flammable NOS (Hydrogen, Nitrogen)	UN1954
GCS-CG50AR50HE-L-XXX-PK500	Compressed Gases NOS (50% Argon,50% Helium)	UN1956
GCS-CG50HE50NI-L-XXX-PK500	Compressed Gases NOS (50%Helium,50% Nitrogen)	UN1956
GCS-CG55HE43AR2CD-L-XXX-PK500	Compressed Gases (55%Helium, 43%Argon, 2% CO2)	UN1956
GCS-CG55NI40HE5CD-L-XXX-PK500	Compressed Gases (55% Nitrogen, 40%Helium, 5% CO2)	UN1956
GCS-CG60AR40HE-L-XXX-PK500	Compressed Gases NOS (60% Argon, 40% Helium)	UN1956
GCS-CG60CD40NI-L-XXX-PK500	Compressed Gases NOS (60% CO2, 40% Nitrogen)	UN1956
GCS-CG60HE35NI5CD-L-XXX-PK500	Compressed Gases (60%Helium, 35%Nitrogen, 5% CO2)	UN1956
GCS-CG60HE40AR-L-XXX-PK500	Compressed Gases NOS (60% Helium, 40% Argon)	UN1956
GCS-CG60NI40CO2-L-XXX-PK500	Compressed Gases NOS (60% Nitrogen, 40% CO2)	UN1956
GCS-CG66.1AR33HE0.9CD-L-XXX-PK500	Compressed Gases (66.1% Argon, 33% Helium, 0.9% CO2)	UN1956
GCS-CG67AR33HE1CD-L-XXX-PK500	Compressed Gases (66%Argon, 33%Helium, 1% CO2)	UN1956
GCS-CG68AR30HE2CD-L-XXX-PK500	Compressed Gases (68% Argon, 30%Helium, 2% CO2)	UN1956
GCS-CG69AR30HE1CD-L-XXX-PK500	Compressed Gases (69% Argon, 30% Helium, 1% CO2)	UN1956
GCS-CG70AR28CD2OX-L-XXX-PK500	Compressed Gases (70% Argon, 28% CO2, 2% Oxygen)	UN1956
GCS-CG70AR30CD-L-XXX-PK500	Compressed Gases NOS (70% Argon,30% Co2)	UN1956
GCS-CG70AR30HE-L-XXX-PK500	Compressed Gases NOS (70% Argon,30% Helium)	UN1956
GCS-CG70HE20AR10CD-L-XXX-PK500	Compressed Gases (70% Helium, 20% Argon, 10% CO2)	UN1956
GCS-CG70HE25NI5CD-L-XXX-PK500	Compressed Gases (70% Helium, 25% Nitrogen, 5% CO2)	UN1956
GCS-CG70HE30CD-L-XXX-PK500	Compressed Gases (70% Helium, 30% CO2)	UN1956
GCS-CG70N30CD-L-XXX-PK500	Compressed Gas NOS (70%Nitrogen, 30% Carbon Dioxide)	UN1956
GCS-HE-USP-L-XXX-PK500	Helium USP, Compressed	UN1046
GCS-NNF-L-XXX-PK500	Nitrogen NNF, Compressed	UN1066
GCS-OXYUSP-L-XXX-PK500	Oxygen USP, Compressed	UN1072

TAKE YOUR COMPANY BRANDING TO THE NEXT LEVEL

The **Ratermann Label Division** provides the highest level of service – from the initial label idea to label delivery – we are with you through every step.


Let us help you in your branding program with custom labels for cylinders, liquid containers, rental equipment, and much more.

Get the most of your brand where your customers will see it most.

Give the Labels Division a call at **1-800-264-7793** to get started on a custom label mock-up.

Double Diamond Cylinder Shoulder Labels

Custom Imprint Double Diamond Shoulder Roll Labels



Approximate Size of Double Diamond Cylinder Label 3" x 8"

Double Diamond Cylinder Shoulder Labels

Custom Print Part No.	Double Diamond Shoulder Labels	UN No.
GCS-N2O502-R-XXX-PK500	Nitrous Oxide Sulfur Dioxide Racing	UN3156
GCS-CGOXID2BL-XXX-PK500	Nitrous Oxide 2 Blank Lines	UN3156
GCS-N2O2USP.NC-XXX-PK500	Nitrous Oxide USP No Contents	UN1070
GCS-N2O2USPE-XXX-PK500	Nitrous Oxide USP, E	UN1070
GCS-N2O2USPK-XXX-PK500	Shoulder Label RL(500) Nitrous Oxide USP, K	UN1070
GCS-N2O2USP-XXX-PK500	Nitrous Oxide USP	UN1070
GCS-NO2-CG-XXX-PK500	Nitrous Oxide, Cath Grade	UN1070
GCS-NO2-FG-XXX-PK500	Nitrous Oxide, Food Grade	UN1070
GCS-NO2-XXX-PK500	Nitrous Oxide	UN1070
GCS-SO2-XXX-PK500	Sulfur Dioxide	UN1079
GMBLC-N2O2USP-XXX-PK250	Nitrous Oxide USP, Rx only - Roll of 250	UN1070
GMBLC-N2O-XXX-PK250	Nitrous Oxide, Roll of 250	UN1070

Tools to Help Clean Your Cylinders after Removing Sticky Labels

see LABELS-31



Fixed Blade Scraper Pt # FBSCRAPER

Custom Imprinting at its Best!



Add Color to Existing Compliant Labels to Highlight Your Brand.



Give us a call 1-800-264-7793 to get your ideas in Print!

High Pressure Side Wall Label Imprints

Custom Imprint Side Labels... Promote Your Brand.


These are Just a Few Samples of Our High Pressure Cylinder & Cryogenic Labels Available.

Please call 1-800-264-7793 ask for Labels Division.

HP SIDE WALL LABEL IMPRINTS AND ORDER FORM

COMPRESSED GAS, N.O.S.
(81% HELIUM, 15.6% NITROGEN, 3.4% CARBON DIOXIDE)
UN1956

LASER GAS



LOT: _____ CYL: _____ EXP: _____

FOR USE WITH MEDICAL LASER EQUIPMENT USE IN ACCORDANCE WITH EQUIPMENT MANUFACTURER'S INSTRUCTIONS. NOT FOR DRUG USE. NOT FOR INHALATION. FOR USE ONLY BY OR UNDER THE SUPERVISION OF A LICENSED PRACTITIONER WHO IS EXPERIENCED IN THE USE OF LASER EQUIPMENT.

WARNING: CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY INCREASE RESPIRATION AND HEART RATE. Do not handle until all safety precautions have been read and understood. Avoid breathing gas. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. Do not remove this product label.


DO NOT REMOVE THIS PRODUCT LABEL. CAS: HELIUM 7440-59-7; NITROGEN 7727-37-6; CARBON DIOXIDE 124-38-9

YOUR LOGO HERE

1234 Street Name
Houston, TX 77007
1-800-000-1234
www.company.com

High Pressure Side Labels
LASER GAS
6" x 4"
Pt # GMBLC-LG-XXX-PK250

COMPRESSED GAS, OXIDIZING, N.O.S.
(CARBON DIOXIDE, NITROGEN, OXYGEN)
UN3156



CLINICAL BLOOD GAS
CARBON DIOXIDE, USP NITROGEN, USP OXYGEN, USP

FOR CALIBRATION OF BLOOD GAS ANALYZERS IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS. NOT FOR DRUG USE. NOT FOR INHALATION. **DANGER:** MAY CAUSE OR INTENSIFY FIRE. OXIDIZER. CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. MAY INCREASE RESPIRATION AND HEART RATE. Do not handle until all safety precautions have been read and understood. Keep valves and fittings free from grease and oil. Avoid breathing gas. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.


FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. Do not remove this product label.

DO NOT REMOVE THIS PRODUCT LABEL. CAS: CARBON DIOXIDE 124-38-9; NITROGEN 7727-37-6; OXYGEN 7782-44-7

westair
(866) WestAir
2500 Congress Street
San Diego, CA 92108
www.westairgases.com

High Pressure Side Labels
CLINICAL BLOOD GAS DOUBLE DIAMOND
6" x 4"
Pt # GMBLC-CBG-XXX-PK250

NITROUS OXIDE USP UN1070



CONTENTS: _____ CU FT LITERS

USP RX Only

WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency, and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

DANGER: MAY CAUSE OR INTENSIFY FIRE. OXIDIZER. CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. MAY CAUSE DROWSINESS OR DRIZZINESS. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE.


Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Avoid breathing gas. Do not get in eyes, on skin, or on clothing. Use and store only outdoors or in a well-ventilated place. Wear protective gloves, protective clothing, and other eye or face protection. In case of fire: Stop leak if safe to do so. Store locked up. Dispose of contents/container in accordance with container supplier/owner instructions. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/poison center.

IF ON SKIN: Tear treated parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 10024-97-2

DO NOT REMOVE THIS PRODUCT LABEL.



High Pressure Side Labels
NITROUS OXIDE, USP
5" x 8"
Pt # GMBLC-N2O USP-XXX-PK250

Order Form High Pressure Side Labels

Company Information

Company Name: **Required**

Address: **Required - Street Number and Name, City, State and Zip Code*****

Phone: **Required**

Web Address: (optional)


Logo for Label *All logo label orders will be processed after sending a camera-ready proof to approve.*

List PMS Color(s) Used

1 PMS Color # _____

2 PMS Color # _____


3 PMS Color # _____

Location of Logo 

Send Us Your Art Work to: labels@rmimfg.com

Format for Logo - Tiff Format Logo Colors - Pantone Colors

COMPRESSED GASES, FLAMMABLE, N.O.S.
(NITROGEN, HYDROGEN, CARBON DIOXIDE)
UN1954




ANAEROBIC GAS MIXTURE

BIOLOGICAL ATMOSPHERE MIXTURE FOR CULTURE GROWTH. FOR LABORATORY USE ONLY. NOT FOR DRUG USE. NOT FOR INHALATION.

DANGER: EXTREMELY FLAMMABLE GAS. CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY FORM EXPLOSIVE MIXTURES WITH AIR. BURNS WITH INVISIBLE FLAME. MIXTURES CONTAINING MORE THAN 5% CARBON DIOXIDE CAN INCREASE RESPIRATION AND HEART RATE. Do not handle until all safety precautions have been read and understood. Keep away from heat, open flames, sparks, hot surfaces. - No smoking. Use and store only outdoors or in a well-ventilated place. Leaking gas fire: Do not extinguish, unless leak can be stopped safely. Eliminate all ignition sources if safe to do so. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Close valve after each use and when empty. Store and use at temperature above 40°F (4.4°C). Return with at least 25 PSIG Pressure. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.


FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL. CAS: HYDROGEN 1333-74-0; NITROGEN 7727-07-9; CARBON DIOXIDE 124-38-9



High Pressure Side Labels
ANAEROBIC GAS MIXTURE
4" x 6"
Pt # GMBLC-AGM-XXX-PK250

OXYGEN, COMPRESSED USP UN1072



C.A.S. NO. 7782-44-7

YOUR LOGO HERE

1234 Street Name
Houston, TX 77007
1-800-000-1234
www.company.com

WARNING: MAY CAUSE OR INTENSIFY FIRE. OXIDIZER. CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Read and follow the Safety Data Sheet (SDS) before use. Do not remove this product label.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. The other medical applications. Do not use in the presence of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with respiratory equipment.

Produced by Air Liquetation.

Size	Contents	Size	Contents
<input type="checkbox"/> M6	170 Liters	<input type="checkbox"/> E	682 Liters
<input type="checkbox"/> C	248 Liters	<input type="checkbox"/> H	6910 Liters
<input type="checkbox"/> D	415 Liters	<input type="checkbox"/> Other	_____ Liters

High Pressure Side Labels
OXYGEN COMPRESSED, USP
Pt # GMBLC-OUSP-XXX-PK250

CUSTOM PRINT*** High Pressure Side Labels

Part #	Description
GMBLC-LG-XXX-PK250	Laser Gas / Mixture
GMBLC-AGM-XXX-PK250	Anaerobic Gas Mixture
GMBLC-CBG-XXX-PK250	Clinical Blood Gas - Double Diamond
GMBLC-CBLCM-XXX-PK250	Clinical Blood Gas - Calibration Mixture
GMBLC-CBL-CDNIO2-XXX-PK250	Clinical Blood Gas (CO ₂ , NI, O ₂)
GMBLC-N2O USP-XXX-PK250	Nitrous Oxide, USP

Part #	Description
GMBLC-CGN2OSO2-XXX-PK250	ComGasOxidNOS (Nitrous Oxide,Sulfur Dioxide) Roll (250)
GMBLC-OUSP-XXX-PK250	Cylinder Body Label Oxygen USP, Roll (250)

***One time plate charge

* Complete address is a requirement for Industrial and Specialty Gases (per CGA C-7-2014, Section 7.1 OSHA's Hazard Communication Standard).

**Medical Gases - The FDA requires City, State and Zip Code, but allows the street address to be omitted, as long as the company can be located in a city or telephone directory on medical gases. For medical gas labels, our customers have the option of including their full address or just the City, State and Zip Code and this decision is solely at their discretion. (Per FDA CFR Title 21, Sec. 201.1 (i))

Propane Tank Labels

PROPANE TANK CUSTOM PRINT LABELS



with Your Company Information Custom Print
at **RATERMANN**

Liquid Petroleum / Propane
Information Labels with NFPA Diamond

PROPANE

NFPA HAZARD RATING

4 FIRE HAZARD
2 HEALTH HAZARD
0 REACTIVITY

- Extremely flammable gas
- Heavier than Air
- Simple Asphyxiant
- Odorized to warn of its presence
- Contact with Liquid will cause Freezing of Tissue
- P.E.L. 1000 PPM
- Store container outside and keep cool (under 103°F.)
- Turn off container valve when not in use.

PERSONAL PROTECTION

CONSULT CORRESPONDING SDS FOR FURTHER INFORMATION AND INSTRUCTIONS
AFFIX TO ALL PORTABLE CONTAINERS USED BY COMMERCIAL CUSTOMERS

labels@rmimfg.com
1-800-264-7793
275 South K Street, Livermore, CA 94550

Liquid Petroleum/Propane Information Label with NFPA Diamond

Part #	Description	Size
NBL-NFPA36-PROPANE-XXX-PK500	Liquid Petroleum/Propane information Label with NFPA Diamond	6" x 3"

Your Logo and Company Information Here

PETROLEUM GASES, LIQUEFIED

UN1075

FLAMMABLE GAS
2

DANGER: EXTREMELY FLAMMABLE GAS. CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. MAY FORM EXPLOSIVE MIXTURES WITH AIR. Do not handle until all safety precautions have been read and understood. Keep away from heat, open flames, sparks, hot surfaces. —No smoking. Do not get in eyes, on skin, or on clothing. Use and store only outdoors or in a well-ventilated place. Wear protective gloves, protective clothing, and either eye or face protection. Leaking gas fire. Do not extinguish, unless leak can be stopped safely. Eliminate all ignition sources if safe to do so. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Never put cylinders into unventilated areas of passenger vehicles. Do not open valve until connected to equipment prepared for use. Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. **IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

GAS: Propane 74-98-6
Liquefied Petroleum Gas: 68476-85-7
DO NOT REMOVE THIS PRODUCT LABEL.

WARNING! FLAMMABLE COMPRESSED GAS
Know the odor of LP-Gas
Leaks may cause fires and explosions.

WHEN YOU CONNECT THE CYLINDER

WHEN CONNECTING FOR USE:

- Use only in compliance with applicable codes.
- Read and follow appliance manufacturers instructions.
- If regulator has a coupling nut, the nut has left hand threads and must be tightened. If regulator has a plug in connection, pull ring back; insert fully and release ring. Be sure regulator vent is pointed down.
- Turn off all valves on the appliance.
- Do not check for gas leaks with a match or open flame. To check for leaks open the cylinder valve and apply soapy water at areas marked X. If bubbles appear, close valve and have LP-gas service person make needed repairs. Also, check pressure relief valves for leakage before lighting appliance.
- Light appliance(s) following manufacturers instructions.
- When appliance is not in use, keep cylinder valve closed.

ADDITIONAL WARNING TO USER:

- Know the odor of LP-gas. Under certain circumstances you may not be able to smell the odorant. If you hear or smell leaking LP-gas shut off cylinder valve. If leaking continues, immediately get everyone away from the cylinder and call the fire department.
- LP-gas is heavier than air and will settle in low places while dissipating.
- Contact with the liquid contents of this cylinder will cause freeze burns to the skin.
- Do not allow children to tamper or play with this cylinder.
- When not connected for use, keep cylinder valve turned off and for 45 lb. propane capacity or less, plug or cap the valve outlet.
- Do not use, store or transport cylinder where it would be exposed to high temperatures. Relief valve may open allowing LP-gas to escape.
- When transporting, keep cylinder in an upright position with cylinder valve turned off, and plugged and capped, if so equipped.

DO NOT ATTEMPT REPAIRS. CALL YOUR LP-GAS DEALER

THIS LP TANK IS EQUIPPED WITH A SAFETY RELIEF VALVE. DO NOT PLACE INSIDE ANY ENCLOSED OR HEATED AREA.

PROPANE

NFPA HAZARD RATING

4 FIRE HAZARD
2 HEALTH HAZARD
0 REACTIVITY

- Extremely flammable gas
- Heavier than Air
- Simple Asphyxiant
- Odorized to warn of its presence
- Contact with Liquid will cause Freezing of Tissue
- P.E.L. 1000 PPM
- Store container outside and keep cool (under 130°F.)
- Turn off container valve when not in use.

PERSONAL PROTECTION

CONSULT CORRESPONDING MSDS FOR FURTHER INFORMATION AND INSTRUCTIONS
AFFIX TO ALL PORTABLE CONTAINERS USED BY COMMERCIAL CUSTOMERS

labels@rmimfg.com
1-800-264-7793
275 South K Street, Livermore, CA 94550

Your Logo and Company Information Here

Liquid Petroleum/Propane Information Label with NFPA Diamond

Part #	Description	Size
GMBLKC-PETGSPRO1075-XXX-PK250	Liquid Petroleum/Propane information Label with NFPA Diamond	8.375" x 3.75"

All Labels are GHS Compliant and Ready for Your Custom Imprint

For Custom Imprint Labels...to Promote Your Brand


COMPLIANT CUSTOM IMPRINT & ADD ON LABELS



Add your Custom Imprint information here.



Propane
Pt # GCS-PROPANE1075-XXX-PK500



Propane
Pt # GCS-PROPANE1978-XXX-PK500


High Pressure & Dewar Cylinder Labels

Add On Labels


with Your Information Custom Printed



2" x 1" Label
Pt # SAO-2X1-CUFT-PK250



3 1/2" x 1.5" Requalification Date Label
Pt # NBLF-LN-V100530-XXX-PK500



6" x 4" Temperature Sensitive Label
Pt # GMBLIC-TEMPESENSKA-OR-XXX-PK250



1.5" x 1.25" Label
Pt # SAO-12515-SAFLEK-PK250



1.5" x 1.25" Label
Pt # SAO-12515-REVALVE-PK250

For additional Add On Labels with Your Custom Print call 1-800-264-7793

Bulk Tank Gas Type Labels, Body Labels, NFPA Diamonds

STOCK LABELS FOR BULK TANK USE



NEW at RATERMANN STOCK LABELS

FOR BULK TANK USE

➤ Call for All Your Labeling Needs!

Call TODAY
1-800-264-7793



Cryogenic Bulk Tank

Gas Type Bulk Tank Labels

LIQUID ARGON


LIQUID NITROGEN

LIQUID OXYGEN, USP

Gas Type Bulk Tank Labels

Part #	Gas Type	Size	Pack
BTL-LAR-PK25	Liquid Argon	3.5" x 24"	Pack of 25
BTL-LCD-PK25	Liquid Carbon Dioxide	3.5" x 24"	Pack of 25
BTL-LNI-PK25	Liquid Nitrogen	3.5" x 24"	Pack of 25
BTL-LOX-PK25	Liquid Oxygen	3.5" x 24"	Pack of 25
BTL-LOXUSP-PK25	Liquid Oxygen USP	3.5" x 24"	Pack of 25

Pre-Printed Bulk Tank NFPA Diamonds



Pre-Printed NFPA Diamonds – Bulk Tanks

Part #	Gas Type	Size
PLK-NFPA-R-12.5-3.0.0.SA	Liquid Argon / Carbon Dioxide	12.5" x 12.5"
PLK-NFPA-R-12.5-3.0.0.0	Liquid Nitrogen	12.5" x 12.5"
PLK-NFPA-R-12.5-3.0.0.OX	Liquid Oxygen	12.5" x 12.5"

Bulk Tank Body Labels

CARBON DIOXIDE REFRIGERATED LIQUID UN2187

WARNING
CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY INCREASE RESPIRATION AND HEART RATE.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical attention.
IF ON SKIN: Wash frozen parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated area. Wear cold insulating gloves, face shield, and eye protection. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Never put cylinder into unvented space of passenger vehicles. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Always keep container in upright position. DO NOT change or force fit connections. Read and follow the Safety Data Sheet (SDS) before use.

CAE: 124-889
DO NOT REMOVE THIS LABEL.

RATERMANN
labels@rmimfg.com 1-800-264-7793
275 South K Street, Livermore, CA 94550

OXYGEN REFRIGERATED LIQUID UN1073

DANGER
MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.

IF ON SKIN: Wash frozen parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Never place anything like from grease and oil. Use and store only outdoors or in a well-ventilated area. Wear cold insulating gloves, face shield, and eye protection. In case of fire, Stop tank gas to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleared for oxygen service. Always keep container in upright position. DO NOT change or force fit connections. Read and follow the Safety Data Sheet (SDS) before use. Avoid spills. Do not walk on or roll equipment over spills.

CAE: 1782-447
DO NOT REMOVE THIS LABEL.

RATERMANN
labels@rmimfg.com 1-800-264-7793
275 South K Street, Livermore, CA 94550

Your Logo and Company Information Here

Micro Bulk Tank Body Labels "MBG"

Part #	Gas Type	Size	Pack
MBG-AR-XXX-PK25	Argon	12.5" x 14.5"	Pack of 25
MBG-CD-XXX-PK25	Carbon Dioxide	12.5" x 14.5"	Pack of 25
MBG-NI-XXX-PK25	Nitrogen	12.5" x 14.5"	Pack of 25
MBG-OX-XXX-PK25	Oxygen	12.5" x 14.5"	Pack of 25



Dewar Cylinder Tank Maintenance Label

3.75" x 8.375"

DOT 4L Cylinder Maintenance

Branch _____ Date _____

Customer _____

Valve

- Vent Liquid Gas use PBuild
- Damaged Threads
- Bent Stem
- Missing /Broken Hand wheel
- Will not turn
- Leaking
- Wrong CGA/Missing CGA
- Tamper Evident Devices

Contents

- Pressure Gauge
- Level Gauge Damage

Pressure

- Will not build pressure
- Excessive pressure and venting
- Frost all over (bad vacuum)

- PRD wrong /needs replacing
- Footing /Halo damage
- Dents in the side (possible internal damage)
- Decals /labeling/ 360 wrap
- Plumbing damage (external)
- Loud pop when relieving

Instructions: _____

Part #	Description	Size
CBLRL-CYLMTNCE-PK250	Maintenance Label	3.75" x 8.375"




for
YOUR

WELDING MAINTENANCE NEEDS

Custom Size Labels

Here are a few custom sizes available.



Installed & Serviced By:



Employee Owned
www.tollgas.com

SALES
763-551-5300

SERVICE & RENTAL
763-551-5316

PLYMOUTH

Call

1-800-264-7793

for additional
information and sizes!

Sample of a
Custom 6x4
Welding
Supply dewar
tank label.



Cryotherapy Imprinted 360 Tape

Both Sizes of the Cryotherapy Tape can be Custom Imprinted!!
Call for details.

CRYO THERAPY CRY

360 Tape for Cryotherapy

Part #	Description	Size
DG30-CRYOTHERAPY	"Cryo Therapy" imprinted 360 tape	3" - 250 ft.
DG30-CRYOTHERAPY-50	Optional 50 ft. length "Cryo Therapy" imprinted 360 tape	3" - 50 ft.

GHS Compliant DOT-4L Dewar Body Laminate Labels

Custom Imprint Laminated Dewar Body Labels

LABELS DEWAR BODY LAMINATED LABELS




Ship to you with your company information – Company, Street Address, City, State, Zip Code and Phone Number.

Dewar Body Labels with Custom Imprinted Laminate Label
14" x 11"
Available in Pk of 10, 25 or 100

Meets Industrial Requirements

OXYGEN

REFRIGERATED LIQUID, USP UN 1073



ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

USP
For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

Unintended use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.


Produced by Air Liquefaction. Keep out of reach of children, and Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE.
CAS: 7782-44-7

DANGER


MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXYGEN REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle with all safety precautions have been read and understood. Keep and store away from clothing and other combustible material. Keep valves and fittings free from grease and oil. Use and operate only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop work if safe to do so. Use a back flow preventive device in the piping. Close valves after each use and when empty. Use only with equipment rated for cryogenic pressures. Do not open valves until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valves slowly. Use only with equipment checked for oxygen service. DO NOT change or brace fit connections. Avoid spills. Do not walk on or roll equipment over itself.



IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical attention.

Lot Number:
Contents:
Expiration Date:



DO NOT REMOVE THIS PRODUCT LABEL

PRINTED BY RATERMANN MFG., INC.
www.ratiorder.com

Oxygen USP Dewar Body Label
14" x 11"
Pt # DBGC-USP-XXX-PK100

**Custom Imprint
Your Company
Information here.**
Text print only.

Dewar Body Laminated Labels

- Custom Labeled Dewar Body Label - Argon, Pack 10
- Custom Labeled Dewar Body Label - Argon, Pack 25
- Custom Labeled Dewar Body Label - Argon, Pack 100
- Custom Labeled Dewar Body Label - CO2, Pack 10
- Custom Labeled Dewar Body Label - CO2, Pack 25
- Custom Labeled Dewar Body Label - CO2, Pack 100
- Custom Labeled Dewar Body Label - Helium, Pack 10
- Custom Labeled Dewar Body Label - Helium, Pack 25
- Custom Labeled Dewar Body Label - Helium, Pack 100
- Custom Labeled Dewar Body Label - Nitrogen, Pack 10
- Custom Labeled Dewar Body Label - Nitrogen, Pack 25
- Custom Labeled Dewar Body Label - Nitrogen, Pack 100
- Custom Labeled Dewar Body Label - Nitrogen NF, Pack 10
- Custom Labeled Dewar Body Label - Nitrogen NF, Pack 25
- Custom Labeled Dewar Body Label - Nitrogen NF, Pack 100
- Custom Labeled Dewar Body Label - Nitrous Oxide, Pack 10
- Custom Labeled Dewar Body Label - Nitrous Oxide, Pack 25
- Custom Labeled Dewar Body Label - Nitrous Oxide, Pack 100
- Custom Labeled Dewar Body Label - Nitrous Oxide, USP, Pack 10
- Custom Labeled Dewar Body Label - Nitrous Oxide, USP, Pack 25
- Custom Labeled Dewar Body Label - Nitrous Oxide, USP, Pack 100
- Custom Labeled Dewar Body Label - Oxygen, Pack 10
- Custom Labeled Dewar Body Label - Oxygen, Pack 25
- Custom Labeled Dewar Body Label - Oxygen, Pack 100
- Custom Labeled Dewar Body Label - Oxygen, USP, Pack 10
- Custom Labeled Dewar Body Label - Oxygen, USP, Pack 25
- Custom Labeled Dewar Body Label - Oxygen, USP, Pack 100

Part No.

- DBGC-A-XXX-PK10
- DBGC-A-XXX-PK25
- DBGC-A-XXX-PK100
- DBGC-CO2-XXX-PK10
- DBGC-CO2-XXX-PK25
- DBGC-CO2-XXX-PK100
- DBGC-H-XXX-PK10
- DBGC-H-XXX-PK25
- DBGC-H-XXX-PK100
- DBGC-N-XXX-PK10
- DBGC-N-XXX-PK25
- DBGC-N-XXX-PK100
- DBGC-NNF-XXX-PK10
- DBGC-NNF-XXX-PK25
- DBGC-NNF-XXX-PK100
- DBGC-NO-XXX-PK10
- DBGC-NO-XXX-PK25
- DBGC-NO-XXX-PK100
- DBGC-NOUSP-XXX-PK10
- DBGC-NOUSP-XXX-PK25
- DBGC-NOUSP-XXX-PK100
- DBGC-O-XXX-PK10
- DBGC-O-XXX-PK25
- DBGC-O-XXX-PK100
- DBGC-USP-XXX-PK10
- DBGC-USP-XXX-PK25
- DBGC-USP-XXX-PK100

Check Labels Used

-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-

Exp. Used Annually

- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____

Next Need By Date

- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____

Packs Needed

- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____

24-LABELS 2024

Ratermann Manufacturing, Inc. Customer Service 1-800-264-7793 | Fax 1-800-264-7797 | Web Store www.ratiorder.com

GHS Compliant DOT-4L Dewar Body Laminated Labels

Promote Your Brand - Add Your Company Logo*

Custom Imprint Laminated Dewar Body Labels – 14" x 11"

ARGON
REFRIGERATED LIQUID
UN 1951

NON-FLAMMABLE GAS 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING
CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

IF ON SKIN: Wash affected parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. Use a back flow preventive device in the piping. Close valves after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. DO NOT change or force fit connections.

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE. CAS: 7440-37-1

YOUR CUSTOM LOGO OR COMPANY NAME HERE

1234 STREET NAME, HOUSTON, TX 77007
1-800-000-1234 • www.company.com

DO NOT REMOVE THIS PRODUCT LABEL

Promote Your Brand
Add Your Company Logo*

OXYGEN
REFRIGERATED LIQUID, USP
UN 1073

OXYGEN 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING
USP
CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

DANGER
CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

IF ON SKIN: Wash affected parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. Use a back flow preventive device in the piping. Close valves after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. DO NOT change or force fit connections.

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE. CAS: 7782-49-2

YOUR CUSTOM LOGO OR COMPANY NAME HERE

1234 STREET NAME, HOUSTON, TX 77007
1-800-000-1234 • www.company.com

DO NOT REMOVE THIS PRODUCT LABEL

Oxygen USP Dewar
Body Label – 14" x 11"
Pt # DBGC-USP-XXX-PK100

Custom Imprint
Your Company
Information here.
Text print only.



CUSTOM IMPRINT DEWAR BODY LAMINATED LABELS

*Custom Imprint Dewar Body Label Sample idea

GHS Compliant DOT-4L Body Labels – Industrial 14" x 11" Dewar Body Labels

ARGON
REFRIGERATED LIQUID
UN 1951

NON-FLAMMABLE GAS 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING
CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

IF ON SKIN: Wash affected parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. Use a back flow preventive device in the piping. Close valves after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. DO NOT change or force fit connections.

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE. CAS: 7440-37-1

DO NOT REMOVE THIS PRODUCT LABEL

Pt # DBGC-A

CARBON DIOXIDE
REFRIGERATED LIQUID
UN 2187

NON-FLAMMABLE GAS 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING
CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

IF ON SKIN: Wash affected parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. Use a back flow preventive device in the piping. Close valves after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. DO NOT change or force fit connections.

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE. CAS: 7446-09-5

DO NOT REMOVE THIS PRODUCT LABEL

Pt # DBGC-CO2

HELIUM
REFRIGERATED LIQUID
UN 1963

NON-FLAMMABLE GAS 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING
CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

IF ON SKIN: Wash affected parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. Use a back flow preventive device in the piping. Close valves after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. DO NOT change or force fit connections.

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE. CAS: 7440-00-7

DO NOT REMOVE THIS PRODUCT LABEL

Pt # DBGC-H

Medical 14" x 11" Dewar Body Labels

NITROGEN
REFRIGERATED LIQUID
NF
UN1977

NON-FLAMMABLE GAS 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING
CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

IF ON SKIN: Wash affected parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. Use a back flow preventive device in the piping. Close valves after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. DO NOT change or force fit connections.

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE. CAS: 7802-62-4

DO NOT REMOVE THIS PRODUCT LABEL

Pt # DBGC-NNF

NITROGEN
REFRIGERATED LIQUID
UN 1977

NON-FLAMMABLE GAS 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING
CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

IF ON SKIN: Wash affected parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. Use a back flow preventive device in the piping. Close valves after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. DO NOT change or force fit connections.

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE. CAS: 7802-62-4

DO NOT REMOVE THIS PRODUCT LABEL

Pt # DBGC-N

NITROUS OXIDE
REFRIGERATED LIQUID
UN 2201

NON-FLAMMABLE GAS 2

CORROSIVE 5.1

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

DANGER
CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. CONTAINS A CORROSIVE LIQUID; MAY CAUSE SEVERE BURNS OR IRRITATION TO THE SKIN, EYES AND RESPIRATORY TRACT.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

IF ON SKIN: Wash affected parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. Use a back flow preventive device in the piping. Close valves after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. DO NOT change or force fit connections.

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE. CAS: 10044-70-0

DO NOT REMOVE THIS PRODUCT LABEL

Pt # DBGC-NO

OXYGEN
REFRIGERATED LIQUID
UN 1073

OXYGEN 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

DANGER
CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

IF ON SKIN: Wash affected parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. Use a back flow preventive device in the piping. Close valves after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. DO NOT change or force fit connections.

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE. CAS: 7782-49-2

DO NOT REMOVE THIS PRODUCT LABEL

Pt # DBGC-O

OXYGEN
REFRIGERATED LIQUID, USP
UN 1073

OXYGEN 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING
USP
CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

DANGER
CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

IF ON SKIN: Wash affected parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. Use a back flow preventive device in the piping. Close valves after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. DO NOT change or force fit connections.

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE. CAS: 7782-49-2

DO NOT REMOVE THIS PRODUCT LABEL

Pt # DBGC-USP

Dewar Body Laminated Labels

Part No.

Check Labels Used

Exp. Used Annually

Next Need By Date

Packs Needed

- Custom Labeled Dewar Body Label - Argon, Pack 250
- Custom Labeled Dewar Body Label - CO2, Pack 250
- Custom Labeled Dewar Body Label - Helium, Pack 250
- Custom Labeled Dewar Body Label - Nitrogen, Pack 250
- Custom Labeled Dewar Body Label - Nitrogen NF, Pack 250
- Custom Labeled Dewar Body Label - Nitrous Oxide, Pack 250
- Custom Labeled Dewar Body Label - Nitrous Oxide, USP, Pack 250
- Custom Labeled Dewar Body Label - Oxygen, Pack 250
- Custom Labeled Dewar Body Label - Oxygen, USP, Pack 250

- DBGC-A-XXX-PK250
- DBGC-CO2-XXX-PK250
- DBGC-H-XXX-PK250
- DBGC-N-XXX-PK250
- DBGC-NNF-XXX-PK250
- DBGC-NO-XXX-PK250
- DBGC-NOUSP-XXX-PK250
- DBGC-O-XXX-PK250
- DBGC-USP-XXX-PK250

-
-
-
-
-
-
-
-
-

- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____


- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____

- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____

Refrigerated Liquid Shoulder and Side Wall Label Imprints

REFRIGERATED LIQUID SHOULDER & SIDE WALL LABELS

REFRIGERATED LIQUID SHOULDER LABELS




Custom Imprint Refrigerated Liquid Shoulder Label Sample

Refrigerated Liquid Shoulder Labels
3" x 8"
Pt # GRLC-OXY-XXX-PK250



SIDE WALL LABELS – REFRIGERATED LIQUID



Side Wall – Refrigerated Liquid
3" x 8"
Pt # GMBL-RLOXY-XXX-PK250



Take YOUR BRANDING to the NEXT LEVEL

**Call Labels Division
1-800-264-7793**

Liquid and High Pressure Side Wall Labels

GRLC – Refrigerated Liquid Shoulder Labels

	UN No.	Part No.	Check Labels Used	Exp. Used Annually	Next Need By Date	Rolls Needed
Custom Print Refrigerated Liquid, Argon, Roll (250)	UN1951	GRLC-AR-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
Custom Print Refrigerated Liquid, Carbon Dioxide, Roll (250)	UN2187	GRLC-CD-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
Custom Print Refrigerated Liquid, Carbon Dioxide USP, Roll (250)	UN2187	GRLC-CDUSP-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
Custom Print Refrigerated Liquid, Helium, Roll (250)	UN1963	GRLC-H-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
Custom Print Refrigerated Liquid, Nitrogen Rx ONLY, Roll (250)	UN1977	GRLC-N-RX-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
Custom Print Refrigerated Liquid, Nitrogen, Roll (250)	UN1977	GRLC-N-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
Custom Print Refrigerated Liquid, Oxygen, Roll (250)	UN1073	GRLC-OXY-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
Custom Print Refrigerated Liquid, Oxygen USP, Roll (250)	UN1073	GRLC-OUSP-XXX-PK250	<input type="checkbox"/>	_____	_____	_____

Side Wall Labels – Refrigerated Liquid

Custom Imprint Refrigerated Liquid, Argon, Roll (250)	UN1951	GMBL-RLARG-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
Custom Imprint Refrigerated Liquid, Carbon Dioxide, Roll (250)	UN2187	GMBL-RLCD-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
Custom Imprint Refrigerated Liquid, Nitrogen Rx ONLY, Roll (250)	UN1977	GMBL-RLN-RX-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
Custom Imprint Refrigerated Liquid, Nitrogen, Roll (250)	UN1977	GMBL-RLN-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
Custom Imprint Refrigerated Liquid, Oxygen, Roll (250)	UN1073	GMBL-RLOXY-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
Custom Imprint Refrigerated Liquid, Oxygen USP, Roll (250)	UN1073	GMBL-RLOUSP-XXX-PK250	<input type="checkbox"/>	_____	_____	_____

Your Industrial Cryogenic DOT-4L 360° Tape per Recommendation of CGA C-7 2014, Appendix F

All of our tape at Ratermann Manufacturing meets the requirements for Industrial gases. You can find the tape options using our part numbers listed below. Our labels and tape are stocked and ready to ship to you.

Call us today to talk to your expert & place your order at (800) 264-7793. Visit our website at www.RMIORDER.com.



Industrial 3" Dewar 360° Gas Tape – Preprinted

Part #	Description	Roll Length
DG-TC	3" Carbon Dioxide Dewar 360° Gas Tape	250' Roll
DG-TO	3" Oxygen Dewar 360° Gas Tape	250' Roll
DG-TN	3" Nitrogen Dewar 360° Gas Tape	250' Roll
DG-TA	3" Argon Dewar 360° Gas Tape	250' Roll
DG-TH	3" Helium Dewar 360° Gas Tape	250' Roll

360° TAPE DESIGNED TO IDENTIFY THE GAS TYPE AND PROMOTE YOUR BRAND.

Quickly See Tank that Belongs to *Your Company!*



Restraints for Industrial Gas & Liquid Cylinder Fittings

Per **SB-26-2014, on Industrial DOT-4L/TC-4LM liquid cylinders**, the outlet connection of an industrial liquid cylinder valve shall be a threaded connection with a device that deters removal of the fitting and provides indication that removal was attempted or accomplished.



COMPLETE BOTTLE 3-VALVE (CGA 540, 440, 326, 320) RETROFIT KIT for OXYGEN, CO² (CGA 320) & NITROUS OXIDE (CGA 326) (liquid, gas, & vent valve)

Part Number	Description
CGP-23PK1	Package contains one kit
CGP-23PK5	Package contains five kits

COMPLETE BOTTLE 3-VALVE RETROFIT KIT for INERT GAS – NITROGEN & ARGON (liquid, gas, & vent valve)

Part Number	Description
CGP-13PK1	Package contains one kit
CGP-13PK5	Package contains five kits

Order Custom Imprint 360° Tape

Company Name

Logo for Label

All logo label orders will be processed after sending a camera-ready proof to approve.

List PMS Color(s) Used

1 PMS Color # _____

2 PMS Color # _____

3 PMS Color # _____

Send Us Your Art Work to: labels@rmimfg.com

Format for Logo – Tiff Format Logo Colors – Pantone Colors



Build Your Brand with Industrial Labeling

CUSTOM PRINT 360° TAPE, MEDICAL DOT-4L LABELS



Your Industrial Cryogenic DOT-4L 360° Tape per Recommendation of CGA C-7 2014, Appendix F

Quickly See Tank that Belongs to Your Company!

Samples of Your Logo Here

360° TAPE DESIGNED TO IDENTIFY THE GAS TYPE AND PROMOTE YOUR BRAND.

CUSTOM PRINT* – Industrial 3" Dewar 360° Gas Tape

Part #	Description	Roll Length
DGC-TA-XXXX	Argon	250' Roll
DGC-TC-XXXX	Carbon Dioxide	250' Roll
DGC-TH-XXXX	Helium	250' Roll
DGC-TN-XXXX	Nitrogen	250' Roll
DGC-TO-XXXX	Oxygen	250' Roll

Requirement of SB-26 Medical 3 1/2" Dewar 360° Gas Tape

Part #	Description	Roll Length
DGC-MEDCO2-XXXX	Medical Carbon Dioxide	250' Roll
DGC-MEDN-XXXX	Medical Nitrogen	250' Roll
DGC-MEDO-XXXX	Medical Oxygen	250' Roll

* One time plate charge

Preprinted French Medical 3 1/2" & Industrial 3" Dewar 360° Gas Tape

Part #	Description	Roll Length
F-DG-NNF	French – 360° Tape Nitrogen NF	
F-DG-NOUSP	French – 360° Tape Nitrous Oxide USP	
F-DG-OUSP	French – 360° Tape Medical O2	
F-DG-TCUSP	French – 360° Tape Carbon Dioxide USP	

Medical and Gas Tape also available in Spanish, please call for part number.



MEDICAL DOT-4L LABELS for GHS and CGA SB-26 Requirements



3 1/2" Medical Oxygen Dewar 360° Gas Tape
Pt # DG-MEDO

Preprinted Requirement of SB-26 Medical 3 1/2" Dewar 360° Gas Tape

Part #	Description	Roll Length
DG-MEDO	3 1/2" Oxygen Dewar 360° Gas Tape	250' Roll
DG-MEDN	3 1/2" Nitrogen Dewar 360° Gas Tape	250' Roll
DG-MEDNO	3 1/2" Nitrous Oxide Dewar 360° Gas Tape	250' Roll



Cryotherapy Imprinted 360 Tape

Both Sizes of the Cryotherapy Tape can be Custom Imprinted!!

Call for details.

CRYO THERAPY

Imprinted 360 Tape for Cryotherapy

Part #	Description	Size
DG30-CRYOTHERAPY	"Cryo Therapy" imprinted 360 tape	3" – 250 ft.
DG30-CRYOTHERAPY-50	Optional 50 ft. length "Cryo Therapy"	3" – 50 ft.

Label Marker, Custom Imprint Labels for Labeler Available

CUSTOM IMPRINT LABELS FOR LABELER


Sample of Label Marker




**EASY LABELING
WITH ERGONOMIC
HAND GRIP**



Sample of Label Marker



Sample of Label Marker



Part #	Description
LL-PMK	Label Marker – 2 Line Top Numeric, Bottom Numeric
LL-PMK-01	Label Marker – 2 Line Top Numeric, Bottom Numeric
LL-PMKALPHA	Label Marker – 2 Line Top Alpha / Numeric, Bottom Numeric
LL-PMK-1131	Label Marker – One Line, First 3 digits Alpha, Last 4 Digits Numeric
LL-PMK-1136-SP	Label Marker – 2 Line, Special w/ Vertical Month
LL-PMK-1153-7	Label Marker – 3 Lines, Alpha; Alpha-Numeric; Alpha-Numeric
LL-PMK-1155-B1	Label Marker – w/Band Set Up #1 – Numeric/Numeric +, 12 Characters per Line


Ready to Use

- One year written warranty
- Easy Labeling with Ergonomic Hand Grip
- Knuckle Guard Protects Fingers
- Lift-up Cover for Easy Maintenance
- Prints up to Eight Characters on Two Lines
- Pre-loaded label and Ink Rolls
- Easy Squeeze Trigger
- Rugged Construction

Labels for Labeler

Custom Imprinting Available

Example of Custom Imprint



Part # LL-PMK-L-CI

Example of Custom Imprint



Part # LL-PMK-L-CI

**SPECIFY
COLOR AND
LOCATION
OF YOUR
CUSTOM
IMPRINT**


Standard Roll of Labels



Part # LL-PMK-L

- Labels designed for use with our Labeler Pt # LL-PMK, LL-PMK-01 and LL-PMKALPHA
- Choice of Standard, Outdoor Use and Custom Imprinted labels

Black Ink Cartridge



Part # LL-PMK-01-INK

Part #	Description
LL-PMK-01-INK	Black Ink Cartridge for 2 Line (Model 1136)
LL-PMK-L	Label Roll – 1,750 Labels per Roll Non-Imprinted Labels
LL-PMK-LPK8	Package of 8 Label Rolls – 1,750 Labels per Roll Non-Imprinted Labels
LL-PMK-L-W	Labels designed for outdoor use, synthetic material 1,500 Labels per Roll. Non-Imprinted Labels
LL-PMK-L-WPK8	Package of 8 Label Rolls. Labels designed for outdoor use, synthetic material
LL-PMK-L-CI	Label Roll – Custom Imprint. Minimum of 64 rolls. Specify text, color & location of text.

Cylinder Netting with Custom Color & Sizes Available

Protect Against Damage Caused During Shipping and Handling

Product Features

- Designed specially for pressure and liquid gas cylinders to help protect against damage caused during shipping and handling.
- Net sizes are pre-cut to a length that allows the cylinders to be kick-rolled and still provide protection.
- Ring test can still be performed.
- UV stabilized with an expected lifetime of approximately 10 years.
- More flexible than other nets, easier installation.
- Standard stock lengths from 14" to 52", for cylinder diameters from 4" to 26".
- Non-toxic.

NETTING - CUSTOM COLOR & SIZES AVAILABLE



Product Information for Cylinders

For Use on These Cylinders	Cylinder Diameter	Cylinder Guard Length	Box Quantity	Part Number	Part Number for Package of 10
D Medical	4"	14"	(50/box)	NC-414PK50	(Pt # NC-414PK10)
E Medical	4"	23"	(50/box)	NC-342PK50	(Pt # NC-342PK10)
110, 115, 122, 125, M	6-7"	28"	(50/box)	NC-8672PK50	(Pt # NC-8672PK10)
	6-7"	34"	(50/box)	NC-4673PK50	(Pt # NC-4673PK10)
	6-7"	50"	(50/box)	NC-0675PK50	(Pt # NC-0675PK10)
	8-9"	6"	(50/box)	NC-6894PK50	(Pt # NC-6894PK10)
219, 230, 244, 251, 276, 309, 330	8-9"	20"	(50/box)	NC-0892PK50	(Pt # NC-0892PK10)
	8-9"	41"	(50/box)	NC-1894PK50	(Pt # NC-1894PK10)
	8-9"	43"	(50/box)	NC-3894PK50	(Pt # NC-3894PK10)
	8-9"	45"	(50/box)	NC-5894PK50	(Pt # NC-5894PK10)
50 lb., Nitrous Oxide, K.H.J.T	8-9"	50"	(50/box)	NC-0895PK50	(Pt # NC-0895PK10)
	400, 408, 448, 100 CO2	11"	47"	(50/box)	NC-7114PK50
160, 180, 200 Ltr. portable liquid cylinder	11"	49"	(50/box)	NC-9114PK50	(Pt # NC-9114PK10)
	230/240/265	20"	52"	(20/box)	NC-2205PK20
	24"	52"	(20/box)	NC-2245PK20	(Pt # NC-2245PK10)

**Call
1-800-264-7793
for Quote
on Larger
Quantities,
Custom Sizes
&
Colors**

Tools to Clean Your Cylinders after Removing Sticky Labels

LABEL SCRAPERS, ADHESIVE REMOVER, PLACARDS



Label Scraper

Best Way to Remove Labels Stickiness


- Using scraper
- Label adhesive remover



BEST WAY TO REMOVE LABELS STICKINESS



Premium Carbide Scraper
Part # RP-PCS212-HRK



Replacement Blades for Utility Scraper
Part # SCRAPER-RB100



Utility Scraper
Part # SCRAPER



5 in 1 Scraping Tool
Part # RP-511T



Fixed Blade Scraper
Pt # FBSCRAPER

Label Scrapers

Part #	Description
RP-PCS212-HRK	Premium Carbide Scraper, 2 1/2" w/Hammerhead & Removable Knob
RP-511T	5 in 1 Scraping Tool
SCRAPER	Utility Scraper
SCRAPER-RB5	Replacement Blades for Utility Scraper (Packs of 5)
SCRAPER-RB100	Replacement Blades for Utility Scraper (Packs of 100)
FBSCRAPER	Fixed Blade Scraper
FBSCRAPER-RPLBLD	Replacement Blades for Fixed Blade Scraper (Pack of 100)



Label Adhesive Remover

OUTSTANDING RESULTS FOR REMOVING CYLINDER LABEL ADHESIVES!

Biodegradable, 100% Organic, Non-Toxic
No Residual After Surface Dries



Flash Point 162° F (71° C)

Label Adhesive Remover

Part #	Description
LR-ACS-1QT	1 Quart with trigger spray
LR-ACS-1GAL	1 Gallon
LR-ACS-5GAL	5 Gallon

10.75" x 10.75" (R) Removable Vinyl Placard




Removable (R) Vinyl Placard with Hazard Class printed on Placard

- Fits in Pt # PLK-2 Holder

Removable Vinyl (R) Style – Subsidiary Risk Hazardous Material Placards

*R = Removable Vinyl

Part #	Description
PLK-NFLAM2-R*	Non-Flammable Gas 2
PLK-FLAM2-R*	Flammable Gas 2
PLK-TOXIC2-R*	Toxic Gas 2
PLK-INHAL2-R*	Inhalation Hazard 2
PLK-OXY2-R*	Oxygen 2
PLK-OXIDIZ5.1-R*	Oxidizer 5.1



Single Clip Placard
Pt # PLK-2

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Dewar DOT-4L Body & Valve Labels & Medical Gas Valve Labels

GHS Compliant DOT-4L Body Labels – Industrial 14" x 11" Dewar Body Labels

DEWAR LABELS/HAZARD TAGS, MEDICAL VALVE LABELS

ARGON
REFRIGERATED LIQUID
UN 1951

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

CONTAINS REFRIGERATED GAS. MAY CAUSE CRYOPROSTIC BURNS OR ASPHYXIA. RISK OF BLEEDING FROM IMPROPER CLOSURE. RISK OF BLEEDING FROM IMPROPER CLOSURE. RISK OF BLEEDING FROM IMPROPER CLOSURE.

Pt # DBGC-A

CARBON DIOXIDE
REFRIGERATED LIQUID
UN 2187

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

CONTAINS REFRIGERATED GAS. MAY CAUSE CRYOPROSTIC BURNS OR ASPHYXIA. RISK OF BLEEDING FROM IMPROPER CLOSURE. RISK OF BLEEDING FROM IMPROPER CLOSURE. RISK OF BLEEDING FROM IMPROPER CLOSURE.

Pt # DBGC-CO2

HELIUM
REFRIGERATED LIQUID
UN 1963

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

CONTAINS REFRIGERATED GAS. MAY CAUSE CRYOPROSTIC BURNS OR ASPHYXIA. RISK OF BLEEDING FROM IMPROPER CLOSURE. RISK OF BLEEDING FROM IMPROPER CLOSURE. RISK OF BLEEDING FROM IMPROPER CLOSURE.

Pt # DBGC-H

NITROGEN
REFRIGERATED LIQUID
UN 1977

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

CONTAINS REFRIGERATED GAS. MAY CAUSE CRYOPROSTIC BURNS OR ASPHYXIA. RISK OF BLEEDING FROM IMPROPER CLOSURE. RISK OF BLEEDING FROM IMPROPER CLOSURE. RISK OF BLEEDING FROM IMPROPER CLOSURE.

Pt # DBGC-N

NITROUS OXIDE
REFRIGERATED LIQUID
UN 2201

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

DANGER

CONTAINS REFRIGERATED GAS. MAY CAUSE CRYOPROSTIC BURNS OR ASPHYXIA. RISK OF BLEEDING FROM IMPROPER CLOSURE. RISK OF BLEEDING FROM IMPROPER CLOSURE. RISK OF BLEEDING FROM IMPROPER CLOSURE.

Pt # DBGC-NO

OXYGEN
REFRIGERATED LIQUID
UN 1073

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

DANGER

CONTAINS REFRIGERATED GAS. MAY CAUSE CRYOPROSTIC BURNS OR ASPHYXIA. RISK OF BLEEDING FROM IMPROPER CLOSURE. RISK OF BLEEDING FROM IMPROPER CLOSURE. RISK OF BLEEDING FROM IMPROPER CLOSURE.

Pt # DBGC-O

GHS Compliant DOT-4L Body Labels – Medical 14" x 11" Dewar Body Labels

NITROGEN
REFRIGERATED LIQUID
NF
UN1977

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

CONTAINS REFRIGERATED GAS. MAY CAUSE CRYOPROSTIC BURNS OR ASPHYXIA. RISK OF BLEEDING FROM IMPROPER CLOSURE. RISK OF BLEEDING FROM IMPROPER CLOSURE. RISK OF BLEEDING FROM IMPROPER CLOSURE.

Pt # DBGC-NNF

OXYGEN
REFRIGERATED LIQUID, USP
UN 1073

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

CONTAINS REFRIGERATED GAS. MAY CAUSE CRYOPROSTIC BURNS OR ASPHYXIA. RISK OF BLEEDING FROM IMPROPER CLOSURE. RISK OF BLEEDING FROM IMPROPER CLOSURE. RISK OF BLEEDING FROM IMPROPER CLOSURE.

Pt # DBGC-USP



Meets Industrial Requirements

Industrial Dewar Body Labels

Part #	Description
DBGC-A	Argon
DBGC-CO2	Carbon Dioxide
DBGC-H	Helium
DBGC-N	Nitrogen
DBGC-NO	Nitrous Oxide
DBGC-NOUSP	Nitrous Oxide, USP
DBGC-O	Oxygen

Medical Dewar Body Labels

DBGC-NNF	Nitrogen NF
DBGC-USP	Oxygen USP

Dewar Valve Labels



ADHERE THE LABEL TO DEWAR BELOW VALVE AS SHOWN



Dewar Valve Labels

Part # for Pkg. of 50	Description	Part # for Pkg. of 10
DL-OVPK50	Vent	(Pt # DL-OVPK10)
DL-OGPK50	Gas	(Pt # DL-OGPK10)
DL-OLPK50	Liquid	(Pt # DL-OLPK10)
DL-OPBPK50	Pressure Builder	(Pt # DL-OPBPK10)

Medical Gas Valve Labels



Part # for Pkg. of 50	Description	Part # for Pkg. of 10
DL-MOPK50	Medical Oxygen	(Pt # DL-MOPK10)
DL-MNPK50	Medical Nitrogen	(Pt # DL-MNPK10)
DL-MCO2PK50	Medical Carbon Dioxide	(Pt # DL-MCO2PK10)
DL-MNOPK50	Medical Nitrous Oxide	(Pt # DL-MNOPK10)

Dewar Hazard Tags



SAFETY FIRST

WEAR PROTECTIVE APPAREL WHEN RISK IS PRESENT
KEEP GLOVES AND APRONS READILY ACCESSIBLE

Cryogenic Apron Pt # CRY-AP36



Dewar Operation Labels

Dewar Operation Labels

HOW TO USE THE PRODUCT

Use operation labels on the shoulder of the dewar. Labels have a peel-off backing for easy installation, and a plastic coating for long life of the label.

BENEFITS


- Customers operate the dewar correctly to reduce complaints.
- Protect your liability.
- DOT requires proper labeling. The DOT imposes strict fines for non-compliance of labeling regulations.

Dewar Operation Labels

Part #	Description
DL-03PK5	CGA-Warning Label-Pack 5
DL-04PK5	Pressure Relief Reference Label-Pack 5
DL-10PK5	CGA-Red Warning Label-Pack 5
DL-14APK5	Operation and Common Question Label-Pack 5
DL-F14A-PK250	French Dewar Operation Labels - Operation Safety Common Questions-Pack 250



Operation & Common Question
Pt # DL-14A




Use Label with Pressure I.D. Disk



CGA - Warning Label
Pt # DL-03



Pressure Relief Reference
Pt # DL-04



CGA - Red Warning Label
Pt # DL-10

Pressure Relief I.D. Disk



Color-coded pressure relief I.D. disks are imprinted with the appropriate pressure of safety relief valve.
Pt # DS-235



Pt # DL-SA

Dewar Shoulder Labels

- Size of labels 2.625" x 6"

Dewar Shoulder Labels

Part #	Description	Color
DL-SA	Argon	Brown
DL-SCD	Carbon Dioxide	Gray
DL-SN	Nitrogen	Black
DL-SO	Oxygen	Green

DEWAR OPERATION & SHOULDER LABELS, PRESSURE I.D.

100% Organic Label Adhesive Remover

**Biodegradable,
100% Organic, Non-Toxic
No Residual After Surface Dries**

Industrial Formula/Citrus Solvent

DO NOT DILUTE – USE FULL STRENGTH, RINSE WITH MILD SOAP & WATER. CHECK FOR COMPATIBILITY PRIOR TO USE.

General Use (hard surfaces) Can be used in any industrial cleaning system including: ultrasonic cleaners, dip tanks, parts washers, and hand wiping. No special equipment or protective clothing is required for handling or disposal.

Recovery: Note: This product is re-usable wherever recovery is possible. When collected in a sump or container, contaminants and water will settle out, leaving product to be poured or pumped off the top. In a bulk cleaning system, recovery for re-use should exceed 90% by volume.

Parts Washers, Sonic Cleaners and Dip Tanks: Allow the parts that need to be cleaned to soak in this product or flush this product over the parts for a few minutes. Remove and allow to dry. Drying can be accelerated, if required, by wiping or blowing dry.

Flash Point 162° F (71° C)

Shop/Production Floors: Apply this product to the floor and allow 30 seconds to a minute, to work. Spread this product from one place to another with a squeegee. Once the area has been cleaned, this product and residue can be collected with a wet-dry vacuum cleaner, washed into a sump drain or picked up with an oil absorbent material.

Tar & Asphalt Removal: Spray this product on to the affected area. In order to loosen the top skin of tar or asphalt, gently work product in with a clean cloth for spot removal, or a brush for heavily contaminated areas.

Adhesives & Sealant Residue: This product is suitable for use on hot melt machines, labeling machines and work areas where adhesives and some sealants are used. Spray or wipe on this product. Allow this product to penetrate the residue. Where tape is to be removed, peel back the carrier after soaking for a couple of minutes (double-sided tape may take longer), and wipe with a clean cloth.

Manufacturer is not liable for any consequential or incidental damages that result from the misapplication or misuse of this product. Sole reimbursement shall be the fund of the cost of product upon proof of purchase.

We have this available in

- 1 quart size with trigger spray
- 1 gallon container
- 5 gallon sized containers

Label Adhesive Remover

Part #	Description
LR-ACS-1QT	1 Quart with trigger spray
LR-ACS-1GAL	1 Gallon
LR-ACS-5GAL	5 Gallon



Removes Heavy Duty Jobs such as

- Oil, Tar, Grease, Adhesives, Caulk, Carbon Black, Wet Oil-Based Paints & Stains and More

Use on

- Skin, Hair, Washable Fabric, and More

OUTSTANDING RESULTS FOR REMOVING CYLINDER LABEL ADHESIVES!



Gloves Use with Label Adhesive Remover
to Keep Removed Adhesive Off Your Hands

Abrasive Pads for cleaning off adhesive when using Ratermann Label Adhesive Remover.

Abrasive Pads Use with Label Adhesive Remover Great for Stainless Steel Adhesive Removal.

1 Select Material (see page LABELS-36 for description of materials)

Material	Self-Adhesive Vinyl	Polystyrene Plastic	Magnetic	Aluminum	Fiberglass
Part Number	CWPS-V	CWPS-P	CWPS-M	CWPS-A	CWPS-F

2 Select Size W x H

Size	10" x 7"	7" x 10"	14" x 10"	10" x 14"	20" x 14"	14" x 20"
Size Code	10X7	7X10	14X10	10X14	20X14	14X20

3 Select Background

Plain Color Options:	Blue	Green	Orange	Red	Yellow
Color Code	BL	GR	OR	RD	YW

Reflective Options:	Yellow Engineer Grade Beaded	Yellow Engineer Grade Prismatic	MUTCD Orange High Intensity Prismatic	MUTCD Orange Diamond Grade	MUTCD Lime Diamond Grade
Optional Code	FLYWEB	FLYWEP	FLMORP	FLMORD	FLMLMD
	White Engineer Grade Beaded	White Engineer Grade Prismatic	MUTCD White High Intensity Prismatic	MUTCD White Diamond Grade	
Optional Code	FLWHEB	FLWHEP	FLMWHP	FLMWHD	

4 Select Print Color


Color	Black	Blue	Green	Red	White
Color Code	BK	BL	GR	RD	WH

5 Select Optional Overlayment (see page 8A-5 for description of overlayments)

Color	Glow-in-the-Dark	Polycarbonate Safe Shield	No Overlayment
Color Code	GLW-	PSS-	(Leave Blank)

6 Add Your Custom Wording **Part Number Example:** For a 10" Width x 4" Height, Magnetic Sign, w/ Orange background that reads, "Ratermann Mfg" in Green Writing the part number would be: CWPS-M-10X14-OR-GR-RATERMANNMFG

Use These 6 Easy Steps to Order Your Customized Signs



Fill in Customer Info below, call **1-800-264-7793** or email labels@rmimfg.com

6. Imprint Info **LAYOUT YOUR CUSTOM PRINT SIGN HERE**

- Experienced staff arrange
- Arrange exactly as shown
- CAPITAL LETTERS ONLY
- Capital and Lower Case Letters

Customer Name _____ Account # _____

Contact Name _____ Phone _____

Ship to Address _____ Fax _____

WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Custom Signs MATERIALS

Materials Info for page LABELS-35 Order Custom Signs

Option #1.

Description of Custom Sign Materials

ALUMINUM (.040 - .080) Code: CWPS-A

Painted with a baked on enamel finish. Resists marring, corrosion and humidity. Furnished with rounded corners and four mounting holes. Best choice for permanent indoor or outdoor applications. Light weight easy to ship.

FIBERGLASS REINFORCED PLASTIC (.090) Code: CWPS-F

Sign blanks are non-rusting and resistant to most chemicals. Nonconductor of electricity. For outdoor use.

HIGH-IMPACT POLYSTYRENE PLASTIC (.040) Code: CWPS-P

A rigid plastic material intended for interior and limited outdoor use. These economical signs are colorfast and chemical resistant.

PRESSURE SENSITIVE VINYL Code: CWPS-V

A flexible high quality, long life four millimeter thick vinyl material with resistance to weather, moisture, and corrosive conditions. Vinyl signs mount easily to any smooth, clean, dry surface. For indoor or outdoor use.

MAGNETIC (MG) Code: CWPS-M

Magnetic signs are flexible and securely adhere to ferrous metal surfaces. Sign features are: easy installation, removal and relocation. For indoor or outdoor use. May also be ordered with optional mylar coating to prevent scuffing.

GLOW Optional – Code: GLW

Photoluminescent polycoated safety grade polyester adhered to substrate
Substrates: Aluminum, Plastic, Fiberglass. Glows for 6+ hours. Recharge time is 4 minutes. UV-light resistant. Designed for everyday indoor applications.

RIGID VINYL (.015)

Rigid non-rippable 15 mil. thickness. Water and humidity resistant. Designed for indoor and outdoor use.

REFLECTIVE

Reflective vinyl sheeting is laminated to the surface of aluminum. Used for sign communications at night and for traffic sign applications.

DIAMOND GRADE Code: FLMWHD

Diamond Grade reflective sheeting is laminated to the surface of aluminum. Used for maximum levels of brightness, Day or Night.

BANNER MATERIAL (BA)

Thick 13 oz./yd² with a semi-matt finish. Tear and water resistant. Designed for indoor and short-term outdoor use.

Option #5. Optional Overlayments

Glow Material



Code: GLW

GLOW

GLO BRITE®

Photoluminescent polycoated safety grade polyester material.
Substrates: May be laminated to Aluminum, Plastic, Fiberglass and many other materials.
Glows for 6+ hours
Recharge time is 4 minutes
UV-light resistant
Designed for indoor applications

Reflective Material



ENGINEER GRADE REFLECTIVE BEADED
Reflective material with nighttime viewing up to 300 feet. Good choice for non-critical sign applications.

Codes: FLYWEB – Yellow
FLWHEB – White



ENGINEER GRADE PRISMATIC REFLECTIVE
Reflective material with nighttime viewing up to 500 feet. 8% headlight bounce back. Good choice for non-critical sign applications.


Codes: FLYWEP – Yellow
FLWHEP – White



Code: PSS


POLYCARBONATE

SAFE SHIELD Polycarbonate (.060 to .25)
Polycarbonate is a tough, dimensionally stable, transparent thermoplastic. Scratch and corrosion resistant. Available in thickness up to 1/4". Two ply construction. Non glare polycarbonate. Temperature range -35° to 250°



HIGH INTENSITY PRISMATIC REFLECTIVE
MUTCD compliant reflective material with night time viewing up to 1,000 feet. 31% headlight bounce back. Commonly used for traffic and work zone sign applications.

Codes: FLMORP – Orange
FLMWHP – White



Code:
FLMLMD – Lime

DIAMOND GRADE LIME REFLECTIVE
MUTCD compliant reflective material with night time viewing up to 1,500 feet. 58% headlight bounce back. Most commonly used for school zone sign applications.



DIAMOND GRADE REFLECTIVE
MUTCD compliant reflective material with night time viewing up to 1,500 feet. 58% headlight bounce back. Commonly used for traffic and school zone sign applications.

Codes: FLMORD – Orange
FLMWHD – White

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Here is How to Order Custom Print OSHA Signs in **4** Easy Steps – See LABELS-38 & 39 for full descriptions

1. Choose Your Material

- Self-Adhesive Vinyl
Material Code: COS-V
- High Impact Plastic
Material Code: COS-P
- Aluminum
Material Code: COS-A



2. Choose Your OSHA Header



Pt # Code: D
Use for Hazardous situations with high probability of death or severe injury
Do Not Use for Property damage unless personal injury risk is present



Pt # Code: W
Use for Hazardous situations which have some probability of death or severe injury
Do Not Use for Property damage unless personal injury risk is present



Pt # Code: C
Use for Hazardous situations which may result in minor or moderate injury
Do Not Use for Situations when there is a possibility of death or severe injury

Other OSHA Headers available include:



Pt # Code: N



Pt # Code: S



Pt # Code: B



Pt # Code: T

3. Choose Your Size



10" x 7"
Pt # Code: 10X7



14" x 10"
Pt # Code: 14X10



20" x 14"
Pt # Code: 20X14

4. Choose Your Custom Wording

Write out the Custom Wording you would like on the customized OSHA safety sign.

Example

Line 1 WATER ON FLOOR
 Line 2 WALK WITH
 Line 3 CAUTION
 Line 4 _____



For more Custom Sign options, including non-OSHA headers, go online to www.rmiorde.com and click on Category Signs & Labels

Use These **4** Easy Steps to Order Your Customized OSHA Safety Signs

1. Enter Material **2.** Enter OSHA Header **3.** Enter Size **4.** Write out Imprint Information

1.	2.	3.	4.
C O S - - -			Imprint Information
			Line 1 _____
			Line 2 _____
			Line 3 _____
			Line 4 _____
			Qty. No Minimum Quantity Required

1.	2.	3.	4.
C O S - - -			Imprint Information
			Line 1 _____
			Line 2 _____
			Line 3 _____
			Line 4 _____
			Qty. No Minimum Quantity Required

1.	2.	3.	4.
C O S - - -			Imprint Information
			Line 1 _____
			Line 2 _____
			Line 3 _____
			Line 4 _____
			Qty. No Minimum Quantity Required


Fill in Customer Info below, call **1-800-264-7793** or email labels@rmimfg.com

Customer Name _____ Account # _____
 Contact Name _____ Phone _____
 Ship to Address _____ Fax _____

WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

OSHA Signs with Your Own Custom Wording

1 Choose Your Material



Self-Adhesive Vinyl

Pt # Code: COS-V

- Flexible 4-mil peel and stick vinyl
- Indoor/Outdoor use
- Won't fade in sunlight
- Endures temperatures of -40° to 176° F
- Strong adhesive backing adheres quickly and firmly



High Impact Styrene Plastic

Pt # Code: COS-P

- 40-mil rigid plastic
- Indoor/Outdoor use
- Won't fade in sunlight
- Endures temperatures of -40° to 176° F
- Rounded corners with mounting holes



Aluminum

Pt # Code: COS-A

- 40-mil aluminum
- Indoor/Outdoor use
- Won't fade in sunlight
- Endures temperatures of -40° to 176° F
- Rounded corners with mounting holes



Fiberglass

Pt # Code: COS-F

- 90-mil Fiberglass reinforced plastic
- Indoor/Outdoor use
- Increases scratch resistance with liquid clear coat
- Resistant to most chemicals, non-rusting
- Non-conductor of electricity
- Outdoor durability - 10 years



Rigid Engraved Plastic

Pt # Code: COS-RE

- 60-mil rigid plastic
- Contrasting core is exposed as letters are engraved into the material
- Indoor/Outdoor use
- Choose 4 corner holes or pressure sensitive foam tape for mounting



Luminous Plastic

Pt # Code: COS-LRP


- 60-mil rigid plastic
- Glow-in-the-dark
- Readable in daylight or in total darkness when the power fails
- Indoor/Outdoor use
- Rounded corners with mounting holes
- For use with Danger and informational headings



Overlaminated Plastic

Pt # Code: COS-OP

- Surface printed rigid plastic with overlaminated
- Surface .060" thick
- Surface Indoor/Outdoor use
- Surface Chemical resistant
- Surface endures temperatures of -40° F to 212° F
- Surface average outdoor durability up to 10 years



Magnetic

Pt # Code: COS-M

- 30-mil flexible magnetic material
- Stays put when placed on a metal surface and then can be moved again as needed
- Indoor/Outdoor use
- Endures temperatures of -40° to 176° F

OSHA Signs with Your Own Custom Wording *continued from LABELS-38*

2 Choose Your OSHA Header



Pt # Code: D

Use for

Hazardous situations with high probability of death or severe injury

Do Not Use for

Property damage unless personal injury risk is present

For Spanish heading add a "S" at the end of the order code.



Pt # Code: W

Use for

Hazardous situations which have some probability of death or severe injury

Do Not Use for

Property damage unless personal injury risk is present



Pt # Code: C

Use for

Hazardous situations which may result in minor or moderate injury

Do Not Use for

Situations when there is a possibility of death or severe injury



Pt # Code: N

Use for

Indicating a statement of company policy as the message relates directly or indirectly to the safety of personnel or protection of property

Do Not Use for

Hazardous situations where death or severe injury may occur



Pt # Code: S



Pt # Code: B



Pt # Code: T

Use for

Indicating general instructions relative to safe work practices, reminder of proper safety procedures and the location of safety equipment

3 Choose Your Size



10" x 7"

Pt # Code: 10X7



14" x 10"

Pt # Code: 14X10



20" x 14"

Pt # Code: 20X14

Custom signs are available in 3 sizes. Choose the size to best fit your needs.

4 Choose Your Custom Wording

Your Custom Wording Here

5 How To Order OSHA SIGNS – See LABELS-37 for ORDER FORM

Example:

For an Aluminum Notice Sign, 14" Width x 10" Height that reads, "Ratermann Mfg", the part number will be: COS-A-N-14X10-RATERMANNMFG

**Call 1-800-264-7793
to Order Your Custom OSHA Signs**



For more Custom Sign options, including non-OSHA headers, go online to www.rmior.com and click on Category Signs & Labels

WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Custom Pipe & Valve Markers

Gas Pipe Markers




Reduce the chance of error or confusion

Individual style pipe markers allow for marking each pipe with exact content without having to purchase large quantities. Conform to Compressed Gas Association Standard (CGA) C-9-1988 (R1993) with medical gas markers. Markers are made from durable pressure sensitive vinyl.

For Pipes 2-1/2" to 6" Outside Diameter use

Style 14
2.25" x 12"



Letter height for Style 14 is 1.5"-2" tall.

For Pipes 8" to 10" Outside Diameter use

Style 16
3" x 24"




Letter height for Style 16 is 2 1/2" tall.

Gas Service	Description	Colors	Style 14 2.25" x 12"	Style 16 3" x 24"
Argon	Argon Pipe Marker	Brown/White Print	PML-AR-14	PML-AR-16
	Directional Arrow Pipe Marker	Brown/White Arrow	PML-DA-BROWN-14	PML-DA-BROWN-16
Carbon Dioxide	Carbon Dioxide Pipe Marker	Gray/White Print	PML-CO2-14	PML-CO2-16
	Directional Arrow Pipe Marker	Gray/White Arrow	PML-DA-GRAY-14	PML-DA-GRAY-16
Oxygen	Oxygen Pipe Marker	Green/White Print	PML-OX-14	PML-OX-16
	Directional Arrow Pipe Marker	Green/White Arrow	PML-DA-GREEN-14	PML-DA-GREEN-16
Nitrogen	Nitrogen Pipe Marker	Black/White Print	PML-N-14	PML-N-16
	Directional Arrow Pipe Marker	Black/White Arrow	PML-DA-BLACK-14	PML-DA-BLACK-16
Liquid	Liquid Pipe Marker	Blue/White Print	PML-LIQUID-14	PML-LIQUID-16
	Directional Arrow Pipe Marker	Blue/White Arrow	PML-DA-BLUE-14	PML-DA-BLUE-16

For Pipes 1-1/2" to 2" Outside Diameter use


Style 15
1.125" x 8"



Letter height for Style 15 is 3/4" tall.

For Pipes 3/4" to 1-1/4" Outside Diameter use

Style 17
1.125" x 8"



Letter height for Style 17 is 1/2" tall.

Gas Service	Description	Colors	Style 15 1.125" x 8"	Style 17 1.125" x 8"
Argon	Argon Pipe Marker	Brown/White Print	PML-AR-15	PML-AR-17
	Directional Arrow Pipe Marker	Brown/White Arrow	PML-DA-BROWN-15	PML-DA-BROWN-17
Carbon Dioxide	Carbon Dioxide Pipe Marker	Gray/White Print	PML-CO2-15	PML-CO2-17
	Directional Arrow Pipe Marker	Gray/White Arrow	PML-DA-GRAY-15	PML-DA-GRAY-17
Oxygen	Oxygen Pipe Marker	Green/White Print	PML-OX-15	PML-P-106-17
	Directional Arrow Pipe Marker	Green/White Arrow	PML-DA-GREEN-15	PML-DA-GREEN-17
Nitrogen	Nitrogen Pipe Marker	Black/White Print	PML-N-15	PML-N-17
	Directional Arrow Pipe Marker	Black/White Arrow	PML-DA-BLACK-15	PML-DA-BLACK-17
Liquid	Liquid Pipe Marker	Blue/White Print	PML-LIQUID-15	PML-LIQUID-17
	Directional Arrow Pipe Marker	Blue/White Arrow	PML-DA-BLUE-15	PML-DA-BLUE-17

WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Pipe Markers – Five Styles

Choose from Five Styles: 14, 15, 16, 17 or 18

STYLE 14 - 2.25"x12"

For pipes 2-1/2" to 6" outside diameter.



STYLE 16 - 3"x24"

For pipes 8" to 10" outside diameter.
Letter height 2 1/2"



STYLE 15 - 1.125"x8"

For pipes 1-1/2" to 2" outside diameter.
Letter height 3/4"



STYLE 17 - 1.125"x8"

For pipes 3/4" to 1-1/4" outside diameter.
Letter height 1/2"




STYLE 18 - 2.25"x13.5"

Use with pipes less than 3/4" outside diameter.

8 strips of arrows (5 ea. in a strip) - .5"x2.75"

3 strips of names (5 ea. in a strip) - 2.25"x2.75"



How to order pipe markers:

If you want to order the "ACETIC ACID" pipe marker in Style "15".
The part number would be PML-P-001-15.

EXAMPLE

ACETIC ACID

STYLE 15

Product order number: PML-P-001-15

MARKER NAME	PRODUCT NO.	STYLES	MARKER NAME	PRODUCT NO.	STYLES
ACETIC ACID	PML-P-001-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	CHEMICAL FEED	PML-P-208-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
ACETONE	PML-P-002-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	CHEMICAL FEED	PML-P-309-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
ACETYLENE GAS	PML-P-003-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	CHILLED WATER	PML-P-022-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
ACETYLENE GAS	PML-P-300-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	CHILLED WATER RETURN	PML-P-989-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
ACID	PML-P-004-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	CHILLED WATER SUPPLY	PML-P-901-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
ACID	PML-P-301-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	CHLORINE	PML-P-023-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
AIR	PML-P-005-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	CHLORINE	PML-P-310-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
AIR	PML-P-201-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	CHLORINE GAS	PML-P-024-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
AIR COND. WATER	PML-P-006-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	CHLORINE DIOXIDE LIQUID	PML-P-209-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
ALCOHOL	PML-P-007-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	CIRCULATING WATER	PML-P-025-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
AMMONIA	PML-P-008-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	CITY GAS	PML-P-026-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
AMMONIA	PML-P-302-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	CITY GAS	PML-P-311-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
ARGON	PML-P-009-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	CITY WATER	PML-P-027-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
ARGON	PML-P-303-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	COLD WATER	PML-P-210-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
→	PML-P-202-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 —	COLD WATER RETURN	PML-P-211-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
→	PML-P-203-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 —	COLD WATER SUPPLY	PML-P-212-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
→	PML-P-204-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 —	COMPRESSED AIR	PML-P-029-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
→	PML-P-205-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 —	COMPRESSED AIR	PML-P-312-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
→	PML-P-206-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 —	COMPRESSED AIR	PML-P-313-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
→	PML-P-304-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 —	CONDENSATE	PML-P-030-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
→	PML-P-305-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 —	CONDENSATE	PML-P-314-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
BLOW OFF WATER	PML-P-012-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	CONDENSATE RETURN	PML-P-031-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
BLOWER BLOWDOWN	PML-P-207-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	CONDENSER WATER	PML-P-213-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
BOILER FEED	PML-P-014-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	CONDENSER WATER RETURN	PML-P-214-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
BREATHING AIR	PML-P-015-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	CONDENSER WATER SUPPLY	PML-P-215-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
BRINE	PML-P-016-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	COOLING WATER	PML-P-033-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
BRINE	PML-P-306-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	COOLING WATER RETURN	PML-P-216-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
BUTANE	PML-P-017-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	COOLING WATER SUPPLY	PML-P-217-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
CARBON DIOXIDE	PML-P-018-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	DEIONIZED WATER	PML-P-034-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
CARBON DIOXIDE	PML-P-307-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	DEMINEALIZED	PML-P-035-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
CAUSTIC	PML-P-019-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	DIESEL FUEL	PML-P-036-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
CAUSTIC SODA	PML-P-020-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	DISCHARGE	PML-P-038-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
CAUSTIC SODA	PML-P-308-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	DISTILLED WATER	PML-P-039-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18

* If air pressure varies, use AIR (yellow). If air pressure is above 90 lbs., use HI-PRESS. AIR (yellow). If air pressure is below 90 lbs., use AIR (blue) or LO-PRESS. AIR (blue).

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

HOW TO ORDER PIPE MARKERS – CHOOSE 5 STYLES

Pipe Markers – How to Order

How to order pipe markers:

If you want to order the "DOMESTIC" pipe marker in Style "15".
The part number would be PML-P-042-15.

EXAMPLE

DOMESTIC

STYLE 15

Part number: PML-P-042-15

HOW TO ORDER PIPE MARKERS

MARKER NAME	PART NO.	STYLES	MARKER NAME	PART NO.	STYLES
DOMESTIC	PML-P-042-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	HVAC SUPPLY	PML-P-228-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
DOMESTIC HOT WATER	PML-P-040-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	HYDRAULIC OIL	PML-P-229-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
DOMESTIC COLD WATER	PML-P-303-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	HYDRAULIC OIL	PML-P-321-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
DRAIN	PML-P-043-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	HYDRAULIC RETURN	PML-P-230-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
DRAIN WATER	PML-P-218-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	HYDRAULIC SUPPLY	PML-P-231-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
DRINKING WATER	PML-P-045-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	HYDROCHLORIC ACID	PML-P-078-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
EXHAUST	PML-P-219-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	HYDROCHLORIC ACID	PML-P-322-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
EXHAUST AIR	PML-P-220-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	HYDROGEN	PML-P-079-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
FEED	PML-P-052-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	HYDROGEN	PML-P-323-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
FILTERED WATER	PML-P-053-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	HYDROGEN SULFIDE	PML-P-080-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
FIRE PROTECTION WATER	PML-P-056-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	INDUSTRIAL WATER	PML-P-081-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
FLY ASH	PML-P-057-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	INSTRUMENT AIR	PML-P-082-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
FREON	PML-P-058-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	KEROSENE	PML-P-083-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
FREON	PML-P-315-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	LACQUER	PML-P-084-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
FRESH WATER	PML-P-221-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	LIQUID HYDROGEN	PML-P-086-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
FUEL GAS	PML-P-059-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	LIQUID NITROGEN	PML-P-232-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
FUEL GAS	PML-P-316-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	LIQUID OXYGEN	PML-P-088-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
FUEL OIL	PML-P-060-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	LOW PRESS. AIR	PML-P-089-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
FUEL OIL RETURN	PML-P-222-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	LOW PRESS. CONDENSATE	PML-P-090-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
FUEL OIL SUPPLY	PML-P-223-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	LOW PRESS. GAS	PML-P-091-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
GAS	PML-P-061-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	LOW PRESS. STEAM	PML-P-092-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
GAS	PML-P-317-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	LOW PRESSURE	PML-P-093-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
GAS	PML-P-318-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	LUBE OIL	PML-P-094-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
GASOLINE	PML-P-062-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	MAKE-UP WATER	PML-P-095-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
GASOLINE	PML-P-319-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	MAPP	PML-P-096-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
GLYCOL	PML-P-224-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	MEDICAL AIR	PML-P-233-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
HALON	PML-P-064-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	MEDIUM PRESS. STEAM	PML-P-097-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
HEATING	PML-P-065-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	MIXED GAS	PML-P-098-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
HEATING WATER	PML-P-066-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	NAPHTHA	PML-P-099-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
HEATING WATER RETURN	PML-P-304-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	NATURAL GAS	PML-P-100-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
HELIUM	PML-P-067-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	NATURAL GAS	PML-P-324-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
HI-PRESS. AIR	PML-P-068-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	NITRIC ACID	PML-P-101-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
HI-PRESS. AIR	PML-P-320-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	NITROGEN	PML-P-102-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
HI-PRESS. CONDENSATE	PML-P-069-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	NITROGEN	PML-P-234-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
HI-PRESS. GAS	PML-P-070-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	NITROUS OXIDE	PML-P-235-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
HI-PRESS. STEAM	PML-P-072-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	NITROUS OXIDE	PML-P-325-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
HI-PRESS. WATER	PML-P-073-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	NON-POTABLE WATER	PML-P-103-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
HI-TEMP. HOT WATER	PML-P-074-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	OIL	PML-P-104-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
HIGH PRESSURE	PML-P-075-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	OXYGEN	PML-P-237-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
HOT	PML-P-076-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	OXYGEN	PML-P-236-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
HOT WATER	PML-P-077-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	OXYGEN	PML-P-106-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
HOT WATER RETURN	PML-P-225-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	OXYGEN	PML-P-326-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
HOT WATER SUPPLY	PML-P-226-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	PAINT	PML-P-107-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
HVAC RETURN	PML-P-227-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	PLANT AIR	PML-P-238-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18

* If air pressure varies, use AIR (yellow). If air pressure is above 90 lbs., use HI-PRESS. AIR (yellow). If air pressure is below 90 lbs., use AIR (blue) or LO-PRESS. AIR (blue).

⚠ WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Pipe Markers, Perforated Roll Pipe Markers

EXAMPLE

**PLANT WATER
PLANT WATER**

STYLE 15

Part number: PML-P-239-15

How to order pipe markers:

If you want to order the "PLANT WATER" pipe marker in Style "15".
The part number would be PML-P-239-15.

PIPE MARKERS, PERFORATED ROLL PIPE MARKERS

MARKER NAME	PART NO.	STYLES	MARKER NAME	PART NO.	STYLES
PLANT WATER	PML-P-239-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	SOFT WATER	PML-P-243-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
POND WATER	PML-P-108-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	SOLVENT	PML-P-134-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
POTABLE WATER	PML-P-109-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	SPRINKLER FIRE	PML-P-200-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
PROCESS WATER	PML-P-240-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	SPRINKLER WATER	PML-P-136-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
PRIMARY	PML-P-110-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	STEAM	PML-P-137-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
PROCESS	PML-P-111-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	STEAM RETURN	PML-P-244-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
PROCESS GAS	PML-P-112-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	STEAM SUPPLY	PML-P-245-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
PROCESS WATER	PML-P-113-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	SULFURIC ACID	PML-P-140-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
PROPANE GAS	PML-P-114-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	SUPPLY	PML-P-152-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
PROPANE GAS	PML-P-327-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	SUPPLY	PML-P-246-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
RAW WATER	PML-P-115-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	THINNER	PML-P-153-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
RECIRCULATED	PML-P-117-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	TOWER WATER	PML-P-154-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
REFRIGERATION	PML-P-241-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	TREATED WATER	PML-P-155-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
REFRIGERANT DISCHARGE	PML-P-118-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	USED OIL	PML-P-900-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
REFRIGERANT LIQUID	PML-P-119-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	VACUUM	PML-P-159-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
REFRIGERANT SUCTION	PML-P-120-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	VACUUM	PML-P-247-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
REFRIGERATED LIQUID	PML-P-121-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	VALVE	PML-P-160-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
REFRIGERATED WATER	PML-P-122-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	VAPOR	PML-P-161-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
RETURN	PML-P-125-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	VAR SOL	PML-P-162-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
RETURN	PML-P-242-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	VENT	PML-P-164-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
RIVER WATER	PML-P-126-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	VENT	PML-P-248-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
ROOF DRAIN	PML-P-127-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	WASTE	PML-P-165-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
SANITARY SEWER	PML-P-128-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	WASTE	PML-P-249-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
SECONDARY	PML-P-129-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	WASTE OIL	PML-P-166-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
SERVICE AIR	PML-P-130-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	WASTE WATER	PML-P-167-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
SEWAGE	PML-P-131-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	WATER	PML-P-250-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
SLUDGE	PML-P-132-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	WATER	PML-P-169-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18
SODA ASH	PML-P-133-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	WELL WATER	PML-P-170-	<input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18

Perforated Roll Pipe Markers

72 Markers Per Roll

Each 6-mil pressure sensitive vinyl roll contains 72 pipe markers.
Each pipe marker has a protective laminate to handle harsh conditions.



Choose from two sizes: 1"x18 yards (PRP-01 each marker size 1" x 9") or 2"x18 yards (PRP-02 each marker size 2" x 9")

ACID	<input type="checkbox"/> PML-PRP-01-004 <input type="checkbox"/> PML-PRP-02-004	CITY WATER	<input type="checkbox"/> PML-PRP-01-027 <input type="checkbox"/> PML-PRP-02-027	GAS	<input type="checkbox"/> PML-PRP-01-061 <input type="checkbox"/> PML-PRP-02-061
AIR	<input type="checkbox"/> PML-PRP-01-005 <input type="checkbox"/> PML-PRP-02-005	COMPRESSED AIR	<input type="checkbox"/> PML-PRP-01-902 <input type="checkbox"/> PML-PRP-02-902	GASOLINE	<input type="checkbox"/> PML-PRP-01-062 <input type="checkbox"/> PML-PRP-02-062
ALCOHOL	<input type="checkbox"/> PML-PRP-01-007 <input type="checkbox"/> PML-PRP-02-007	CONDENSATE	<input type="checkbox"/> PML-PRP-01-030 <input type="checkbox"/> PML-PRP-02-030	HEATING	<input type="checkbox"/> PML-PRP-01-065 <input type="checkbox"/> PML-PRP-02-065
AMMONIA	<input type="checkbox"/> PML-PRP-01-008 <input type="checkbox"/> PML-PRP-02-008	CONDENSATE RETURN	<input type="checkbox"/> PML-PRP-01-031 <input type="checkbox"/> PML-PRP-02-031	HEATING WTR RETURN	<input type="checkbox"/> PML-PRP-01-904 <input type="checkbox"/> PML-PRP-02-904
BRINE	<input type="checkbox"/> PML-PRP-01-016 <input type="checkbox"/> PML-PRP-02-016	DOMESTIC COLD WTR.	<input type="checkbox"/> PML-PRP-01-903 <input type="checkbox"/> PML-PRP-02-903	HELIUM	<input type="checkbox"/> PML-PRP-01-067 <input type="checkbox"/> PML-PRP-02-067
CARBON DIOXIDE	<input type="checkbox"/> PML-PRP-01-018 <input type="checkbox"/> PML-PRP-02-018	DOM. HOT WATER	<input type="checkbox"/> PML-PRP-01-040 <input type="checkbox"/> PML-PRP-02-040	HI-PRESSURE AIR	<input type="checkbox"/> PML-PRP-01-068 <input type="checkbox"/> PML-PRP-02-068
CHILLED WATER	<input type="checkbox"/> PML-PRP-01-022 <input type="checkbox"/> PML-PRP-02-022	DRAIN	<input type="checkbox"/> PML-PRP-01-043 <input type="checkbox"/> PML-PRP-02-043	HI-PRESS. GAS	<input type="checkbox"/> PML-PRP-01-070 <input type="checkbox"/> PML-PRP-02-070
CHILLED WTR. RTN.	<input type="checkbox"/> PML-PRP-01-989 <input type="checkbox"/> PML-PRP-02-989	DRINKING WATER	<input type="checkbox"/> PML-PRP-01-045 <input type="checkbox"/> PML-PRP-02-045	HI-PRESS. STEAM	<input type="checkbox"/> PML-PRP-01-072 <input type="checkbox"/> PML-PRP-02-072
CIRCULATING WTR.	<input type="checkbox"/> PML-PRP-01-025 <input type="checkbox"/> PML-PRP-02-025	FIRE PROTECT. WATER	<input type="checkbox"/> PML-PRP-01-058 <input type="checkbox"/> PML-PRP-02-058	HI-PRESS. WATER	<input type="checkbox"/> PML-PRP-01-073 <input type="checkbox"/> PML-PRP-02-073
CITY GAS	<input type="checkbox"/> PML-PRP-01-026 <input type="checkbox"/> PML-PRP-02-026	FUEL OIL	<input type="checkbox"/> PML-PRP-01-060 <input type="checkbox"/> PML-PRP-02-060	HOT WATER	<input type="checkbox"/> PML-PRP-01-077 <input type="checkbox"/> PML-PRP-02-077

WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Perforated Roll Pipe Markers, Electrical Markers

PERFORATED ROLL PIPE & ELECTRICAL MARKERS

Choose from two sizes: 1"x18 yards (PRP-01 each marker size 1" x 9") or 2"x18 yards (PRP-02 each marker size 2" x 9")

HYDROGEN <input type="checkbox"/> PML-PRP-01-079 <input type="checkbox"/> PML-PRP-02-079	POTABLE WATER <input type="checkbox"/> PML-PRP-01-109 <input type="checkbox"/> PML-PRP-02-109	SUPPLY <input type="checkbox"/> PML-PRP-01-152 <input type="checkbox"/> PML-PRP-02-152
LO-PRESSURE AIR <input type="checkbox"/> PML-PRP-01-089 <input type="checkbox"/> PML-PRP-02-089	PROPANE GAS <input type="checkbox"/> PML-PRP-01-114 <input type="checkbox"/> PML-PRP-02-114	VENT <input type="checkbox"/> PML-PRP-01-164 <input type="checkbox"/> PML-PRP-02-164
LO-PRESSURE COND. <input type="checkbox"/> PML-PRP-01-090 <input type="checkbox"/> PML-PRP-02-090	RETURN <input type="checkbox"/> PML-PRP-01-125 <input type="checkbox"/> PML-PRP-02-125	WASTE <input type="checkbox"/> PML-PRP-01-165 <input type="checkbox"/> PML-PRP-02-165
LO-PRESSURE GAS <input type="checkbox"/> PML-PRP-01-091 <input type="checkbox"/> PML-PRP-02-091	SANITARY SEWER <input type="checkbox"/> PML-PRP-01-128 <input type="checkbox"/> PML-PRP-02-128	WASTE WATER <input type="checkbox"/> PML-PRP-01-167 <input type="checkbox"/> PML-PRP-02-167
LO-PRESSURE STEAM <input type="checkbox"/> PML-PRP-01-092 <input type="checkbox"/> PML-PRP-02-092	SEWAGE <input type="checkbox"/> PML-PRP-01-131 <input type="checkbox"/> PML-PRP-02-131	WATER <input type="checkbox"/> PML-PRP-01-169 <input type="checkbox"/> PML-PRP-02-169
MAKE-UP WATER <input type="checkbox"/> PML-PRP-01-095 <input type="checkbox"/> PML-PRP-02-095	SLUDGE <input type="checkbox"/> PML-PRP-01-132 <input type="checkbox"/> PML-PRP-02-132	WELL WATER <input type="checkbox"/> PML-PRP-01-170 <input type="checkbox"/> PML-PRP-02-170
MIXED GAS <input type="checkbox"/> PML-PRP-01-098 <input type="checkbox"/> PML-PRP-02-098	SPRINKLER FIRE <input type="checkbox"/> PML-PRP-01-200 <input type="checkbox"/> PML-PRP-02-200	220 VOLTS <input type="checkbox"/> PML-PRP-01-220 <input type="checkbox"/> PML-PRP-02-220
NATURAL GAS <input type="checkbox"/> PML-PRP-01-100 <input type="checkbox"/> PML-PRP-02-100	SPRINKLER WATER <input type="checkbox"/> PML-PRP-01-136 <input type="checkbox"/> PML-PRP-02-136	240 VOLTS <input type="checkbox"/> PML-PRP-01-240 <input type="checkbox"/> PML-PRP-02-240
NITROGEN <input type="checkbox"/> PML-PRP-01-102 <input type="checkbox"/> PML-PRP-02-102	STEAM <input type="checkbox"/> PML-PRP-01-137 <input type="checkbox"/> PML-PRP-02-137	440 VOLTS <input type="checkbox"/> PML-PRP-01-440 <input type="checkbox"/> PML-PRP-02-440
OIL <input type="checkbox"/> PML-PRP-01-104 <input type="checkbox"/> PML-PRP-02-104	SULFURIC ACID <input type="checkbox"/> PML-PRP-01-140 <input type="checkbox"/> PML-PRP-02-140	480 VOLTS <input type="checkbox"/> PML-PRP-01-480 <input type="checkbox"/> PML-PRP-02-480

To apply: apply to a clean, dry, smooth surface

- Easy to wrap around pipe
- Continuous arrows
- Can be cut to any size
- Tape will not stick to oily or greasy surfaces.

Directional Flow Arrow Tape

Arrow tape indicates directional flow of pipe contents



Size (1" x 18 yards)

PML-DA-01	White on Red
PML-DA-02	White on Green
PML-DA-03	White on Blue
PML-DA-07	White on Brown
PML-DA-04	Black on White
PML-DA-05	Black on Orange
PML-DA-06	Black on Yellow

Size (2" x 18 yards)

PML-DB-01	White on Red
PML-DB-02	White on Green
PML-DB-03	White on Blue
PML-DB-07	White on Brown
PML-DB-04	Black on White
PML-DB-05	Black on Orange
PML-DB-06	Black on Yellow

Directional Flow Arrow Tape should be the same color as pipemarker

Electrical Markers

SAFETY COLOR CODE FOR MARKING HAZARDS (O.S.H.A. 1910.144)

ORANGE - Basic color for designating dangerous parts of machines or energized equipment.

STYLE EA - 2.25" x 9"
Letter height is 1-1/2"



STYLE EB - 1.125" x 4.5"
Letter height is 3/4"



How to order Electrical Pipe Markers:


To order an "110 volts" marker in style "EB" 1 1/8" x 4 1/2"

The product order number would be PML-EP-110-EB

If no style is selected, style "EA" will be sent.

STYLE EC
Ten markers on a sheet 2.25" x 5"

Each marker is .5" x 2.25"
Letter height is 3/8"



MARKER NAME	PRODUCT NO.	STYLES	MARKER NAME	PRODUCT NO.	STYLES
110 VOLTS	PML-EP-110-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC	575 VOLTS	PML-EP-575-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC
115 VOLTS	PML-EP-115-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC	600 VOLTS	PML-EP-600-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC
120 VOLTS	PML-EP-120-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC	2300 VOLTS	PML-EP-2300-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC
208 VOLTS	PML-EP-208-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC	2400 VOLTS	PML-EP-2400-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC
220 VOLTS	PML-EP-220-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC	4160 VOLTS	PML-EP-4160-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC
230 VOLTS	PML-EP-230-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC	AIR CONDITIONING	PML-EP-AC-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC
240 VOLTS	PML-EP-240-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC	DC	PML-EP-DC-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC
250 VOLTS	PML-EP-250-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC	FAN	PML-EP-FAN-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC
277 VOLTS	PML-EP-277-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC	LIGHTS	PML-EP-LIGHTS-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC
440 VOLTS	PML-EP-440-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC	MAIN POWER	PML-EP-MP-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC
460 VOLTS	PML-EP-460-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC	SINGLE PHASE	PML-EP-SP-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC
480 VOLTS	PML-EP-480-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC	THREE PHASE	PML-EP-3P-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC
550 VOLTS	PML-EP-550-	<input type="checkbox"/> EA <input type="checkbox"/> EB <input type="checkbox"/> EC			

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Custom Pipe Marker

ORDER FORM



Customize Your Pipe Marker to Your Specifications

Create custom pipe markers with your choice of words, lettering and color, in English or any foreign language.

Self-adhesive pipe markers meet ANSI/OSHA standards & clearly identify your pipe content.



1. CHOOSE LABEL SIZE





Style 14 2.25" x 12"
For Pipes 2-1/2" to 6" Outside Diameter

Style 15 1.125" x 8"
For Pipes 1-1/2" to 2" Outside Diameter

Style 16 3" x 24"
For Pipes 8" to 10" Outside Diameter

Style 17 1.125" x 8"
For Pipes 3/4" to 1-1/4" Outside Diameter

Need a custom Size?
We can do that. Give us a call.



2. Choose ANSI Designated Colors

Color	Blue Background White Letters	Yellow Background Black Letters	Orange Background Black Letters	Green Background White Letters	Black Background White Letters
Code	BL/WH	YW/BK	OR/BK**	GR/WH	BK/WH**
Color	White Background Black Letters	Red Background White Letters	Gray Background White Letters	Brown Background White Letters	** Meets Medical Gas Specifications
Code	WH/BL**	RD/WH	GR/WH**	BR/WH**	

Custom Imprint Pipe Markers - 4 Easy Steps to Order

1. Check the Pt #(s) you want
2. Choose ANSI Designated Colors
Specify color code from above
3. Enter Your Custom Wording
4. Quantity

1.	Size Description	2. Color Code	3. Enter Your Custom Wording Here	4. Quantity Minimum
<input type="checkbox"/>	PMC-14 2.25" X 12"			
<input type="checkbox"/>	PMC-15 1.125" x 8"			
<input type="checkbox"/>	PMC-16 3" x 24"			
<input type="checkbox"/>	PMC-17 1.125" x 8"			

Fill in Customer Info below, call 1-800-264-7793 or email labels@rmimfg.com

Company Name _____

Company Address _____

Ship to Address _____

Contact Name _____ Email _____

Phone # _____ Fax # _____

Account # _____ P.O. _____ CC# _____

* Please Note: Custom Pipe Markers are single pieces not packs.

Still have questions?
No problem, call 1-800-264-7793
or email labels@rmimfg.com
for our representative

OTHER –
One-time plate charge(s) apply.
Custom Print + or - 15% production run
No Minimum Order

All custom imprint products are manufactured and shipped from the West Coast facility.

WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Valve Shrink Wraps, Valve Plug Starter Kit, Heat Gun

VALVE SHRINK WRAPS FOR MEDICAL YOKE VALVES



Valve Wrap – Full Imprint
Pt # SW-0F



Valve Wrap – Non Imprint Clear Material
Pt # SW-0C



Valve Wrap – Non Imprint
Pt # SW-0

Used for shrink wrapping film around the valve.

Our Recommendation for Fast Shrinking
Pt # H-HDGUN



Pt # H-HDGUN-RPEL



Scan to view video

Shrink Wrap
Fits most valve sizes and CGA's.
(CGA 510, 540, 580, 320, 350 and more)

Large Valve Shrink Wrap

Part #	FULL IMPRINTED	Perforation
SW-0FPK200	Full Imprint White Material	Vertical
SW-0CFPK200	Full Imprint Clear Material	Vertical
Part #	NON IMPRINTED	Perforation
SW-0PK200	Non Imprinted White Material	None
SW-0CPK200	Non Imprinted Clear Material	Vertical

Heat Gun for Shrink Wrap

Heat Gun & Replacement Element

Part #	Description
H-HDGUN	Heavy Duty Heat Gun
H-HDGUN-RPEL	Replacement Element for Heavy Duty Heat Gun

Shrink Wrap & Valve Plug Starter Kit



Flexible Vinyl Plugs for Keeping Particles Out of Valves



Shrink Wrap
Fits most valve sizes and CGA's.
(CGA 510, 540, 580, 320, 350 and more)

Cylinder Valve Starter Kit

Part #	Description
SW-SK1	Cylinder Valve Starter Kit

Starter Kit Includes the following: 1/ea Heat Gun
50/ea Full Valve Shrink Wrap
25/ea PM-1 Plugs for Male threads (CGA 320 / CGA 350)
25/ea PF-1 Plugs for Female threads (CGA 580)

Product PM-2 (Male Thread Valves)
For the following CGA
CGA 350 Hydrogen
CGA 320 CO₂



Product PF-1 (Female Thread Valves)
For the following CGA
CGA 580 Argon
Helium
Nitrogen



Our Recommendation for Fast Shrinking
Pt # H-HDGUN

For More Shrink Wrap Styles Available – See page LABELS 47&48

Shrink Wrap for Medical Yoke Style Valves



Full Imprint
Pt # SW-1F



Non Imprint
Pt # SW-1

Valve Shrink Wrap Benefits

- Use as a Tamper-Evident Seal
- Effective Barrier Against Dirt & Moisture
- Durable Material Stands up to the Elements
- Custom Imprint Available
- Professional Appearance of Your Product & Service

Medical Yoke Style Valve

Part #	FULL IMPRINTED	Perforation
SW-1FPK200	Medical Post White Material	Vertical
SW-1NFPK200	Medical Post White Material	None
Part #	NON IMPRINTED	Perforation
SW-1PK200	Medical Post Valve White Material	None

Valve Shrink Wraps, Valve Plug Starter Kit, Heat Gun

VALVE SHRINK WRAPS FOR MEDICAL YOKE VALVES



Valve Plugs

Flexible vinyl plugs keep dust and dirt out of valve.

Valve Shrink Wrap

Low Quantity – Custom Imprint Available

Test Pouch for Gas Analysis



Custom Imprint Available Call for Information


Call Us to Discuss Your Branding Options



CGA 580 Plug
Pt # PF-G1



Sample of Custom Valve Imprinted Shrink Wrap



Top Sealing Pouch
Pt # CP-3PK250
(pkg. of 250)

In Stock Custom Valve Shrink Wrap Imprints




Air Liquide
Lg. Valve Pt # SW-0AL-2-PK200
Medical Pt # SW-1AL-2-PK200



Airgas
Lg. Valve Pt # SW-0AG-2-PK200
Medical Pt # SW-1AG-PK200



Air Products
Lg. Valve Pt # SW-0AP-PK200
Medical Pt # SW-1AP-PK200



Messer
Large Valve (White) Pt # SW-0MESSER-PK200
Medical Post Valve Pt # SW-1MESSER-PK200



Praxair
Lg. Valve Pt # SW-0PRAXAIR-PK200
Medical Pt # SW-1P-PK200



Matheson Tri-Gas
Lg. Valve Pt # SW-0MATH-PK200
Medical Pt # SW-1MATH-PK200



Linde
Lg. Valve Pt # SW-0LINDE-PK200
Medical Pt # SW-1LINDE-PK200

Heavy Duty Heat Gun for Shrink Wrap



Used for shrinking wrap film around the valve.

Our Recommendation for Fast Shrinking
Pt # H-HDGUN

BUILD BRAND AWARENESS FOR YOUR GAS PRODUCTS

Custom Print Valve Shrink Wrap



Sample of Custom Valve Imprinted Shrink Wrap



Samples of Custom Print



Large Valve Pt # SW-C01C

Also available for other valves

- Pneumatic
- Refrigerant
- Medical

Custom Imprint Valve Shrink Wrap

- Send Us Your Logo or Wording (Multi color imprints are available)
- Your Choice of Material Color (Standard is white)
- Print Color (We can match, or specify PMS color)
- Valve Size – Large Valve (Pt # SW-C01C) or Medical Yoke (Pt # SW-CI-1C) (Standard Valve Wrap comes with side perforation for easy removal.)

One time plate charge per color imprint.

Call 1-800-264-7793 for Ordering Details.



Shrink Wrap Pt # SW-CO
Fits most valve sizes and CGA's. (CGA 510, 540, 580, 320, 350 and more)

Heavy Duty Heat Gun for Shrink Wrap
Used for shrink wrapping film around the valve.



Our Recommendation for Fast Shrinking Pt # H-HDGUN

Custom Print Valve Shrink Wrap - 5 Easy Steps to Order

- 1. Check the Pt #(s) you want**
- 2. Select Color Option**

Your choice, 1 or 2 colors for your imprint information

- 3. Enter Colors**

Specify PMS color or your company color or choose one of our basic colors **red, green, blue, orange, black, and brown**

- 4. Enter Quantity**

- 5. Enter Imprint Info** or Send Us Your Art Work*

1.	2.	3. Write in color(s)	4. Qty. (20,000 min.)
<input type="checkbox"/> SW-CO	Large Valve Custom Shrink Wrap Standard Valves with Handwheels	<input type="checkbox"/> 1 Color <input type="checkbox"/> 2 Colors	1) _____ 2) _____
<input type="checkbox"/> SW-CI	Medical Valve Custom Shrink Wrap Standard Post Valves	<input type="checkbox"/> 1 Color <input type="checkbox"/> 2 Colors	1) _____ 2) _____

- 5.**

Line 1 _____

Line 2 _____

Line 3 _____

Line 4 _____

* You can send us your logo (multi color imprints are available) or art work to: ci@rmimfg.com

Fill in Customer Info below, call **1-800-264-7793** or email labels@rmimfg.com

Customer Name _____

Contact Name _____

Account # _____

Ship to Address _____

Phone # _____ Fax # _____

Still have questions?

No problem, call 1-800-264-7793 or email labels@rmimfg.com for our representative.

OTHER –
One-time plate charge(s) apply.
Custom Shrink Wrap + or - 15% Production Run.
Minimum Quantity Order = 20,000
All custom imprint products are manufactured and shipped from the West Coast facility.

Cylinder Resealable Pouches, Dewar Cert Pouch

FILL PLANT SUPPLIES CYLINDER POUCHES

Heavy Duty Resealable Pouches

Our Most Popular Pouch



Top Sealing Pouch
Pt # CP-3PK250
(pkg. of 250)

Pull Over Heavy Duty Resealable Pouch



Pt # CP-P3PK250
(pkg. of 250)

Pouch can be put on over cap. Designed for quick installation. For more permanent pouch needs look at CP-3 and CP-4 pouch.

Resealable Pouch

Description	Size Pouch	Part # for Pack of 250
Pull Over Pouch	4 3/4" W x 8 3/4" L	CP-P3PK250

Heavy Duty Resealable Pouch

Description	Size Pouch	Part # each	Part # for Pack of 250
Top Seal	4 3/4" W x 8 3/4" L		CP-3PK250
Top Seal	8 1/2" W x 11" L w/ 3-1/8 Hole	CP-8	CP-8PK250

Bottom Sealing Extra Large Pouch



Bottom Sealing Xlarge Pouch
#10 Envelopes Slide Easily Inside
Pt # CP-4PK250
(pkg. of 250)

Bottom Sealing Xlarge Pouch

Description	Size Pouch	Part # for Pack of 250
Bottom Seal	6 3/16" W x 10" L	CP-4PK250

Dewar Cert Pouch

CP-5 Shown With Optional Tie Wrap



Pt # CP-5PK250
(pkg. of 250)

Dewar Cert Pouch

Description	Size Pouch	Part # each	Part # for Pack of 250
Cert Pouch	4 11/16" x 10 3/16"		CP-5PK250
Tie	7 Inch	TY-T54	N/A

ORDER FORM

Custom Cylinder Test Pouch



Heavy Duty Top Resealable Pouch

They can be printed with your company logo and company color.

Call for more info on our branding program.

Custom Imprint Top Pouch
Pt # CP-3-CI



Part #	Description	Size Pouch
CP-3PK250	Pkg. of 250 - Non-Imprint Top Seal	4 3/4" W x 8 3/4" L
CP-3-CI	Custom Imprint Top Seal	4 3/4" W x 8 3/4" L



Bottom Sealing Extra Large Pouch

#10 Envelopes Slide Easily Inside
Pt # CP-4PK250

Part #	Description	Size Pouch
CP-4PK250	Non-Imprint Bottom Seal	6 3/16" W x 10" L
CP-4-CI	Custom Imprint Bottom Seal	6 3/16" W x 10" L

Use These 4 Easy Steps to Order Your Custom Test Pouch

1. Check the Pt #(s)
2. Enter Quantity

3. Enter Imprint Info
or Send Us Your Art Work*

4. Enter Colors
Specify PMS color or choose one of our basic colors red, green, blue, orange, black, and brown

1.	2. Qty.	3. Imprint Info	4. Color
<input type="checkbox"/> CP-3-CI Top Seal Test Pouch <input type="checkbox"/> CP-4-CI Bottom Seal Test Pouch		Line 1 _____ Line 2 _____ Line 3 _____ Line 4 _____	

* You can send us your logo (multi color imprints are available) or art work to: ci@rmimfg.com

OTHER -
One-time plate charge(s) apply.
Custom Shrink Wrap + or - 15% Production Run.
Minimum Quantity Order = 500 Pouches
Fill in Customer Info below, call **1-800-264-7793** or email labels@rmimfg.com

Customer Name _____ Account # _____
 Contact Name _____ Phone _____
 Ship to Address _____ Fax _____



Inserts for Pouches

Insert Size
4 1/8 x 5 3/8

CERTS ENCLOSED	REVALVE CYLINDER
TEST RESULTS	OUT OF HYDRO
	PAINT COLOR

Use on Valve Under Cap

Inserts for CP-2, CP-3 and CP-4 Pouches

Part # for Pkg. of 500	Description	Part # for Pkg. of 50
INS-T1PK500	Test Results White Paper	(Pt # INS-T1PK50)
INS-R1PK500	Revalve Cylinder Blue Paper	(Pt # INS-R1PK50)
INS-D1PK500	Out of Hydro Orange Paper	(Pt # INS-D1PK50)
INS-P1PK500	Paint Tan Paper	(Pt # INS-P1PK50)
INS-C1PK500	Certs White Paper	(Pt # INS-C1PK50)

Custom Imprint Available - Call for Details

Economy Pouches



Pt # CP-1 Pt # CP-2

Part #	Description
CP-1	Small Pouch 4 x 6 Insert Size with twist tie
CP-2	Large Pouch 4 3/4 x 7 Insert Size with twist tie

* Collars sold separately

Custom Imprint Large Cylinder Status Tags


ORDER FORM

HOLDS UP
IN RAIN SUNLIGHT WIND



Your Company Info Imprinted Here

String Tie
Pt # CB-EPT-C



Tear off to identify cylinder status

Your Company Info Imprinted Here

Pt # CB-C1EFI



ORDER FORM - CUSTOM IMPRINT LARGE STATUS TAGS

Part #	Description
CB-EPT-C	Economy Paper Status Tags with String Tie
CB-1EPTI-C	Economy Paper Status Tags with Elastic Tie

Plate & Art Charges Apply

Part #	Description
CB-C1EFI	Large Cylinder Status Tag
CB-ACT-C	Large Cylinder Status Tag with Slits

Plate and Art Charges Apply

Use These 4 Easy Steps to Order Your Custom Imprint Status Tags

1. Check the Pt #(s) you want
2. Select Color Option
3. Enter Qty.
4. Enter Imprint Info

1.	2.	3. Qty. (2,500 min.)	4.
<input type="checkbox"/> CB-C1EFI	Large Cylinder Tag	NA	Line 1 _____
<input type="checkbox"/> CB-ACT-C	Large Cylinder Status Tag with Slits	NA	Line 2 _____
<input type="checkbox"/> CB-EPT-C	Sm Cylinder Economy Paper Tags w/String Tie	<input type="checkbox"/> Green <input type="checkbox"/> Yellow <input type="checkbox"/> White	Line 3 _____
<input type="checkbox"/> CB-1EPTI-C	Sm Cylinder Economy Paper Tags w/Elastic Tie	<input type="checkbox"/> Green <input type="checkbox"/> Yellow <input type="checkbox"/> White	Line 4 _____
			Line 5 _____

Fill in Customer Info below, call **1-800-264-7793** or email **labels@rmimfg.com**

Customer Name _____

Contact Name _____ Account # _____

Ship to Address _____

Phone # _____ Fax # _____

Still have questions? No problem, call 1-800-264-7793 or email labels@rmimfg.com for our representative

OTHER -
One-time plate charge(s) apply.
Custom Print Collar + or - 15% Production Run.
Minimum Quantity Order = 2,500 minimum pcs.
All custom imprint products are manufactured and shipped from the West Coast facility.

Custom Imprinted Ring Tag

CUSTOM PRINT

TWO SIDED TAG - FULL/EMPTY

Front Side



Yellow Tag
(FULL Side Printed Green)

Back Side



Yellow Tag
(EMPTY Side Printed Red)

Pt # T-35
and
Pt # T-335

One Unit Includes Ring, Tag, Assembly and Personalized Imprinting
5" Diameter Ring and Tag for 330 cu. ft. through 40 cu. ft. cylinder

5 EASY STEPS

to
Ordering
Your
**CUSTOM
IMPRINT
RING
TAGS**

Go to page
LABELS-55

CUSTOM IMPRINTED TWO-SIDED RING TAGS

SELL "EMPTY" RING TAGS OVER-THE-COUNTER

Mark your empty cylinders with cylinder neck rings

Sell "empty" rings over-the-counter while advertising your company on the cylinders in your customer's shop.



5" Ring - Pt # T-35



3" Ring - Pt # T-335

Counter Display

Ring Tag Shown:
Pt # T-45



Pt # D1

TWO SIDED TAGS

side one - **EMPTY**
side two - **FULL**

Tag Size - 2" x 2" x 3/16" thick

See page LABELS-55
for ordering info



Custom Imprinted Two-Sided & Other Languages Ring Tags

CUSTOM IMPRINTED TWO-SIDED EMPTY / FULL TAGS

TWO SIDED TAGS Are Most Popular



When cylinder becomes empty simply lift ring over valve, flip ring over and drop back over the cap – ready for refill.

CUSTOM IMPRINT

We can imprint your company information.

Suggested Wording:

To reorder call, Your Company Name, Phone Number, and/or address.

Part #	Description
T-35	Full/Empty Two Sided Tag
T-335	3" Ring Full/Empty

Cost is for one print color
Two or more colors at additional cost
One-time plate charge(s) apply.
If you want to use a logo instead, there is an additional plate charge.
Please provide camera-ready art.
Custom Print may have + or - 10% production.

CUSTOM PRINT

OTHER Languages Available

We can print any language you choose.

FRENCH Pt # T-F35 TWO SIDED TAG – FULL / EMPTY



Yellow Tag
(FULL Side
Printed Green)



Yellow Tag
(EMPTY Side
Printed Red)

SPANISH Pt # T-S35 TWO SIDED TAG – FULL / EMPTY



Yellow Tag
(FULL Side
Printed Green)



Yellow Tag
(EMPTY Side
Printed Red)

Part #	Description
T-F35	French Full/Empty Two Sided Tag
T-S35	Spanish Full/Empty Two Sided Tag

Photos Shown Reduced In Size

Cost is for one print color
Two or more colors at additional cost
One-time plate charge(s) apply.
If you want to use a logo instead, there is an additional plate charge.
Please provide camera-ready art.
Custom Print may have + or - 10% production.

ONE SIDED TAGS

When you want to ensure no mix-ups – custom print at no additional charge.

One Sided Empty Tags



Red Tag/White Print
(one side - EMPTY only)

Pt # T-15

One Sided Full Tags



Green Tag/White Print
(one side - FULL only)

Pt # T-25

Part #	Description
T-15	One Sided Empty Tag
T-25	One Sided Full Tag

Cost is for one print color
Two or more colors at additional cost
One-time plate charge(s) apply.
If you want to use a logo instead, there is an additional plate charge.
Please provide camera-ready art.
Custom Print may have + or - 10% production.

Custom Imprinted Ring Tags Options, Pre-Printed Signs


OPTIONAL RING COLORS, PRE-PRINTED STORAGE SIGNS

OPTIONS FOR CUSTOM IMPRINTED RING TAGS


Optional Ring Colors for Custom Imprinted Ring Tags

5" Diameter Welded & Galvanized Ring


also available in 7" Diameter – Pt # MT-7




Standard Ring
Part Number
MT-5




White
Pt # **MT-5W**




Yellow
Pt # **MT-5Y**




Green
Pt # **MT-5G**



Blue
Pt # **MT-5BLU**



Red
Pt # **MT-5R**




Black
Pt # **MT-5B**

TAG COLORS AVAILABLE

Translucent



Neon*



*add 8 cents per unit

Opaque



Please Note:
All colors shown are printed representations. Actual colors may vary from printed catalog.

Add 20¢ per unit for Color Coded Rings. To order add part # to desired ring tag, call Customer Service for ordering information.

More Ring Tag Colors available, Give us a Call.



STANDARD CLASP ATTACHMENT



Optional Metal Clasp
Upon Request at an Additional 10¢ each

Part #	Description
T-M45PK25	Pre-Printed FULL/EMPTY Ring/Tag – Metal Clasp – Pack of 25

Cylinder Management System



Pt # SP-810

See page LABELS-54 for Pt # SP-811 Full Sign



Pt # S-H

Pre-Printed Empty Storage Sign 11" x 8 1/2"

Part #	Description
SP-810	Pre-Printed Empty Storage Sign 11" x 8 1/2"
S-H	Labeled Storage Hook for Empty Sign
T-35	Custom Imprinted Full / Empty Ring & Tag

Keep empties from mixing in with the fulls. A quick viewing of your facility and you can find, by the imprint and color of the tag, the status of your gas supply.

Color-coded "FULL / EMPTY" rings can identify a cylinder's content status. One side of the ring is labeled "EMPTY" in red, the other side is labeled "FULL" in green. Put the "FULL" side on the cylinders when they first come into your shop. After you've used the cylinder, drop the "EMPTY" side of the ring over the cylinder cap. This will indicate cylinder is ready to go back to your gas supplier for refill.


Pre-Printed Signs – 14" x 10"



Pt # SD-EMPTYCYL-14X10-HP



Pt # SD-FULLCYL-14X10-HP



Pt # SD-QA-14X10-HP

Pre-Printed Signs 14" x 10"

Part #	Description
SD-EMPTYCYL-14X10-HP	Sign - Empty Cylinders - 14" x 10" Plastic
SD-FULLCYL-14X10-HP	Sign - Full Cylinders - 14" x 10" Plastic
SD-QA-14X10-HP	Sign - Quarantine Area- 14" x 10" Plastic

⚠️ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov



Pt # T-35

Custom Imprint Ring Tags

ORDER FORM

ORDER FORM - CUSTOM IMPRINT RING TAGS



1. T-C1 – One Sided Imprint
T-C2 – Two Sided Imprint
tags shown are not actual size

T-C3 – One Sided Imprint
T-C4 – Two Sided Imprint

2. TAG COLORS AVAILABLE
Actual tag color may vary from catalog depiction.

Translucent



Opaque



Neon*



Note: All colors shown are printed representations. Actual colors may vary.

Your Choice • Tag Color • Imprint Color • Design

Call or email us the imprint wording or send us your art work to ci@rmimfg.com and we will develop a custom tag to meet your needs.

3. IMPRINT COLORS AVAILABLE

Stock ink colors for all ring tags:

- White
- Black
- Pink
- Burgundy
- Orange
- Cream
- Opaque Cream
- Purple
- \$Bill Green
- Teal
- Red Lt., Med., Dk.
- Blue Lt., Med., Dk.
- Green Lt., Med., Dk.
- Brown Lt., Med., Dk.
- Yellow Lt., Med., Dk.
- Gray Lt. and Dk.
- Neon Green
- Neon pink
- Neon Orange

Neon colors only available on white product and additional charge applies

- Warm Yellow used in place of metallic gold
- Light Gray used in place of metallic silver
- Black ink not recommended on red, blue, green tags

CUSTOM INK OR PMS MATCH. Some shades available at no extra charge. **Color match** is an additional charge.

For Tags T-C1, T-C2, T-C3 & T-C4
Two or more colors at additional cost
Minimum Quantity for all custom imprint orders are 150:

One-time plate charge(s) apply.
If you want to use a logo instead, there is an additional plate charge.
Please provide camera-ready art to ci@rmimfg.com
*Custom Print + or - 15% production run

Custom Imprint Ring Tags - 5 Easy Steps to Order

- 1. Check the Pt #(s) you want**
- 2. Enter Tag Colors**
Specify PMS color or your company color or choose one of our basic colors red, green, blue, orange, black, and brown
- 3. Imprint Color**
- 4. Quantity**
- 5. Enter Imprint Info** or Send Us Your Art Work to: ci@rmimfg.com

1.	Description	2. Tag Color(s)	3. Imprint Color(s)	4. Quantity Minimum 150
<input type="checkbox"/>	T-C1 1 Side Custom Imprint (2"x2")			
<input type="checkbox"/>	T-C2 2 Side Custom Imprint (2"x2")			
<input type="checkbox"/>	T-C3 1 Side Custom Imprint (3/4"x3/4")			
<input type="checkbox"/>	T-C4 2 Side Custom Imprint (3/4"x3/4")			
<input type="checkbox"/>	T-35 2 Sided Full/Empty (See LABELS 52 & 53)	Yellow Only	Full Side = Green Empty Side = Red	
<input type="checkbox"/>	T-F35 2 Sided Full/Empty French (See LABELS-53)	Yellow Only	Full Side = Green Empty Side = Red	
<input type="checkbox"/>	T-S35 2 Sided Full/Empty Spanish (See LABELS-53)	Yellow Only	Full Side = Green Empty Side = Red	
<input type="checkbox"/>	T-335 2 Sided Full/Empty 3" Ring (See LABELS 52 & 53)	Yellow Only	Full Side = Green Empty Side = Red	
<input type="checkbox"/>	T-25 1 Sided Full (See LABELS-53)	Green Only	White Only	
<input type="checkbox"/>	T-15 1 Sided Empty (See LABELS-53)	Red Only	White Only	

5.

Line 1 _____ Imprint Color _____ Line 3 _____ Imprint Color _____

Line 2 _____ Imprint Color _____ Line 4 _____ Imprint Color _____

Fill in Customer Info below, call 1-800-264-7793 or email labels@rmimfg.com

Customer Name _____

Contact Name _____ Account # _____

Ship to Address _____

Phone # _____ Fax # _____

Still have questions?
No problem, call 1-800-264-7793
or email labels@rmimfg.com
for our representative

OTHER –
One-time plate charge(s) apply.
Custom Print + or - 15% production run
Minimum Quantity Order = 150

Pre-Printed Specialty Tags, Blank Tags, Optional Ring Colors

OPTIONAL COLORS FOR CUSTOM IMPRINT RING TAGS

Pre-Printed Specialty Tags


Each tag comes assembled on metal ring.



Part # for Pkg. of 25	Description	Part # for Pkg. of 10
S-10PK25	Arc Burn	(Pt # S-10PK10)
S-11PK25	Bio Hazard	(Pt # S-11PK10)
S-12PK25	Contaminated	(Pt # S-12PK10)
S-13PK25	Service	(Pt # S-13PK10)
S-14PK25	Out of Hydro	(Pt # S-14PK10)
S-15PK25	Painting Needed	(Pt # S-15PK10)
S-16PK25	Customer Owned	(Pt # S-16PK10)
S-17PK25	Leaker	(Pt # S-17PK10)
S-18PK25	Revalve	(Pt # S-18PK10)
S-19PK25	Quarantine	(Pt # S-19PK10)


Optional Ring Colors for Custom Imprinted Ring Tags

5" Diameter Welded & Galvanized Ring also available in 7" Diameter – Pt # MT-7




Standard Ring
Part Number
MT-5


Add 20¢ per unit for Color Coded Rings. To order add part # to desired ring tag, call Customer Service for ordering information.




White
Pt # **MT-5W**




Green
Pt # **MT-5G**



Red
Pt # **MT-5R**



Yellow
Pt # **MT-5Y**




Blue
Pt # **MT-5BLU**



Black
Pt # **MT-5B**

More Ring Tag Colors available, Give us a Call.

Blank Tags to Write On



Translucent Red
Pt # T-35RBLANK

Translucent Green
Pt # T-35GBLANK

Translucent Blue
Pt # T-35BBLANK



Neon* Pink
Pt # T-35FPBLANK



Neon* Orange
Pt # T-35FOBLANK



Neon* Green
Pt # T-35FGBLANK



Opaque White
Pt # T-35WBLANK



Opaque Yellow
Pt # T-35YBLANK



Opaque Gray
Pt # T-35GYBLANK



Opaque Black
Pt # T-35BLBLANK



Opaque Cream
Pt # T-35CRBLANK

Pen to Write on Blank Tags

Part #	Color
PP-BL	Blue
PP-R	Red
PP-BK	Black




Blank Tags to Write On

Part # for Pkg. of 25	Description	Part # for Pkg. of 10
T-35RBLANKPK25	Translucent - Red	(Pt # T-35RBLANKPK10)
T-35GBLANKPK25	Translucent - Green	(Pt # T-35GBLANKPK10)
T-35BBLANKPK25	Translucent - Blue	(Pt # T-35BBLANKPK10)
T-35FPBLANKPK25	Neon* - Pink	(Pt # T-35FPBLANKPK10)
T-35FOBLANKPK25	Neon* - Orange	(Pt # T-35FOBLANKPK10)
T-35FGBLANKPK25	Neon* - Green	(Pt # T-35FGBLANKPK10)
T-35WBLANKPK25	Opaque - White	(Pt # T-35WBLANKPK10)
T-35YBLANKPK25	Opaque - Yellow	(Pt # T-35YBLANKPK10)
T-35GYBLANKPK25	Opaque - Gray	(Pt # T-35GYBLANKPK10)
T-35BLBLANKPK25	Opaque - Black	(Pt # T-35BLBLANKPK10)
T-35CRBLANKPK25	Opaque - Cream	(Pt # T-35CRBLANKPK10)

Please note: All colors shown are printed representations. Actual colors may vary.

Cylinder Storage Signs

HELP YOUR CUSTOMERS keep their cylinders organized.
KEEP YOUR COMPANY NAME in front of the customer.



Pt # S1-810

Storage Sign has four holes for easy mounting and an optional storage hook to hold empty / full rings.

CUSTOM PRINT STORAGE SIGNS AVAILABLE
with Your Company Information,
call 1-800-264-7793 for details.

Custom Imprinting on Storage Signs

Part #	Description
S1-810	Empty Storage Sign 8 1/2" x 11" White Plastic with Red Print
S1-811	Full Storage Sign 8 1/2" x 11" White Plastic with Green Print



Effective sales tool / hand-out for potential customers.

STORAGE SIGNS, PRE-PRINTED 14X10 SIGNS

Pre-Printed Storage Signs

Use Empty Sign along with Full / Empty rings to keep your name in front of the customer. Plus, manage full and empty cylinders at your customer's location.

- Just attach your label to blank area or inscribe with permanent marker.

Pre-Printed Storage Signs & Labeled Storage Hook

Part #	Description
SP-810	Empty Pre-Printed Storage Sign 8 1/2" x 11"
SP-S-810	Spanish Pre-Printed Empty Storage Sign
S-H	Labeled Storage Hook to Hold Ring Tags
SP-811	Full Pre-Printed Storage Sign 8 1/2" x 11"
SP-S-811	Spanish Pre-Printed Full Storage Sign
S-F	Labeled Storage Hook to Hold Ring Tags



Empty Pre-Printed Storage Sign

Pt # SP-810

Spanish
Pt # SP-S-810



Full Pre-Printed Storage Sign

Pt # SP-811

Spanish
Pt # SP-S-811

Pre-Printed Signs 14" x 10"



Pt #
SD-FULLCYL-14X10-HP



Pt #
SD-EMPTYCYL-14X10-HP



Pt # SD-QA-14X10-HP

Pre-Printed Signs 14" x 10"

Part #	Description
SD-EMPTYCYL-14X10-HP	Sign - Empty Cylinders - 14" x 10" Plastic
SD-FULLCYL-14X10-HP	Sign - Full Cylinders - 14" x 10" Plastic
SD-QA-14X10-HP	Sign - Quarantine Area - 14" x 10" Plastic

⚠️ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov


The Complete System to Track Cylinders From Plant

COLLARS FOR 80-330 C.F., NON-CAP & ACETYLENE


Cylinder Collars for 80 Cu. Ft. through 330 Cu. Ft.



TRIANGULAR COLLARS NON-IMPRINTED For 80 cu. ft. through 330 cu. ft.



ROUND COLLARS NON-IMPRINTED For 80 cu. ft. through 330 cu. ft.



SQUARE COLLARS NON-IMPRINTED For 80 cu. ft. through 330 cu. ft.




CUSTOMER OWNED IMPRINTED COLLARS For 80 cu. ft. through 330 cu. ft.




Cylinder Collars for Non-Cap Style and Acetylene Cylinder




NON-CAP STYLE NON-IMPRINTED COLLARS Room to write 50 cu. ft. through 20 cu. ft.



NON-CAP STYLE NON-IMPRINTED COLLARS Room to write 50 cu. ft. through 20 cu. ft.



NON-CAP STYLE NON-IMPRINTED COLLARS For Medical-Yoke, Mc & B Acetylene



ACETYLENE CYLINDER COLLARS NON-IMPRINTED See Main Catalog 2A-5 for more info.



Please note: All colors shown are printed representations. Actual colors may vary.

to Customer

Florescent Orange

Hot Pink

Lime Green


Pink

Gold

Silver

Copper

for 80 Cu. Ft. through 330 Cu. Ft. Special Colors Also Available



Pt # C1-P

Pt # C1-BR

Pt # C1-GY

Pt # C1-BL

Pt # C1-FO

Pt # C1-HP

Pt # C1-LG

Pt # C1-PK

Pt # C1-GO

Pt # C1-SIL

Pt # C1-CO



Pt # RC-P

Pt # RC-BR

Pt # RC-GY

Pt # RC-BL

Pt # RC-FO

Pt # RC-HP


Pt # RC-LG

Pt # RC-PK

Pt # RC-GOLD

Pt # RC-SIL

Pt # RC-CO



Pt # SQ-P

Pt # SQ-BR

Pt # SQ-GY

Pt # SQ-BL

Pt # SQ-FO

Pt # SQ-HP

Pt # SQ-LG

Pt # SQ-PK



C1-CW-P

C1-CW-BR

C1-CW-GY

C1-CW-BL

C1-CW-FO

C1-CW-HP

C1-CW-LG

C1-CW-PK

Collars are Available in Packs of 50 and for Smaller Applications Packs of 10

To order package quantity add to collar part #
for **50 pack** add **PK50**
10 pack add **PK10**

CUSTOM PRINT ON COLLARS see page LABELS-71

Cylinder Collars for Non-Cap Style and Acetylene Cylinder



Pt # C3-P

Pt # C3-BR

Pt # C3-GR

Pt # C3-BL

Pt # C3-FO

Pt # C3-HP

Pt # C3-LG

Pt # C3-PK



Pt # C-4-P

Pt # C-4-BR

Pt # C-4-GR

Pt # C-4-BL

Pt # C-4-FO

Pt # C-4-HP

Pt # C-4-LG

Pt # C-4-PK

Pt # C-4-GLD

Pt # C-4-SL

Pt # C-4-CO



Pt # C2-P

Pt # C2-BR

Pt # C2-GR

Pt # C2-BLK

Pt # C2-FO

Pt # C2-HP

Pt # C2-LG

Pt # C2-PK

Pt # C2-GO

Pt # C2-SI

Pt # C2-CO



Pt # AC-P

Pt # AC-BR

Pt # AC-GY

Pt # AC-BL

Pt # AC-FO

Pt # AC-HP

Pt # AC-LG

Pt # AC-PK

Please note: All colors shown are printed representations. Actual colors may vary.

COLLARS FOR 80-330 C.F., NON-CAP & ACETYLENE

Specialty Cylinder I.D. Collars


SPECIALTY COLLARS FOR 80-330 CU. FT. CYLINDERS



Pt # C1-NOO



Pt # C1-NLR




Pt # C1-NSB



Pt # C1-NRR



Pt # C1-NPN



Pt # C1-NTE

C1-N Specialty Collars For 80 cu. ft. through 330 cu. ft. Cylinders

Benefits

- Bold Knocked Out Letters in Plastic
- Fast and Easy to Use
- Color Coded
- No Ink to Wear Off
- Manage one or multiple locations' cylinders with a complete program to sort cylinders for appropriate maintenance.

I.D. Collars – How They Work

See through Lettering Identifies the Status of the Cylinder

- Pull over cylinder cap to attach
- With cap removed, I.D. collar will stay attached to cylinder.*



*To secure collar in transportation cap needs to be attached.



ECONOMY STATUS COLLAR – NO SILKSCREEN TO WEAR OFF!

C1-N Specialty Collars Available in Packs of 10 & 50

Part # for Pkg. of 50	Specialty Collar	Color	Part # for Pkg. of 10
C1-NOOPK50	Out of Hydro	Orange	(Pt # C1-NOOPK10)
C1-NLRPK50	Leaker	Yellow	(Pt # C1-NLRPK10)
C1-NSBPK50	Shot Blast	Gray	(Pt # C1-NSBPK10)
C1-NRRPK50	Revalve	Blue	(Pt # C1-NRRPK10)
C1-NPNPK50	Paint	Brown	(Pt # C1-NPNPK10)
C1-NSPPK50	Scrap	Hot Pink	(Pt # C1-NSPPK10)
C1-NTEPK50	Test	Lime Green	(Pt # C1-NTEPK10)

Customer Owned collars available in all colors. Call for part #

Please note: All colors shown are printed representations. Actual colors may vary.

Specialty Cylinder I.D. Collars



Specialty Collars

BENEFITS

- Fast & Easy to Use
- Color Coded
- Bold Print
- Manage one or multiple locations' cylinders with a complete program to sort cylinders for appropriate maintenance.

C2 Specialty Collars for Mc, B & Medical Valves



Pt # C2-O0



Pt # C2-LR



Pt # C2-RV



Pt # C2-SB



Pt # C2-RQ

C1 Specialty Collars for 80 cu. ft. through 330 cu. ft. Cylinders



Pt # C1-O0




Pt # C1-LR



Pt # C1-SB



Pt # C1-RR



Pt # C1-RS



Pt # C1-TS

C1 Specialty Collars Available in Packs of 10 & 50

Part # for Pkg. of 50	Specialty Collar	Color	Part # for Pkg. of 10
C1-OOPK50	Out of Hydro	Orange	(Pt # C1-OOPK10)
C1-LRPK50	Leaker	Yellow	(Pt # C1-LRPK10)
C1-SBPK50	Shot Blast	Yellow	(Pt # C1-SBPK10)
C1-RRPK50	Revalve	Blue	(Pt # C1-RRPK10)
C1-RSPK50	Restage	Tan	(Pt # C1-RSPK10)
C1-TSPK50	Test	Black	(Pt # C1-TSPK10)

C2 Specialty Collars Available in Packs of 10 & 50

Part # for Pkg. of 50	Specialty Collar	Color	Part # for Pkg. of 10
C2-OOPK50	Out of Hydro	Orange	(Pt # C2-OOPK10)
C2-LRPK50	Leaker	Yellow	(Pt # C2-LRPK10)
C2-RVPK50	Revalve	Blue	(Pt # C2-RVPK10)
C2-SBPK50	Shot Blast	Yellow	(Pt # C2-SBPK10)
C2-RQPK50	Requalify	Blue	(Pt # C2-RQPK10)

Please note: All colors shown are printed representations. Actual colors may vary.

⚠ WARNING: This product can expose you to chemicals including n-hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Customer Owned Management Collars – 3" diameter

MANAGEMENT COLLARS FOR M6, M9, D & E CYLINDERS



Management Collars for M6, M9, D, and E Size Cylinders 3" diameter

- Assign each branch a color to travel along with cylinders, then back to the branch assigned that color.



Pt # C2-CW-Y

Standard Collar Colors are Available in Packs of 10 (PK10) and Packs of 50 (PK50)



Semi Clear
Part Numbers
C2-CW-C
C2-CW-CPK10
C2-CW-CPK50



White
Part Numbers
C2-CW-W
C2-CW-WPK10
C2-CW-WPK50



Beige
Part Numbers
C2-CW-BG
C2-CW-BGPK10
C2-CW-BGPK50



Yellow
Part Numbers
C2-CW-Y
C2-CW-YPK10
C2-CW-YPK50



Dark Green
Part Numbers
C2-CW-DG
C2-CW-DGPK10
C2-CW-DGPK50



Light Blue
Part Numbers
C2-CW-LB
C2-CW-LBPK10
C2-CW-LBPK50



Blue
Part Numbers
C2-CW-B
C2-CW-BPK10
C2-CW-BPK50



Dark Blue
Part Numbers
C2-CW-DB
C2-CW-DBPK10
C2-CW-DBPK50



Orange
Part Numbers
C2-CW-O
C2-CW-OPK10
C2-CW-OPK50



Red
Part Numbers
C2-CW-R
C2-CW-RPK10
C2-CW-RPK50



Purple
Part Numbers
C2-CW-P
C2-CW-PPK10
C2-CW-PPK50



Brown
Part Numbers
C2-CW-BR
C2-CW-BRPK10
C2-CW-BRPK50



Gray
Part Numbers
C2-CW-GR
C2-CW-GRPCK10
C2-CW-GRPCK50



Black
Part Numbers
C2-CW-BL
C2-CW-BLPK10
C2-CW-BLPK50

Special Collar Colors are Available in Packs of 10 and Packs of 50



Fluorescent Orange
Part Numbers
C2-CW-FO
Package of 10
C2-CW-FOPK10
Package of 50
C2-CW-FOPK50



Hot Pink
Part Numbers
C2-CW-HP
C2-CW-HPPK10
C2-CW-HPPK50



Lime Green
Part Numbers
C2-CW-LG
C2-CW-LGPK10
C2-CW-LGPK50



Pink
Part Numbers
C2-CW-PK
C2-CW-PPK10
C2-CW-PPK50

Note:
Fluorescent Orange and Hot Pink are susceptible to fading with prolonged exposure to UV light.

Please note: All colors shown are printed representations. Actual colors may vary.

Custom Imprinted Small Cylinder I.D. Collars are Available

Develop a Customized Cylinder Management System for Your Organization.



For your custom imprint part number, select your desired color and fill-in the part number below.

Pt # C2-__-CI

See page LABELS-71 for Ordering Details. Fill Out Order Form – email info to labels@rmimfg.com or call 1-800-264-7793


WARNING: This product can expose you to chemicals including n-hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more Information go to www.P65Warnings.ca.gov

Customer Owned Management Collars

MANAGEMENT COLLARS FOR 80-330 C.F. CYLINDERS

Management Collars for 80 cu. ft. through 330 cu. ft. Cylinders

- Assign each branch its own color for easy disbursement back after filling



Standard Collar Colors are Available in Packs of 10 (PK10) and Packs of 50 (PK50)

Semi Clear Part Numbers C1-CW-C	White Part Numbers C1-CW-W	Beige Part Numbers C1-CW-BG	Yellow Part Numbers C1-CW-Y	Dark Green Part Numbers C1-CW-DG	Light Blue Part Numbers C1-CW-LB	Blue Part Numbers C1-CW-B
C1-CW-CPK10 C1-CW-CPK50	C1-CW-WPK10 C1-CW-WPK50	C1-CW-BGPK10 C1-CW-BGPK50	C1-CW-YPK10 C1-CW-YPK50	C1-CW-DGPK10 C1-CW-DGPK50	C1-CW-LBPK10 C1-CW-LBPK50	C1-CW-BPK10 C1-CW-BPK50

Dark Blue Part Numbers C1-CW-DB	Orange Part Numbers C1-CW-O	Red Part Numbers C1-CW-R	Purple Part Numbers C1-CW-P	Brown Part Numbers C1-CW-BR	Gray Part Numbers C1-CW-GY	Black Part Numbers C1-CW-BL
C1-CW-DBPK10 C1-CW-DBPK50	C1-CW-OPK10 C1-CW-OPK50	C1-CW-RPK10 C1-CW-RPK50	C1-CW-PPK10 C1-CW-PPK50	C1-CW-BRPK10 C1-CW-BRPK50	C1-CW-GYPK10 C1-CW-GYPK50	C1-CW-BLPK10 C1-CW-BLPK50

Special Collar Colors are Available in Packs of 10 and Packs of 50


Fluorescent Orange Part Numbers C1-CW-FO	Hot Pink Part Numbers C1-CW-HP	Lime Green Part Numbers C1-CW-LG	Pink Part Numbers C1-CW-PK
Package of 10 Package of 50	C1-CW-FOPK10 C1-CW-FOPK50	C1-CW-HPPK10 C1-CW-HPPK50	C1-CW-LGPK10 C1-CW-LGPK50
			C1-CW-PKPK10 C1-CW-PKPK50

Note: Fluorescent Orange and Hot Pink are susceptible to fading with prolonged exposure to UV light.

Please note: All colors shown are printed representations. Actual colors may vary.

Custom Imprinted Triangle Collars are Available

Develop a Customized Cylinder Management System for Your Organization.



For your custom imprint part number, select your desired color and fill-in the part number below.

Pt # C1-__-CI

See page LABELS-71 for Ordering Details. Fill Out Order Form – email info to labels@rmimfg.com or call 1-800-264-7793

WARNING: This product can expose you to chemicals including n-hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Cap Style Round Collars – 7” Diameter, Custom Imprint Available

7" DIA. ROUND COLLARS – HP CYLINDERS

Round Collars for High Pressure Cylinders for 80 cu. ft. through 330 cu. ft. Cylinders 7” Diameter

For Extra Large Cap Size Cylinders – 8 1/2” diameter – please see page LABELS-67



Standard Collar Colors are Available in Packs of 10 (PK10) and Packs of 50 (PK50)

Semi Clear Part Numbers RC-C	White Part Numbers RC-W	Beige Part Numbers RC-BG	Yellow Part Numbers RC-Y	Dark Green Part Numbers RC-DG	Light Blue Part Numbers RC-LB	Blue Part Numbers RC-B
RC-CPK10 RC-CPK50	RC-WPK10 RC-WPK50	RC-BGPK10 RC-BGPK50	RC-YPK10 RC-YPK50	RC-DGPK10 RC-DGPK50	RC-LBPK10 RC-LBPK50	RC-BPK10 RC-BPK50
Dark Blue Part Numbers RC-DB	Orange Part Numbers RC-O	Red Part Numbers RC-R	Purple Part Numbers RC-P	Brown Part Numbers RC-BR	Gray Part Numbers RC-GY	Black Part Numbers RC-BL
RC-DBPK10 RC-DBPK50	RC-OPK10 RC-OPK50	RC-RPK10 RC-RPK50	RC-PPK10 RC-PPK50	RC-BRPK10 RC-BRPK50	RC-GYPK10 RC-GYPK50	RC-BLPK10 RC-BLPK50

Special Collar Colors are Available in Packs of 10 (PK10) and Packs of 50 (PK50)

Fluorescent Orange Part Numbers RC-FO	Hot Pink Part Numbers RC-HP	Lime Green Part Numbers RC-LG	Pink Part Numbers RC-PK	Gold Part Numbers RC-GOLD	Silver Part Numbers RC-SIL	Copper Part Numbers RC-CP
RC-FOPK10 RC-FOPK50	RC-HPPK10 RC-HPPK50	RC-LGPK10 RC-LGPK50	RC-PKPK10 RC-PKPK50	RC-GOLDPK10 RC-GOLDPK50	RC-SILPK10 RC-SILPK50	RC-CPPK10 RC-CPPK50

Custom Imprinted Round Collars are Available

Develop a Customized Cylinder Management System for Your Organization.



For your custom imprint part number, select your desired color and fill-in the part number below.

Pt # RC-__-CI

See page LABELS-71 for Ordering Details. Fill Out Order Form – email info to labels@rmimfg.com or call 1-800-264-7793

Please note: All colors shown are printed representations. Actual colors may vary.

Cap Style Triangle Collar for High Pressure Cylinders

**High Pressure Cylinder
Triangular Collars for
80 cu. ft. through
330 cu. ft. Cylinders**



You can write on all three corners and it's easy to pull over!



CAP STYLE TRIANGLE COLLAR, CUSTOM IMPRINT

Standard Collar Colors are Available in Packs of 10 (PK10) and Packs of 50 (PK50)

Semi Clear Part Numbers C1-C	White Part Numbers C1-W	Beige Part Numbers C1-BG	Yellow Part Numbers C1-Y	Dark Green Part Numbers C1-DG	Light Blue Part Numbers C1-LB	Blue Part Numbers C1-B
C1-CPK10 C1-CPK50	C1-WPK10 C1-WPK50	C1-BGPK10 C1-BGPK50	C1-YPK10 C1-YPK50	C1-DGPK10 C1-DGPK50	C1-LBPK10 C1-LBPK50	C1-BPK10 C1-BPK50
Dark Blue Part Numbers C1-DB	Orange Part Numbers C1-O	Red Part Numbers C1-R	Purple Part Numbers C1-P	Brown Part Numbers C1-BR	Gray Part Numbers C1-GY	Black Part Numbers C1-BL
C1-DBPK10 C1-DBPK50	C1-OPK10 C1-OPK50	C1-RPK10 C1-RPK50	C1-PPK10 C1-PPK50	C1-BRPK10 C1-BRPK50	C1-GYPK10 C1-GYPK50	C1-BLPK10 C1-BLPK50

Special Collar Colors are Available in Packs of 10 (PK10) and Packs of 50 (PK50)

Fluorescent Orange Part Numbers C1-FO	Hot Pink Part Numbers C1-HP	Lime Green Part Numbers C1-LG	Pink Part Numbers C1-PK	Gold Part Numbers C1-GO	Silver Part Numbers C1-SIL	Copper Part Numbers C1-CO
C1-FOPK10 C1-FOPK50	C1-HPPK10 C1-HPPK50	C1-LGPK10 C1-LGPK50	C1-PKPK10 C1-PKPK50	C1-GOPK10 C1-GOPK50	C1-SILPK10 C1-SILPK50	C1-COPK10 C1-COPK50

**Custom
Imprinted
Triangle
Collars are
Available**

Develop a
Customized
Cylinder
Management
System for Your
Organization.



For your custom
imprint part
number, select
your desired
color and fill-in
the part number
below.

Pt # C1-__-CI

**See page LABELS-71
for Ordering Details.
Fill Out Order Form –
email info to
labels@rmimfg.com
or call
1-800-264-7793**

Please note: All colors shown are printed representations. Actual colors may vary.

Small Cylinder I.D. Collars with Custom Imprint Available

SMALL COLLARS – MEDICAL-YOKE, MC & B ACETYLENE

















**For Medical-Yoke,
Mc & B Acetylene
Cylinders
3" diameter**










Pt # C2-Y

Standard Collar Colors are Available in Packs of 10 (PK10) and Packs of 50 (PK50)

						
Semi Clear Part Numbers C2-C	White Part Numbers C2-W	Beige Part Numbers C2-BG	Yellow Part Numbers C2-Y	Dark Green Part Numbers C2-DG	Light Blue Part Numbers C2-LB	Blue Part Numbers C2-B
C2-CPK10 C2-CPK50	C2-WPK10 C2-WPK50	C2-BGPK10 C2-BGPK50	C2-YPK10 C2-YPK50	C2-DGPK10 C2-DGPK50	C2-LBPK10 C2-LBPK50	C2-BPK10 C2-BPK50
						
Dark Blue Part Numbers C2-DB	Orange Part Numbers C2-O	Red Part Numbers C2-R	Purple Part Numbers C2-P	Brown Part Numbers C2-BR	Gray Part Numbers C2-GR	Black Part Numbers C2-BLK
C2-DBPK10 C2-DBPK50	C2-OPK10 C2-OPK50	C2-RPK10 C2-RPK50	C2-PPK10 C2-PPK50	C2-BRPK10 C2-BRPK50	C2-GRPK10 C2-GRPK50	C2-BLKP10 C2-BLKP50

Special Collar Colors are Available in Packs of 10 (PK10) and Packs of 50 (PK50)

						
Fluorescent Orange Part Numbers C2-FO	Hot Pink Part Numbers C2-HP	Lime Green Part Numbers C2-LG	Pink Part Numbers C2-PK	Gold Part Numbers C2-GO	Silver Part Numbers C2-SI	Copper Part Numbers C2-CO
C2-FOPK10 C2-FOPK50	C2-HPPK10 C2-HPPK50	C2-LGPK10 C2-LGPK50	C2-PPK10 C2-PPK50	C2-GOPK10 C2-GOPK50	C2-SIPK10 C2-SIPK50	C2-COPK10 C2-COPK50

Please note: All colors shown are printed representations. Actual colors may vary.

Custom Imprinted Small Cylinder I.D. Collars are Available

Develop a Customized Cylinder Management System for Your Organization.



For your custom imprint part number, select your desired color and fill-in the part number below.

Pt # C2-__-CI

See page LABELS-71 for Ordering Details. Fill Out Order Form – email info to labels@rmimfg.com or call 1-800-264-7793

WARNING: This product can expose you to chemicals including n-hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

XL Cap Style Round Collars – 8 1/2" Diameter

XL CAP STYLE 8 1/2" DIAMETER ROUND COLLARS

Only for XL Cap Style Cylinders 8 1/2" diameter
It will not work on standard style cylinders.



- Easily Pulls Overs Cap
- Stays Attached With or Without Cap

For Standard Cap Size Cylinders – 7" diameter – please see page LABELS-64

Only Works on Extra Large Caps

CXL Collars only fit when used with EXTRA LARGE CAP.
Not for use on standard 7" diameter cylinder neck rings.



Standard Cap Cylinder
7" diameter









Extra Large Cap Cylinder
8 1/2" diameter

Standard Collar Colors are Available in Packs of 10 (PK10) and Packs of 50 (PK50)

						
Semi Clear Part Numbers CXL1-C	White Part Numbers CXL1-W	Beige Part Numbers CXL1-BG	Yellow Part Numbers CXL1-Y	Dark Green Part Numbers CXL1-DG	Light Blue Part Numbers CXL1-LB	Blue Part Numbers CXL1-B
CXL1-CPK10 CXL1-CPK50	CXL1-WPK10 CXL1-WPK50	CXL1-BGPK10 CXL1-BGPK50	CXL1-YPK10 CXL1-YPK50	CXL1-DGPK10 CXL1-DGPK50	CXL1-LBPK10 CXL1-LBPK50	CXL1-BPK10 CXL1-BPK50
						
Dark Blue Part Numbers CXL1-DB	Orange Part Numbers CXL1-O	Red Part Numbers CXL1-R	Purple Part Numbers CXL1-P	Brown Part Numbers CXL1-BR	Gray Part Numbers CXL1-GY	Black Part Numbers CXL1-BL
CXL1-DBPK10 CXL1-DBPK50	CXL1-OPK10 CXL1-OPK50	CXL1-RPK10 CXL1-RPK50	CXL1-PPK10 CXL1-PPK50	CXL1-BRPK10 CXL1-BRPK50	CXL1-GYPK10 CXL1-GYPK50	CXL1-BLPK10 CXL1-BLPK50

Special Collar Colors are Available in Packs of 10 and Packs of 50

			
Fluorescent Orange Part Numbers CXL1-FO	Hot Pink Part Numbers CXL1-HP	Lime Green Part Numbers CXL1-LG	Pink Part Numbers CXL1-PK
Package of 10 Package of 50	CXL1-FOPK10 CXL1-FOPK50	CXL1-HPPK10 CXL1-HPPK50	CXL1-LGPK10 CXL1-LGPK50
			CXL1-PKPK10 CXL1-PKPK50

Note: Fluorescent Orange and Hot Pink are susceptible to fading with prolonged exposure to UV light.

Please note: All colors shown are printed representations. Actual colors may vary.

Custom Imprinted XL Cap Style Round Collars are Available

Develop a Customized Cylinder Management System for Your Organization.



For your custom imprint part number, select your desired color and fill-in the part number below.

Pt # CXL1-__-CI

See page LABELS-71 for Ordering Details. Fill Out Order Form – email info to labels@rmimfg.com or call 1-800-264-7793

⚠ WARNING: This product can expose you to chemicals including n-hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Non-Cap Collars – 3 1/2” Diameter

3 1/2” DIA. NON-CAP COLLARS, CUSTOM IMPRINT



CAN IMPRINT TO IDENTIFY

- Ownership
- Gas Type
- Information to Customer

Can be installed without having to remove valve. It goes over valve and sits on top of cylinder.

3 1/2” diameter



Pt # C3-Y

Standard Collar Colors are Available in Packs of 10 (PK10) and Packs of 50 (PK50)

Semi Clear Part Numbers C3-C	White Part Numbers C3-W	Beige Part Numbers C3-BG	Yellow Part Numbers C3-Y	Dark Green Part Numbers C3-DG	Light Blue Part Numbers C3-LB	Blue Part Numbers C3-B
C3-CPK10 C3-CPK50	C3-WPK10 C3-WPK50	C3-BGPK10 C3-BGPK50	C3-YPK10 C3-YPK50	C3-DGPK10 C3-DGPK50	C3-LBPK10 C3-LBPK50	C3-BPK10 C3-BPK50
Dark Blue Part Numbers C3-DB	Orange Part Numbers C3-O	Red Part Numbers C3-R	Purple Part Numbers C3-P	Brown Part Numbers C3-BR	Gray Part Numbers C3-GR	Black Part Numbers C3-BL
C3-DBPK10 C3-DBPK50	C3-OPK10 C3-OPK50	C3-RPK10 C3-RPK50	C3-PPK10 C3-PPK50	C3-BRPK10 C3-BRPK50	C3-GRP10 C3-GRP50	C3-BLPK10 C3-BLPK50

Special Collar Colors are Available in Packs of 10 (PK10) and Packs of 50 (PK50)

Fluorescent Orange Part Numbers C3-FO	Hot Pink Part Numbers C3-HP	Lime Green Part Numbers C3-LG	Pink Part Numbers C3-PK
C3-FOPK10 C3-FOPK50	C3-HPPK10 C3-HPPK50	C3-LGPK10 C3-LGPK50	C3-PKPK10 C3-PKPK50

Please note: All colors shown are printed representations. Actual colors may vary.

Custom Imprinting Fits under cap.

Can be put on under valve without removing the valve.

For your custom imprint part number, select your desired color and fill-in the part number below.

Pt # C3-__-CI

See LABELS-71 for Ordering Details.

Fill Out Order Form –
email info to labels@rmimfg.com
or call 1-800-264-7793



WARNING: This product can expose you to chemicals including n-hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Non-Cap Collars – 5" Diameter, Custom Imprint Available



"Non-Cap" Style Valve Collar 5" diameter

- Pulls over valve handle to mark and identify cylinder.
- Easy to remove but won't fall off.



5" DIA. NON-CAP COLLARS, CUSTOM IMPRINTING

Standard Collar Colors are Available in Packs of 10 (PK10) and Packs of 50 (PK50)

Semi Clear Part Numbers C-4-C	White Part Numbers C-4-W	Beige Part Numbers C-4-BG	Yellow Part Numbers C-4-Y	Dark Green Part Numbers C-4-DG	Light Blue Part Numbers C-4-LB	Blue Part Numbers C-4-B
C-4-CPK10	C-4-WPK10	C-4-BGPK10	C-4-YPK10	C-4-DGPK10	C-4-LBPK10	C-4-BPK10
C-4-CPK50	C-4-WPK50	C-4-BGPK50	C-4-YPK50	C-4-DGPK50	C-4-LBPK50	C-4-BPK50
Dark Blue Part Numbers C-4-DB	Orange Part Numbers C-4-O	Red Part Numbers C-4-R	Purple Part Numbers C-4-P	Brown Part Numbers C-4-BR	Gray Part Numbers C-4-GR	Black Part Numbers C-4-BL
C-4-DBPK10	C-4-OPK10	C-4-RPK10	C-4-PPK10	C-4-BRPK10	C-4-GRPK10	C-4-BLPK10
C-4-DBPK50	C-4-OPK50	C-4-RPK50	C-4-PPK50	C-4-BRPK50	C-4-GRPK50	C-4-BLPK50

Special Collar Colors are Available in Packs of 10 (PK10) and Packs of 50 (PK50)

Fluorescent Orange Part Numbers C-4-FO	Hot Pink Part Numbers C-4-HP	Lime Green Part Numbers C-4-LG	Pink Part Numbers C-4-PK	Gold Part Numbers C-4-GOLD	Silver Part Numbers C-4-SI	Copper Part Numbers C-4-CP
C-4-FOPK10	C-4-HPPK10	C-4-LGPK10	C-4-PPK10	C-4-GOLDPK10	C-4-SIPK10	C-4-CPPK10
C-4-FOPK50	C-4-HPPK50	C-4-LGPK50	C-4-PPK50	C-4-GOLDPK50	C-4-SIPK50	C-4-CPPK50

Custom Imprinted Non-Cap Style Valve Collars are Available

Develop a Customized Cylinder Management System for Your Organization.



For your custom imprint part number, select your desired color and fill-in the part number below.

Pt # C-4-__-CI

See page LABELS-71 for Ordering Details. Fill Out Order Form – email info to labels@rmimfg.com or call 1-800-264-7793

Please note: All colors shown are printed representations. Actual colors may vary.

WARNING: This product can expose you to chemicals including n-hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Cylinder Valving I.D. Disk & Collars, Zinc Cylinder Sleeves

VALVING I.D. DISKS & COLLARS, ZINC SLEEVES

Put on I.D. Disk when valving cylinder

Custom imprints available




Cylinder Valving I.D. Disks

Part # for Pkg. of 50	Description	Part # for Pkg. of 10
CV-S1PK50	Siphon	(Pt # CV-S1PK10)
CV-DTPK50	Dip Tube	(Pt # CV-DTPK10)
CV-WGPK50	Welding Grade	(Pt # CV-WGPK10)
CV-CCPK50	Coca-Cola	(Pt # CV-CCPK10)



Pt # CV-S1



Pt # CV-DT



Pt # CV-WG



Pt # CV-CC

Zinc Plated Cylinder Sleeve



Customer Owned
Pt # CYL-ZS-CUSTOWN

Part #	Description
CYL-ZS	Zinc Plated Cylinder Sleeve – No lettering
CYL-ZS-CI	Zinc Plated Cylinder Sleeve – Custom Imprint
CYL-ZS-CUSTOWN	Zinc Plated Cylinder Sleeve – Pre-Printed "Customer Owned"
CYL-ZS-832	Silicone Sealant # 832 Dow Corning

Cylinder Sleeve Custom Imprint Available see page LABELS-75

WARNING: Products in this catalog can expose you to chemicals including Lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to <https://www.p65warnings.ca.gov>

Valving I.D. Collars

For 80 cu. ft. through 330 cu. ft. Cylinders

- Install at time of Valve Installation

Standard Collar Colors Available



Semi Clear
Part Numbers
CV-C



White
Part Numbers
CV-W



Beige
Part Numbers
CV-BG



Yellow
Part Numbers
CV-Y



Dark Green
Part Numbers
CV-DG



Light Blue
Part Numbers
CV-LB



Blue
Part Numbers
CV-B



Dark Blue
Part Numbers
CV-DB



Orange
Part Numbers
CV-O



Red
Part Numbers
CV-R



Purple
Part Numbers
CV-P



Brown
Part Numbers
CV-BR



Gray
Part Numbers
CV-GR



Black
Part Numbers
CV-BL



Pt # CV-

Special Collar Colors Available



Lime Green
Part Numbers
CV-LG




Pink
Part Numbers
CV-PK

Note: Fluorescent Orange and Hot Pink are susceptible to fading with prolonged exposure to UV light.

Please Note: All colors shown are printed representations. Actual colors may vary.

Custom Imprinted Valving I.D. Collars are Available Call for Pricing



Cylinder-Threaded Plastic Plug

3/4" NPT Thread

Part # for Pkg. of 250	Description	Part # for Pkg. of 10
PM-3413PK250	3/4" NPT Thread	(Pt # PM-3413PK10)
PM-121PK250	1/2" NPT Thread	(Pt # PM-121PK10)
PM-113PK250	1" NPT Thread	(Pt # PM-113PK10)

WARNING: This product can expose you to chemicals including n-hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Custom Imprint Cylinder Management Collars

ORDER FORM



Develop a Customized Cylinder Management System for Your Organization in **3** Easy Steps

ORDER FORM - CUSTOM IMPRINT CYLINDER MANAGEMENT COLLARS



1.
Choose the Collar Style



For 80 cu. ft. through 330 cu. ft.
Style # **C1**

2.
Choose Collar Color

With same imprint and color ink, you can mix and match different color collars at no extra plate charge.

Color Prefix

C	W
BG	Y
DG	LB
B	DB
O	R
P	BR
GY	BL

3. Choose Imprint for Collar


Write out the wording you would like on the collar.

Ideas include: Your Company Name, Address, Phone, Website or other

See Example Below:

Line 1 **Acme Supplies**

Line 2 **1-800-555-5555**



Light material - dark print

Pt # C1-BG-CI



Dark material - light print


Pt # C1-B-CI

Special Colors

There is an additional Charge of 25¢ for Special Colors per Collar

FO	HP
LG	PK

Please note: All colors shown are printed representations. Actual colors may vary.




For 80 cu. ft. through 330 cu. ft.
Style # **RC**



For 80 cu. ft. through 330 cu. ft.
Style # **SQ**



Acetylene Cylinder
Style # **AC**



For 50 cu. ft. through 20 cu. ft.
Style # **C3**



For 50 cu. ft. through 20 cu. ft.
Style # **C-4**



For Medical-Yoke, Mc & B Acetylene
Style # **C2**

Use These 3 Easy Steps to Order Your Customized Collar

1. Enter Collar Style **2.** Enter Color Prefix **3.** Write out Imprint Information for Collar

1.	2.	Part #	3.	Imprint Information	Qty. (250 min.)
	-	C I	Line 1		
			Line 2		

Fill in Customer Info below, call **1-800-264-7793** or email labels@rmimfg.com

Customer Name _____

Contact Name _____ Account # _____

Ship to Address _____

Phone # _____ Fax # _____

Part Number Example

Part #
C 1 - - - C I

Enter Collar Style

Enter Color Prefix Here

Price includes one color printing and collar. One-time plate charge(s) apply. Custom Print Collar + or - 15% Production Run. Minimum Quantity Order = 250 minimum pieces per collar color.

All custom imprint products are manufactured and shipped from the West Coast facility.

WARNING: This product can expose you to chemicals including n-hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more Information go to www.P65Warnings.ca.gov

Custom Print 360° Tape, Dewar Valve Labels, Valve ID Disk

CUSTOM PRINT 360° TAPE, DEWAR LABELS & TAGS

360° TAPE

DESIGNED TO IDENTIFY THE GAS TYPE AND PROMOTE YOUR BRAND

Custom Imprint 360° Tape



Quickly See Tank that Belongs to Your Company!

- 250 Foot Roll
- Minimum 10 Rolls
- Call for Quotation

Samples of Your Logo Here



Industrial & Medical Gas Tapes Available – Choose Color and Print Information or Company Logo, see LABELS 27-28

Dewar Valve Labels



Adhere the Label to the Dewar Below the Valve as shown

Self-adhering identification labels for valves.

- Attach label to shoulder of Dewar below appropriate valve.
- Designed for cryogenic use.



Pt # DL-OV



Pt # DL-OG



Pt # DL-OL



Pt # DL-OPB

Dewar Valve Labels

Part # for Pkg. of 50	Description	Part # for Pkg. of 10
DL-OVPK50	Vent	(Pt # DL-OVPK10)
DL-OGPK50	Gas	(Pt # DL-OGPK10)
DL-OLPK50	Liquid	(Pt # DL-OLPK10)
DL-OPBPK50	Pressure Builder	(Pt # DL-OPBPK10)

CGA Valve I.D. Disk

Valve I.D. Disks

- Easily Attaches over the CGA
- Accurate Filling
- User-Friendly
- Durable Material



Oxygen USP
Pt # GV-OUSPPK50

Argon
Pt # GV-APK50

Part # for Pkg. of 50	Description	Color	Pt # for Pkg. of 10
GV-APK50	Argon	Brown	(Pt # GV-APK10)
GV-OPK50	Oxygen	Green	(Pt # GV-OPK10)
GV-OUSPPK50	Oxygen USP	Lime Green	(Pt # GV-OUSPPK10)
GV-CO2PK50	CO2	Orange	(Pt # GV-CO2PK10)
GV-NPK50	Nitrogen	Black	(Pt # GV-NPK10)
GV-NNFPPK50	Nitrogen NF	Black	(Pt # GV-NNFPPK10)
GV-NOUSPPK50	Nitrous Oxide USP	Blue	(Pt # GV-NOUSPPK10)

WARNING: This product can expose you to chemicals including n-hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Medical Gas Valve Labels



Pt # DL-MO



Pt # DL-MN



Pt # DL-MCO2



Pt # DL-MNO

Medical Gas Valve Labels

Part # for Pkg. of 50	Description	Part # for Pkg. of 10
DL-MOPK50	Medical Oxygen	(Pt # DL-MOPK10)
DL-MNPK50	Medical Nitrogen	(Pt # DL-MNPK10)
DL-MCO2PK50	Medical Carbon Dioxide	(Pt # DL-MCO2PK10)
DL-MNOPK50	Medical Nitrous Oxide	(Pt # DL-MNOPK10)

Dewar Hazard Tags



Gas Use Suffocation Hazard Tag
Pt # C5-GSH



Liquid Suffocation Hazard Tag
Pt # C5-LSH



Vent Suffocation Hazard Tag
Pt # C5-VSH

Cylinder Billboard Custom Print

ORDER FORM

The Originator – Cylinder Billboards

from 1999 Producing Promotional Cylinder Pullover Billboards and Status Tags

Customize Your Cylinder Billboard

Holds up to the Elements

- Sun & Rain
- Won't Tear
- Stays with Cylinder

Use for

- Open House Announcements
- Regulator Trade-in Programs
- Safety Warnings
- 400 to a pack

Pt # CB1-C1

Easy Pull Over Cap Design



ORDER FORM – CUSTOM IMPRINT CYLINDER BILLBOARD

1. IMPRINT INFORMATION ENTERED Standard Imprint Color is Black.

Name _____

Address _____

Phone _____ Fax _____

Web Address _____

BRAND BUILDING

A. Include Logo on Cylinder Tag

Logo add LB to Part #

PMS Color 1 _____

PMS Color 2 _____

Send Us Your Art Work to:
ci@rmimfg.com

Format for Logo – Tiff Format
Logo Colors* – Pantone Colors
Logo add LB to Part #

* One time set-up fee of \$85 per color will apply.

Use These 4 Easy Steps to Order Your Custom Imprint Cylinder Billboard

1. Check the Pt #(s) you want **2.** Select Color Option **3.** Enter Qty. **4.** Enter Imprint Info

1.	2.	3. Qty. (2,500 min.)	4.
<input type="checkbox"/> CB1-C1	Large Cylinder Billboard Tag	NA	Line 1 _____
			Line 2 _____
			Line 3 _____
			Line 4 _____

Fill in Customer Info below, call **1-800-264-7793** or email **labels@rmimfg.com**

Company Name _____

Company Address _____

Ship to Address _____

Contact Name _____ Email _____

Phone # _____ Fax # _____

Account # _____ P.O. _____ CC# _____

Still have questions? No problem, call 1-800-264-7793 or email labels@rmimfg.com for our representative

OTHER –
One-time plate charge(s) apply.
Custom Print Collar + or - 15% Production Run.
Minimum Quantity Order = 2,500 minimum pcs.
All custom imprint products are manufactured and shipped from the West Coast facility.

Zinc Plated Cylinder Neck Ring and Cylinder Sleeve

ZINC PLATED NECK RING & CYLINDER SLEEVE


Zinc Plated Cylinder Neck Ring

Product Use

The cylinder neck ring mounts to a seamless high pressure cylinder to provide a means of attachment for the cylinder valve protection device. Due to the varying boss sizes on cylinders, our neck rings are custom made to fit your manufacturing needs.

Key Features

- Zinc Plated
- High Quality Steel
- Rolled threads that provide better characteristics & higher strength
- Available with or without nibs, (typically there are 0, 3, 5 nibs.)
- Most common height is 1 15/16"
- No die charges on orders of 500 or more



Zinc Plated Cylinder Sleeve

Product Use

Cylinder Sleeves afford the owner of a cylinder the ability to identify ownership of the cylinder. When cylinders change ownership very often the neck ring will have the previous owner identified. To replace the neck ring the process can prove costly and time consuming. The Cylinder Sleeve is placed over the existing neck ring with the identifying label of the new owner and it is easily affixed by an adhesive. Whether you are placing your name on a new cylinder or previously owned cylinder, the Cylinder Sleeve will identify the current owner.

Key Features

- Embossed Lettering
- Designed for standard 3 1/8 -11 thread neck ring for high pressure cylinders
- Easy to apply with supplied adhesive (one tube for every 20 cylinder sleeves).
- Zinc Plated

Options

- Available in plain and powder coated
- Can provide bore for larger thread sizes, (i.e. 3 1/2 for acetylene cylinders).

**TO ORDER YOUR
CUSTOM IMPRINT**
**Cylinder Neck Ring and/or
Cylinder Sleeve**
see **ORDER FORM** on LABELS-75.

Zinc Plated Cylinder Neck Ring and Cylinder Sleeve

Part #	Description
CYL-ZN-CI	Zinc Plated Cylinder Neck Ring – Custom Imprint
CYL-ZS	Zinc Plated Cylinder Sleeve – No lettering
CYL-ZS-CI	Zinc Plated Cylinder Sleeve – Custom Imprint
CYL-ZS-CUSTOWN	Zinc Plated Cylinder Sleeve – Pre-Printed "Customer Owned"
CYL-ZS-832	Silicone Sealant # 832 Dow Corning



**With
EVERY
ORDER
of
20
CYLINDER
SLEEVES
WE WILL
SHIP at
NO CHARGE
1 tube
of the
832 sealant.**

Silicone Sealant
832 Dow Corning
Pt # CYL-ZS-832

WARNING: Products in this catalog can expose you to chemicals including Lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to <https://www.p65warnings.ca.gov>

Cylinder Neck Ring & Cylinder Sleeve

ORDER FORM



Custom Imprint Neck Rings and Cylinder Sleeve - 7 Easy Steps to Order

- | | | | | | | |
|--------------------------------------|---|--|---|--|-----------------------------------|---|
| 1. Check the Pt #(s) you want | 2. Bore Size Options
(center hole diameter) | 3. Overall Height
For Custom Height Only – Write in Height | 4. Thread Type Options
Fine
Coarse | 5. Diameter
3 1/8" High Pressure
OR
3 1/2" Acetylene | 6. Quantity
Minimum 100 | 7. Custom Wording
34 Letter Max including Spacing |
|--------------------------------------|---|--|---|--|-----------------------------------|---|

1. Part #	Description	2. Bore Size	3. Height – Write In	4. Thread Type	5. Diameter	6. Quantity Minimum 100
<input type="checkbox"/> CYL-ZNR0	0 Nibs on Collar		<input type="checkbox"/> Standard 1 15/16" <input type="checkbox"/> Custom _____	<input type="checkbox"/> Fine <input type="checkbox"/> Coarse	<input type="checkbox"/> 3 1/8 High Pressure <input type="checkbox"/> 3 1/2 Acetylene	
<input type="checkbox"/> CYL-ZNR3	3 Nibs on Collar		<input type="checkbox"/> Standard 1 15/16" <input type="checkbox"/> Custom _____	<input type="checkbox"/> Fine <input type="checkbox"/> Coarse	<input type="checkbox"/> 3 1/8 High Pressure <input type="checkbox"/> 3 1/2 Acetylene	
<input type="checkbox"/> CYL-ZNR5	5 Nibs on Collar		<input type="checkbox"/> Standard 1 15/16" <input type="checkbox"/> Custom _____	<input type="checkbox"/> Fine <input type="checkbox"/> Coarse	<input type="checkbox"/> 3 1/8 High Pressure <input type="checkbox"/> 3 1/2 Acetylene	
<input type="checkbox"/> CYL-ZS-CI	Cylinder Sleeve	N/A	N/A	N/A	<input type="checkbox"/> 3 1/8 High Pressure <input type="checkbox"/> 3 1/2 Acetylene	

7.

Item 1 _____
34 Letter Max Including Spacing

Item 2 _____
34 Letter Max Including Spacing

Item 3 _____
34 Letter Max Including Spacing

Item 4 _____
34 Letter Max Including Spacing

Fill in Customer Info below, call 1-800-264-7793 or email labels@rmimfg.com

Customer Name _____

Contact Name _____ Account # _____

Ship to Address _____

Phone # _____ Fax # _____

All custom imprint products are manufactured and shipped from the West Coast facility.

Still have questions?
No problem, call 1-800-264-7793
or email labels@rmimfg.com
for our representative

One-time die fee applies for orders under 500 pieces
New die is required for custom lettering
Minimum Quantity Order = 100

Custom Print for

Name of Company here


Please check

- Neck Ring
- Cylinder Sleeve

This layout must be signed and dated.

Signature

Date:



⚠ WARNING: Products in this catalog can expose you to chemicals including Lead which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, go to <https://www.p65warnings.ca.gov>

ORDER FORM – CUSTOM IMPRINT NECK RING & CYLINDER SLEEVE



Distribution Locations

Tennessee / Texas / California

Headquarters

275 South K Street - Solutions Center
Livermore, CA 94550

Contact

labels@rmimfg.com
1-800-264-7793

Website

www.rmiorder.com

Blog - Learning Center

www.rmimfg.com

Social Media

Instagram: @ratermannmfg

LinkedIn: www.linkedin.com/company/ratermann-manufacturing

YouTube: youtube.com/@ratermannmfg

